



RHINO-RACK®

MAKE SPACE FOR ADVENTURE

📍 **BALONNE HWY, OUTBACK QLD, AU**

CATALOGUE 2020 / 2021



LIFE IS BETTER WHEN WE MAKE SPACE FOR ADVENTURE.

But it's not always easy; I get it. I'm a regular guy, not an action hero. I do it too – get stuck on autopilot. But I'm way more proud of every single day I've spent outside – escaping civilization, sucking in life – than I am of the times I slept in and squandered time on the couch. You don't get those wasted days back.

Every time I load up the car and hit the road, it's a victory. I reckon the type of adventure is less important than getting out in the first place. A quick morning surf is as valuable as a big day driving in the outback. I've never regretted the times I've come back covered in dirt and sweat. Not once. Days on the couch should be a welcome anomaly, not a way of life.

As someone smart once figured out, work expands to fill the time you give it. So you have to make space for adventure.

Richard Cropley
Founder



We are proud that many of our Roof Rack Bars and legs are Australian Made, keep an eye throughout the catalogue for the Australian Made logo.



2020 Winner - **Pioneer**
2018 Winner - **Batwing**

THERE'S AN ADVENTURER IN ALL OF US

We help people make space for adventure with world ready outdoor gear
born and proven in Australia.



OUR STORY

CORE VALUES

Our values reflect those of a business started by a band of explorers and adventurers with a love and care for the great outdoors. That spirit is in all that we do, and every product we make.

PROTECTING NATURE FOR NATURE-LOVERS

The best thing we can do for the environment is make our stuff last longer. We care deeply about preserving the landscapes we love, and work hard to minimise our environmental impact right across the board - from design, right through to manufacture and distribution.

MAKING ADVENTURE ACCESSIBLE TO ALL


Every journey has to start somewhere. Whether you're a beginner, enthusiast, or veteran explorer – hitting the road for work or play – we strive to build products which help make adventure inclusive for everybody.

DEDICATED TO NEW DISCOVERIES

We're not bound by convention. Our success – and much of the fun – lies in developing new ways to do things. We're always seeking what's next by embracing the thrill of discovery and experimentation.

CHAMPIONING AUSSIE GRIT

Everyone at Rhino-Rack is prepared to roll up their sleeves and give things a go – even if it's outside our comfort zone. It's this Aussie grit – that sense of courage and determination – which unites us and our customers.




1992

Richard Cropley founded Rhino-Rack®. Our first racks were sold in Haberfield, NSW



2010

Designed and launched our iconic Pioneer™ Platform range.



2018

The Batwing Awning wins our first product design award




2020

Our latest Rhino-Rack® Pioneer™ Platform is awarded a Gold Award at the 2020 Good Design Award

1998

Began selling internationally, to adventurers in over 60 countries.




2016

Rich travels to Zimbabwe to visit the Rhinos we've helped to conserve.



2019

All plastic packaging removed from the Pioneer™ packaging.



OUR RANGE



ROOF RACKS - PAGE 7



PIONEER™ RANGE - PAGE 36



LUGGAGE CARRIER - PAGE 61



LOAD SECURING - PAGE 68



SHADE - PAGE 77



WATER - PAGE 86



SNOW - PAGE 99



BIKES - PAGE 102



TRADE SOLUTIONS - PAGE 111





ROOF RACKS

- 8. Fit My Car
- 9. Cross Bar Options
- 10. Removable Mount
- 12. Rail Mount
- 13. Gutter Mount
- 14. Track Mount
- 15. Tracks
- 16. Fixed Mount Point
- 17. Ditch Mount
- 18. Roof Racks - Tech Specs
- 20. Vehicle Load Rating
- 23. Rhino-Rack® Backbone
- 28. Canopy Rack Systems
- 31. Need to Level Things Out?
- 32. Canopy - Tech Specs

FIT MY CAR

FINDING THE RIGHT ROOF RACK HAS NEVER BEEN EASIER.

With thousands of vehicles and even more products designed to specifically fit particular vehicles it is so important to get it right. A Rhino-Rack® roof rack that fits perfectly means you can rest easy knowing the gear you carry is safe and sound on the roof of your vehicle.

The right Rhino-Rack® product for your vehicle is just a click away when you visit www.rhinorack.com/fitmyvehicle, then select your vehicle Manufacturer, Model, Year and Body type and check out all the Roof-Racks and Trays that fit your car...like a glove.

From there you can see the recommended retail price, dive into all the specifications, features and benefits and even look at installation instructions. You can also add them to a wish list and email to a friend or your local Rhino-Rack® Dealer

Please note, within Australia and New Zealand Rhino-Rack® is available exclusively through our approved dealer network. Find your local dealer by going to www.rhinorack.com/where-to-buy.

! Always refer to the product specification, installation instructions and vehicle owner's manual for suitability, fitness, installation and use of a specific product. Contact your local Rhino-Rack® dealer if in doubt or have any questions relating to the product.



WHERE DO I START?

CHOOSING THE BEST ROOF RACKS FOR YOUR NEXT ADVENTURE BEGINS WITH THESE 6 QUESTIONS:

1. Are you planning to head out **OFF-ROAD**?
2. What **GEAR** are you planning to take?
3. What is the **BODY TYPE** of your vehicle?
4. Who is the **MANUFACTURER** of your vehicle?
5. What is the **MODEL** of your vehicle?
6. Which **YEAR** was your vehicle manufactured?

These questions are all about making sure you have the right product to not only match your adventure but also your vehicle..

CROSS BAR OPTIONS

MULTIPLE SIZES IN BLACK OR SILVER



VORTEX [VA]

COLOUR  

Perfect for recreational and trade use. This is the most versatile crossbar on the market.

- Vortex Secure Core™ locking endcaps included.
- Masterkey™ compatible.
- Strong and durable for offroad and commercial use.
- Suits most load carrying accessories on the market.
- Vortex Generating Strip (VGS) is included.
- Extruded structural aluminium curved to suit the contour of your roof.

Bar Lengths Available:

1065mm / 44.09", 1180mm / 49.21",
1260mm / 54.13", 1375mm / 59.06",
1500mm / 64.96", 1650mm / 70.87",
1800mm / 78.74", 2000mm / 94.49"



HEAVY DUTY [HD]

COLOUR  

Perfect for trade accessories. For example: ladder racks.

- Designed for heavy duty and commercial use.
- Extruded structural aluminium.
- Strong and durable for offroad and commercial use.
- Large range of commercial carrying solutions available.
- Rubber strips included.

Bar Lengths Available:

1120mm / 41.93", 1250mm / 46.46",
1375mm / 49.61", 1500mm / 54.13",
1650mm / 59.06", 1800mm / 64.96",
2000mm / 70.87", 2400mm / 78.74"



EURO

COLOUR 

Perfect for light duty load carrying.

- Fits 2500 leg system and SX legs.
- Light weight steel material.
- Accessories available.
- Not suitable for offroad or heavy duty commercial use.
- Available in black.

Bar Lengths Available:

1060mm / 41.73"
1180mm / 46.45"
1260mm / 49.6"
1370mm / 53.93"
1500mm / 59"



1.0 REMOVABLE MOUNT

CLAMP SYSTEM DESIGNED FOR QUICK AND SIMPLE USE.



For product numbers and specification, see page 18



1.1 VORTEX 2500

If you're after a roof rack that is adaptable, easy to use, strong and light, then the Rhino-Rack® Vortex 2500 roof rack is the ideal solution.



1.2 HEAVY DUTY 2500

The HD 2500 roof rack is secure, strong and trade ready.



1.3 EURO 2500

The Euro 2500 roof rack is strong, light-weight and suitable for daily carrying applications.



1.4 ROC25 (FLUSH)

Both sleek and stylish in design, the ROC25 roof rack system is a perfect solution to carry all your gear.



2.0 RAIL MOUNT

SECURES AND ATTACHES TO EITHER SOLID OR RAISED FACTORY RAILS.



For product numbers and specification, see page 18



2.1 STEALTHBAR

Low profile roof rack system consisting of pre-assembled Vortex Bars ready-to-fit for vehicles fitted with raised factory rails.

Leg height: 35mm/1.4"



2.2 VORTEX SX (RAISED)

Designed specifically for use with roofs that feature raised rails. Compatible with Rhino-Rack® Vortex and Euro Bars.

Leg height: 55mm / 2.1"



2.3 VORTEX SX (SOLID OR FLUSH)

Designed to suit vehicles that feature solid rails. Easy to use, this leg includes security hardware to secure your racks. Compatible with Rhino-Rack® Vortex Bars and Euro Bars.

Leg height: 70mm x 2.8"



2.4 CXB

Designed for use with roofs that feature rails. Complete with twin bolt tightening for maximum clamping strength, easy adjustability and security hardware.

Leg height: 55mm / 2.1"



2.5 EURO SX

The new and improved Rhino-Rack® Euro bars offer users a low-profile design roof rack available in a variety of pre-cut lengths.

Leg height: 70mm / 2.8"

3.0 GUTTER MOUNT

SECURES AND ATTACHES TO GUTTERS.



For product numbers and specification, see page 18



3.1 SG GUTTER MOUNT LEG

The Vortex SG roof rack system is the system of choice for Jeep's that have protruding side gutters. Easy to install - they are an ideal solution that offers great strength and durability.

Leg height: 110mm/4.3"

- Made for vehicles with protruding side gutters.
- Features wind noise reducing VGS strips.
- Strong and built to last.
- Stylish flush bars with no overhang.



3.2 RL GUTTER MOUNT LEG

The Rhino-Rack® RL Legs are specially designed heavy duty legs to fit to gutter mounts on a vehicle.

- Compatible with both Vortex and HD overhang Bars.

Leg heights:

110mm / 4.3"
150mm / 5.9"
210mm / 8.3"
280mm / 11.0"



4.0 TRACK MOUNT

VEHICLE SPECIFIC TRACKS, DESIGNED FOR STRENGTH AND FLEXIBILITY. OFF-ROAD PROVEN.



For product numbers and specification, see page 18



4.1 RLT600

The Quick Mount™ RLT600 Leg Set is designed for single person use with a trigger locking system. Full (4) or Half (2) (RLT600H) leg sets to suit Vortex bars. Spacer kits and fitting kits are available for Rhino-Rack® Heavy Duty Bars and Pioneer™ systems.

Leg height: 71mm/2.8"



4.2 RCH/RCL

The RCH Locking Legs are designed with a key locking system to reduce wind resistance and increase security. This unique design helps reduce noise without compromising durability and load carrying capacity.

Leg Height RCH: 52mm/2.1"

Leg Height RCL: 37mm/1.5"



4.3 RLTF/RLTP

The Rhino-Rack® RLTF/RLTP legs are attached to your roof via a set of mounting brackets or Rhino-Rack® tracks.

Leg Height RLTF: 85mm / 3.3"

Leg Height RLTP: 50mm / 1.9"



4.4 RV

The Vortex RV flush leg system attaches to either a set of tracks or fixed mounting position that is permanently fixed to your roof.

Leg Height RVH: 65mm/2.5"


Leg Height RVL: 45mm/1.7"

5.0 TRACKS

TRACKS ARE OUR SPECIALTY.



For product numbers and specification, see page 18



5.1 RTV TRACK

Universal tracks for vehicles. Sold as a pair and includes hardware and end caps.



5.2 RTS TRACK

Specialty tracks for vehicles. Sold as a pair and includes hardware and end caps.



5.3 RTC TRACK

Tracks for your canopy. Sold as a pair, including hardware and end caps.

MAXIMUM ON/OFF-ROAD CARRYING CAPACITY

Tracks are our specialty. We have a wide and extensive range of tracks. Contact your Rhino-Rack® Distributor or log on to rhinorack.com for the best option for you.

Just some of the vehicles we have tracks for:

Ford Ranger PX
Holden Colorado
Hyundai iLoad
Isuzu D-MAX
Isuzu MU-X
Jeep Wrangler

Mazda BT50
Mercedes Sprinter
Mitsubishi Challenger
Mitsubishi Triton
Mitsubishi Pajero
Nissan Navara
Nissan Pathfinder

Range Rover
Toyota Hilux
Toyota Landcruiser
Toyota Rav 4
VW Transporter

6.0 FIXED MOUNT POINT

WE SPECIALISE IN A RANGE OF BRACKETS THAT ATTACH TO THE EXISTING MOUNTING POINTS ON YOUR VEHICLE'S ROOF.



For product numbers and specification, see page 18



6.1 ROC25

The ROC25 Flush roof rack system is specifically moulded to fit the contours of your vehicle's roof.



6.2 RC

The RC leg not only suits our specialised tracks, but can also attach to the specific vehicle mounting points that exist on the roof of your vehicle. Available in 2 heights.

Leg Height RCH: 52mm / 2.1"

Leg Height RCL: 37mm / 1.5"



6.3 RLTF

With a high profile design, this leg is perfect for highly curved rooves.



6.4 RV

The RV leg is designed to suit our specialised tracks or the specific vehicle mounting points that currently exist on the roof of your vehicle. Available in 2 heights.

Leg Height RVH: 65mm / 2.5"

Leg Height RVL: 45mm / 1.7"

7.0 DITCH MOUNT

SPECIALIZED FIXED MOUNTING POINTS TO ATTACH ROOF RACKS DIRECTLY TO YOUR VEHICLE.



For product numbers and specification, see page 18



WE NOW HAVE A SPECIALISED OPTION FOR THOSE HARD TO FIT VEHICLES.

Ditch Mount Brackets attach to a vehicle using a specialising fixed hardware to mount roof rack legs directly to a vehicle. Ditch Mount Systems offer a refined, robust and factory-esque fixing point to the vehicle without the need of clamps.

With the use of ditch mount brackets, a greater choice of leg styles and functions is available for many vehicles.

The fitment of ditch mount brackets requires a roof rack specialist due to the technical nature of modification and drilling of the vehicle. Please contact your local Rhino-Rack® dealer for more information or to organise a fitment.

Please refer to the vehicle manufacturer's handbook for specific vehicle load ratings.

Product codes for the ditch mount range are: #RVL, #RVH, #RCL, #RCH

ROOF RACKS - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PART #	SUITS	COL	HEIGHT	ONROAD*	OFFROAD*	WTY	NOTE
1.0	REMOVABLE							
1.1	VA 2500	VA Bars	B / S	110mm / 4.3"	75kg / 165lbs	37kg / 82lbs	5yrs	Masterkey™ compatible. Compatible with Leg Height Spacers RLKS1 to RLKS5.
1.2	HD 2500	HD Bars	B / S	115mm / 4.5"	75kg / 165lb	37kg / 82lbs	Life	Masterkey™ compatible. Compatible with Leg Height Spacers RLKS1 to RLKS5 and HD-FK9 100mm Leg Height Spacer
1.3	EURO 2500	EURO Bars	B	115mm / 4.5"	60kg / 132lbs	30kg / 66lbs	Life	Masterkey™ compatible (leg only)
1.4	ROC25	VA Bars	B	115mm / 4.5"	60kg / 132lbs	30kg / 66lbs	Life	Masterkey™ compatible.
	RLKVO	VA Bars	B	115mm / 4.5"	60kg / 132lbs	30kg / 66lbs	Life	Masterkey™ compatible.
2.0	RAIL MOUNT							
2.1	Stealth (Raised Rail)	VA Bars	B / S	35mm / 1.4"	80kg / 176lbs	53kg / 117lbs	5yrs	Sits 35mm above Factory Rails. Masterkey™ compatible.
2.2	Vortex SX (Raised Rail)	VA Bars	B / S	55mm x 2.1"	Refer to note.	Refer to note.	5yrs	Sits up to 55mm above Factory Rails. Masterkey™ compatible
2.3	Vortex SX (Solid or Flush Rail)	VA Bars	B / S	70mm x 2.8"	75kg / 165lbs	53kg / 117lbs	5yrs	Sits up to 70mm above Factory Rails. Masterkey™ compatible
2.4	CXB (Raised Rail)	HD Bars	B / S	55mm x 2.1"	80kg / 176lbs	53kg / 117lbs	5yrs	Sits 70mm above Factory Rails. Compatible with Leg Height Spacers CXBS1 to CXBS4.
2.5	EURO SX	EURO Bars	B / S	70mm / 2.8"	75kg / 165lbs	50kg / 110lbs	5yrs	Euro bar currently only compatible with SX systems.
3.0	GUTTERMOUNT							
3.1	SG	Sports Bar	B	110mm / 4.3"	60kg / 132lbs	30kg / 66lbs	Life	110mm height from Roof Gutter to underside of crossbar
3.2	RL	VA/HD Bars	B / S	110mm-280mm/ 4.3"-11"		66kg / 146lbs	Life	Heights available 110mm, 150mm, 210m, 280mm. Measured from base of leg to underside of HD crossbar, VA crossbar +10mm
4.0	TRACKMOUNT							
4.1	RLT600	VA/HD Bars	B / S	HD 75mm/3", VA 70mm/2.8"	100kg / 220lbs	66kg / 146lbs	Life	Compatible with all racks and selected Roof Ditch Brackets. Masterkey™ compatible.
4.2	RCL	VA/HD Bars	B / S	HD 75mm/3", VA 83mm/3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	Compatible with all racks and selected Roof Ditch Brackets. Masterkey™ compatible.
4.2	RCH	VA/HD Bars	B / S	HD 75mm/3", VA 83mm/3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	Compatible with all racks and selected Roof Ditch Brackets. Masterkey™ compatible.
4.3	RLTF/RLTP	VA/HD Bars	B / S	50mm - 85mm / 1.9" - 3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	50mm and 85mm Leg heights available. Measured from base of leg to underside of HD crossbar, VA crossbar +10mm.
4.4	RVL	VA Bars	B / S	83mm/3.3" + ~track height	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Masterkey™ compatible.
4.4	RVH	VA Bars	B / S	83mm/3.3" + ~track height	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Masterkey™ compatible

www.rhinorack.com/fitmyvehicle

ROOF RACKS - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PART #	QTY	SUITS	COL	HEIGHT	ONROAD*	OFFROAD*	WTY	NOTE
5.0	TRACKS								
5.1	RTV	2	VA/HD Bars	B	RLTP 63mm/2.5", RLTF 93mm/3.7", RLT600 83mm/3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	Flat bottomed track designed to sit on the roof of a vehicle. Metal application.
5.2	RTS	2	VA/HD Bars	B	RLTP 55mm/2.2", RLTF 85mm/3.3", RLT600 75mm/3"	100kg / 220lbs	66kg / 146lbs	5yrs	Unique track made for specific vehicles.
5.3	RTC	2	VA/HD Bars	B	RLTP 65mm/2.6", RLTF 95mm/3.7", RLT600 85mm/3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	Flat bottomed track designed for Ute Canopies. Fibreglass application.
6.0	FIXED POINT								
6.1	ROC25 FMP		VA/HD/ EURO Bars	B / S	VA 80mm/3.1", HD 85mm/3.3"	75kg / 165lbs	37kg / 82lbs	5yrs	Suits vehicles with factory threaded mounting points within the roof ditch. Masterkey™ compatible.
6.2	RCH		VA/HD Bars	B / S	VA 80mm/3.1", HD 85mm/3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	Overhang style. Requires adaptor for HD bar. Masterkey™ compatible
6.2	RCL		VA/HD Bars	B / S	VA 65mm/2.6", HD 70mm/2.8"	100kg / 220lbs	66kg / 146lbs	5yrs	Overhang style. Requires adaptor for HD bar. Masterkey™ compatible.
6.3	RLTF		VA/HD Bars	B / S	VA 65mm/2.6", HD 70mm/2.8"	100kg / 220lbs	66kg / 146lbs	5yrs	Overhang style. Requires adaptor for VA bar. Masterkey™ compatible
6.4	RVL		VA Bars	B / S	55mm / 2.2"	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Masterkey™ compatible
	RVH		VA Bars	B / S	80mm / 3.1"	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Masterkey™ compatible
	RSF		Sports Bar	B	60mm / 2.4	80kg / 176lbs	53kg / 117lbs	Life	Rhino Sportz fixed mount Left/Right handed flush style leg.
	RSF2		Sports Bar	B	60mm / 2.4"	80kg / 176lbs	53kg / 117lbs	Life	Low fixed mount RSP style flush style leg.
	RSF3		Sports Bar	B	75mm / 3"	80kg / 176lbs	53kg / 117lbs	Life	Low fixed mount RSP style flush style leg.
7.0	DITCHMOUNT								
7.0	RVL		VA Bars	B / S	55mm / 2.2"	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible.
7.0	RVH		VA Bars	B / S	80mm / 3.1"	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible.
7.0	RCL		VA/HD Bars	B / S	VA 65mm/2.6", HD 70mm/2.8"	100kg / 220lbs	66kg / 146lbs	5yrs	Flush design. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible.
7.0	RCH		VA/HD Bars	B / S	VA 80mm/3.1", HD 85mm/3.3"	100kg / 220lbs	66kg / 146lbs	5yrs	Overhang style. Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle. Masterkey™ compatible
7.0	2500 FMP		VA/HD/ EURO Bars	B / S	Up to 115mm/4.5" using High Base	75kg / 165lbs	37kg / 82lbs	5yrs	Leg suitable for use with Roof Ditch Bracket where no mounting provisions exist on the vehicle.

www.rhinorack.com/fitmyvehicle

VEHICLE LOAD RATING

There are a number of things to consider when working out your vehicle's load rating, and we want to help you understand the capacity of your racks and vehicle roof. Firstly, different vehicles have different ratings. You need to know the load rating of your vehicle. This information will be easy to find in your vehicle's owner manual.

Secondly, there are a few different load ratings you need to understand. There are on-road and static ratings for all vehicles, as well as off-road ratings for vehicles that can travel off-road.

- **On-road** refers to the load rating of a vehicle when traveling on a sealed road.
- A **static rating** is the load rating of a stationary vehicle, and is necessary if you're using a rooftop tent for example.
- The **off-road** load rating refers to a vehicle traveling on an unsealed road that does not contain a surface protection layer. Sometimes, manufacturers will list the load ratings in the vehicle's Owner Manual, however, you can calculate the off-road load rating yourself using the formula provided in your product fitting instruction.

Lastly, it is important to remember the on-road rating does not take into consideration the weight of the roof racks. According to our instructions, the on-road rating + weight of the racks is called roof allowance. But remember, if you buy an accessory or holder and attach it to your rack or tray, you must also include the weight of these items in the load.

It is very unsafe to overload your vehicle. The "she'll be right" approach is not appropriate in this context, and failure to follow the load ratings in each circumstance could result in damage to your vehicle, potential loss of your load, voiding warranty or insurance or cause traffic accidents. It's illegal to overload your vehicle.

To get started calculating your vehicle's load rating, you'll need to make a note of your vehicle's load rating from your vehicle's owner manual as well as the Rhino-Rack Roof Rack system you have installed on your vehicle. Once you have this information you can begin by entering your vehicle details at the below website.

To check your load rating head to -
www.rhinorack.com/loadrating



STATIC

When the vehicle is parked or stationary.



ON-ROAD

Driving on paved or sealed roads.




OFF-ROAD

Driving on unsealed or dirt roads.









YOUR ULTIMATE RIG!

RHINO-RACK® BACKBONE

For ultimate performance and looks, the Pioneer platform with a Backbone mounting system is the go-to for your ultimate rig!

The Backbone mounting system is available in unique vehicle designs for a perfect low-profile fit. With bold, solid construction you can be sure it can handle any punishment you give it. The system is also born and proven in Australia for durability in the toughest conditions.

Backbone mounting systems are specifically designed by individual vehicle, to find out if a Backbone is available for your ride go to www.rhinorack.com/fitmyvehicle



8.0 RHINO-RACK® BACKBONE

THE NEXT LEVEL OF EVOLUTION FOR YOUR 4WD



Refer to the rhinorack.com for part numbers and specifications



FORD EVEREST



MITSUBISHI TRITON



NISSAN Y62 PATROL



DISCOVERY4



TOYOTA PRADO (120 SERIES)



FORD RANGER



TOYOTA HILUX



TOYOTA PRADO (150 SERIES)



MAZDA BT50



TOYOTA LANDCRUISER LC200



HOLDEN COLORADO



TOYOTA FJ CRUISER



VW AMAROK



ISUZU MU-X



ISUZU D-MAX

8.0 RHINO-RACK® BACKBONE

THE NEXT LEVEL OF EVOLUTION FOR YOUR 4WD



Refer to the rhinorack.com for
part numbers and specifications



NISSAN NP300 NAVARA



CHEVROLET SILVERADO



'79 SERIES



RAM 1500 TRUCK



MITSUBISHI PAJERO SPORT



FORD F250



TOYOTA 4 RUNNER



TOYOTA HIACE



JEEP GLADIATOR



JEEP WRANGLER





42121BF series Pioneer featured. 52121 ALL NEW Pioneer also compatible.

INTRODUCING THE NEW JEEP GLADIATOR JT RHINO-RACK® BACKBONE

For ultimate performance and looks, the Pioneer™ platform with a Backbone mounting system is the go-to for your ultimate rig!

The Backbone mounting system is available in unique vehicle designs for a perfect low-profile fit. With bold, solid construction to you can be sure it can handle any punishment you give it. The system is also born and proven in Australia for durability in the toughest conditions

Features

- On roof installation, no canopy removal required.
- Single person installation.
- No measuring required.
- Specifically designed to be used with the Jeep JT Gladiator Pick Up truck.
- Stylish and low profile design.
- Made from strong and durable materials allowing for maximum carrying capacity.
- Black powder coating for increased corrosion resistance.
- Suits Pioneer™ Platform 52121/42121BF along with Vortex and Heavy Duty Cross Bars.
- 2 hour installation time.
- 5 year warranty.



ROOF RACKS TO SUIT THE MOST POPULAR CANOPIES AND UTILITIES ON THE MARKET.

Just because you have added a canopy on the back of your ute doesn't mean you can't add racks or trays to carry more gear. Choose from our range of leg and bar options or select from our Pioneer™ range. We have all sorts of cleverly designed accessories, legs and spacers to ensure your load is level and safe. To find the perfect fit for your canopy, go to www.rhinorack.com.



9.0 CANOPY RACK SYSTEMS

WE HAVE A RANGE OF OPTIONS TO SUIT A VARIETY OF CANOPIES



For product numbers and specification, see page 32



9.1 CANOPY MOUNT

For lighter load situations where utility posts are not required.



9.2 QM CANOPY MOUNT

Complete with internal backing mounts to fit a Quick Mount™ RLT600 leg onto a canopy.



9.3 ARTIFICIAL GUTTER

An ideal product to mount roof racks to a range of canopies.



9.4 SPECIALISED CANOPY POST ADAPTER

Use Rhino-Rack® Heavy Duty Bars and compatible VA and Pioneer™ accessories on ARB Ute Posts.



9.5 TRACK ADAPTER PLATE

Connect a standard gutter mount leg to any of the Rhino-Rack® track systems. Suitable for off-road use.



9.6 SPECIALISED CANOPY POST ADAPTER

Fit Rhino-Rack® Heavy Duty bars, VA and Pioneer™ accessories to an EGR Canopy Post.





NEED TO LEVEL THINGS OUT?

LEG HEIGHT SPACERS ARE PERFECT FOR CREATING MORE HEIGHT OR LEVELLING YOUR ROOF RACK CROSSBARS.

Rhino-Rack® offers a wide variety of levelling spacers that simply connect onto the leg. The spacers can range from 5-30mm in height and fit a wide variety of our legs. They also nest in one another to provide a seamless finish and style to the vehicle.

The roof of a vehicle as in most cases has a subtle or dramatic curve from front to rear.

When fitting three or more roof bars to a vehicle there is the challenge of maintaining a level working surface. Roof bars that are not level cause serious problems when loading and unloading, as they do not distribute the weight evenly across the vehicle roof which can become a safety concern.

We have spacers to suit Vortex and Heavy Duty bars.



CANOPY - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PART #	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WTY	NOTE
LEG KITS								
9.1	RFMPS	Fixed Mount	70mm / 2.7"	-	HD	RLTP	5yrs	VA Bar requires VA-FK1. High profile design, ideal for highly curved roofs or levelling bars
9.1	RFMC	Rhino Canopy Mount Leg Set	100mm / 3.9"	-	HD	RLTF	5yrs	Suits steel canopies. VA Bar requires VA-FK1
9.1	RFMC2	Fixed Mount	80mm / 3.15	-	HD	RLCP High	5yrs	High profile design, ideal for highly curved roofs or levelling bars; VA BAR REQUIRES VA-FK2.
9.1	RFMPS2	Fixed Mount RLCP Legs Low (2Pcs)	80mm / 3.15"	-	HD	RLCP	5yrs	Suits steel canopies; VA Bar requires VA-FK2. Only to be used with RLT600/RLT600H Legs.
GUTTERS								
9.3	739A	False Gutter Set	18mm / 0.7"	165 mm / 6.5"	HD	RL	3yrs	RL Leg with VA Bar requires VA-FK1.
9.3	739AHALF	False Gutter Set Half	18mm / 0.7"	166 mm / 6.5"	HD	RL	3yrs	VA Bar requires VA-FK1.
TRACK KITS								
	ARKT01	Aeroklas Track Set Ranger 1.1m	-	1100	VA, HD	RLT600	5yrs	Allows connection to any standard Gutter mount leg.
	ARKT03	Aeroklas Track Set Navara D/C 11/85-	-	920	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ute Posts.
	ARKT04	Aeroklas Track Set Triton D/C 07/06	-	1075	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ascent Canopy Posts
	ARKT05	Aeroklas Track Set Hilux Vigo D/C 04/05-	-	1075	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
	ARKT06	Aeroklas Track Set Amarok D/C 02/11	-	920	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
	ARKT07	Aeroklas Track Set Triton D/C 04/15	-	920	VA, HD	RLT600	5yrs	Fits to the factory fitted track supplied with early model TJM Canopies
	ARKT08	Aeroklas Track Set NP300 D/C 07/15	-	920	VA, HD	RLT600	5yrs	
	ARKT09	Aeroklas Track Set Hilux D/C 10/15	-	920	VA, HD	RLT600	5yrs	
	RTC10	Canopy/Ute Track Set 1.0 m Black	-	1000	-	-	5yrs	
	RTC12	Canopy/Ute Track Set 1.2 m Black	-	1200	-	-	5yrs	
	RTC12JW	Jeep Wrangler TJ 2Dr Canopy	-	1200	-	-	5yrs	
	RTC14	Canopy/Ute Track Set 1.4m Black	-	1400	-	-	5yrs	
	RTC16	Canopy/Ute Track Set 1.6m Black	-	1600	-	-	5yrs	
	RTC18	Canopy/Ute Track Set 1.8m Black	-	1800	-	-	5yrs	
	RTCF001	Flexi Sport Dual Cab Tracks Set 838mm	-	838	-	-	5yrs	
	RTCF002	Flexi Sport Dual Cab Tracks Set 1m	-	1000	-	-	5yrs	
	RTCF003	Flexi Sport Dual Cab Tracks Set 1.1m	-	1100	-	-	5yrs	
	RTS530	1.1m Fully Equip D/Cab Canopy Track (PR)	-	1100	-	RLT600	5yrs	
	RTS539	Flexi Trade 1200mm Track	-	1200	-	RLT600	5yrs	
	RTS550	EGR Dual Cab Canopy Track Set	-	920	-	RLT600	5yrs	
	RTS553	Sammitr Canopy Track Set 940mm	-	940	-	RLT600	5yrs	

www.rhinorack.com/fitmyvehicle

CANOPY - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PART #	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WTY	NOTE
MOUNTING KITS								
	RFMRL	Cabin Mount	25mm / 1"	215mm / 8.5"	-	RL	5yrs	
9.2	QMCM01	QM Canopy Mount	105mm / 4.1"	-	-	RLT600	5yrs	Only to be used with RLT600/RLT600H Legs.
9.2	QMCM02	QM Canopy Mount	105mm / 4.1"	-	-	RLT600	5yrs	Only to be used with RLT600/RLT600H Legs
	HD-FK9	JB Spacer/Height Adjuster	42mm-100mm / 3.9"-1.65"	-	VA	2500	3yrs	Used in conjunction with 2 x rear ute posts or canopy racks. Can be cut down.
	RCP52-BK	RFMPC2 Base Kit (2Pcs) Canopy Mount	-	-	VA	RVL, RVH, RCL, RCH	5yrs	
	RCP54-BK	RFMPC2 Base Kit (2Pcs) Canopy Mount	-	-	VA	RVL, RVH, RCL, RCH	5yrs	
	RTC16-FK	Canopy/Ute Track Set 1.6m Fit Kit	-	1600mm / 63"	-	-	5yrs	
9.5	RTRL	Track Adapter Plate	15mm / 0.6"	165mm / 6.5"	HD	RL	5yrs	
POST KITS								
9.4	ARB-AERO	ARB Canopy Post Adaptor	10mm / 0.4"	40mm / 1.6"	VA	-	5yrs	Fits Rhino-Rack Vortex onto ARB Ute Posts.
9.4	ARB-HD	ARB Canopy Post Adaptor	25mm / 1"	45mm / 1.8"	HD	-	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ute Posts.
9.4	ARB-ASHD	ARB Canopy Post Adaptor	10mm / 0.4"	50mm / 2"	HD	-	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ascent Canopy Posts.
9.6	EGR-HD	EGR Canopy Post Adaptor	-	-	HD	-	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts
9.6	EGR-VA	EGR Canopy Post Adaptor	2mm / 0.08"	58mm / 2.3"	VA	-	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
SPACERS / ADAPTORS								
	LHS-A1PAIR	2 x 10mm Leg Height Spacers	10mm / 0.3"	-	VA	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M6 x 45mm Bolts.
	LHS-A2PAIR	4 x 10mm Leg Height Spacers	10mm / 0.3"	-	VA	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M6 x 55mm Bolts
	LHSPAIR	2 x 10mm Leg Height Spacers	10mm / 0.3"	-	HD	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M10 x 35mm Bolts
	LHS2PAIR	4 x 10mm Leg Height Spacers	10mm / 0.3"	-	HD	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M10 x 45 mm Bolts.
	LHSPIV	Pivoting Leg Height Spacer	-	-	VA, HD	RL, RLCP, RLTP, RLTF	5yrs	Incl: 4 Adapters in Kit.
	CXBS1	6mm CXB Spacer Set	6mm / 0.2"	-	HD	CXB	5yrs	
	CXBS2	12mm CXB Spacer Set	12mm / 0.5"	-	HD	CXB	5yrs	
	CXBS3	18mm CXB Spacer Set	18mm / 0.7"	-	HD	CXB	5yrs	
	CXBS4	24mm CXB Spacer Set	24mm / 0.9"	-	HD	CXB	5yrs	

www.rhinorack.com/fitmyvehicle

CANOPY - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

PART #	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WTY	NOTE
RLKS1	2 X 10mm Spacer Blocks	10mm / 0.4"	-	VA	2500	5yrs	
RLKS2	4 X Spacer Blocks Max Height 18mm	18mm / 0.7"	-	VA	2500	5yrs	
RLKS3	6 X Spacer Blocks Max Height 26Mm	26mm / 1"	-	VA	2500	5yrs	
RLKS3	8 X Spacer Blocks Max Height 34mm	34mm / 1.3"	-	VA	2500	5yrs	
RLKS5	10 X Spacer Blocks Max Height 42mm	42mm / 1.7"	-	VA	2500	5yrs	
QMHD05	4 X Spacer Blocks Max Height 5mm	5mm / 0.2	-	HD	RLT600	5yrs	
QMVA05	5mm VA Spacer	5mm / 0.2	-	VA	RLT600	5yrs	
QMW05	Quick Mount Base Wedge 5mm (PR)	5mm / 0.2	-	-	RLT600	5yrs	
QMHD10	4 X Spacer Blocks Max Height 10mm	10mm / 0.4"	-	HD	RLT600	5yrs	
QMVA10	10mm VA Spacer	10mm / 0.4"	-	VA	RLT600	5yrs	
QMW10	Quick Mount Base Wedge 10mm (PR)	10mm / 0.4"	-	-	RLT600	5yrs	
QMHD15	4 X Spacer Blocks Max Height 15mm	15mm / 0.6"	-	HD	RLT600	5yrs	
QMVA15	Quick Mount 15mm VA Spacer	15mm / 0.6"	-	VA	RLT600	5yrs	
QMHD20	4 X Spacer Blocks Max Height 20mm	20mm / 0.8"	-	HD	RLT600	5yrs	
QMVA20	Quick Mount 20mm VA Spacer	20mm / 0.8"	-	VA	RLT600	5yrs	
QMHD25	4 X Spacer Blocks Max Height 25mm	25mm / 1"	-	HD	RLT600	5yrs	
QMVA25	4 X Spacer Blocks Max Height 25mm	25mm / 1"	-	VA	RLT600	5yrs	
QMHD30	4 X Spacer Blocks Max Height 30mm	30mm / 1.2"	-	HD	RLT600	5yrs	
PLHS1	Pioneer™ LHS Suit 42108 On Jk Jeep	20mm / 0.8"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	
PLHS2	Pioneer™ Leg Height Spacers	20mm / 0.8"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	
PLHSPAIR	Pioneer™ Leg Height Spacer (Pair)	10mm / 0.4"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	
PLHS3	Pioneer™ 5Mm Leg Height Spacer	5mm / 0.2"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	





ALL NEW PIONEER™ RANGE

- 38. Pioneer™ Leader Of The Rack
- 41. The ALL NEW Pioneer™
- 42. Mounting Options
- 44. Pioneer™ Systems
- 46. Pioneer™ - Tech Specs
- 47. Pioneer™ Rails
- 48. Pioneer™ Accessories
- 55. Pioneer™ Accessories - Tech Specs



📍 PORT DOUGLAS, QLD, AU





PIONEER™

LEADER OF THE RACK

**DON'T TRAVEL THE PATH
OF ANOTHER. PIONEER™
YOUR OWN.**

In 2010 Rhino-Rack® changed the way you carry gear on-road and off-road with the introduction of the Pioneer™ Platform and Pioneer™ Tray. In 2020 the legend continues with the introduction of the All New Pioneer™ – truly the leader of the rack.

The All New Pioneer™ is the most versatile & modular platform on the market with over 90 accessories for maximum customisation.

From serious 4WD adventures, to loading gear from the worksite, or just making sure your sporting equipment arrives safe - Rhino-Rack® Pioneer™ Systems have got it covered.



All NEW Pioneer



Pioneer Tradie



Pioneer Tray



“ I personally recommend the Rhino-Rack Pioneer range and accessories, they are built tough for all the punishment we give them on the road ”

Jase **ALL 4
ADVENTURE**

THE ORIGINAL. THE BEST.

Designed to make it easier for you, the Rhino-Rack® Pioneer™ range was another world first for Rhino-Rack®. Made from aluminium and fiberglass re-enforced nylon the Pioneer™ range is lightweight and strong, durable enough to endure any environment and flexible enough to carry almost anything. Don't be fooled by cheap imitations or products made of steel, these will just cost you more in the long run and are bound to let you down.

PIONEER™ PLATFORM TAKES TOP OF THE PODIUM IN THE INTERNATIONAL GOOD DESIGN AWARDS



We are proud to announce that our 'Pioneer™ Platform' has received the prestigious Good Design Award Gold Accolade in Australia's 2020 International Good Design Awards.

As one of the oldest and most prestigious international design awards in the world since 1958, the gold accolade, also known

as the Good Design Tick, is among the most respected and recognised international design endorsement symbols in the industry. With this accolade, consumers can be assured that the Pioneer™ Platform has been professionally designed to the highest standards and evaluated through rigorous testing and processes.



INTRODUCING THE ALL NEW PIONEER™

Features:

- Made from aluminium and fiberglass re-enforced nylon corners
- Black powder coated for increased corrosion resistance
- The most versatile and modular platform on the market
- Faster installation time an with Integrated measuring strip
- Additional accessory channels on front and rear extrusions Channel on underside of front and rear extrusions
- Integrated wiring capabilities within all extrusions
- Corners can be drilled/cut out to provide access to wiring
- Full range of Pioneer™ Platform Accessories**
- Included torque limiting tool ensures fasteners are properly tightened and makes regular maintenance easy.



Integrated Front & Rear Channel (Top)

Accessory channels in the front and rear extrusions, allows for additional accessory mounting.



Integrated Front Channel

The underside channels in the front and rear allow for the mounting of lights and other accessories.



Underbar Measuring Strip

Underbars can now easily be positioned using the measuring strip and position locator.



Corners

Easily access the internal channels of the front and rear extrusions for integrated wiring capabilities.

MOUNTING OPTIONS

To ensure we continue to offer our users the best solution on the market the ALL NEW Pioneer™ continues its legacy with its compatibility with our industry leading mounting systems. The integrated underbars on the ALL NEW Pioneer™ now mount directly with our SX Legs. Please check vehicle user manual for your vehicle's load carrying capacity.



Backbone



RLT600



RCH & RCL



SX (Sports Bar)



RL (Gutter Mount)



10.0 PIONEER™ SYSTEMS

LIGHTWEIGHT, STRONG, AND DURABLE ENOUGH FOR ANY ENVIRONMENT AND FLEXIBLE ENOUGH TO CARRY ALMOST ANYTHING.



For product numbers and specification, see page 46



10.1 ALL NEW PIONEER™ PLATFORM

- Stylish low-profile design
- Made from aluminium and fiberglass re-enforced nylon corners
- Black powder coated for increased corrosion resistance
- The most versatile and modular platform on the market
- Optional rail system available



10.2 PIONEER™ TRADIE

- Open front and rear.
- Aluminum alloy.
- Welded side rails.
- Designed to withstand harsh environmental conditions.
- Full range of Rhino-Rack® accessories.



10.3 PIONEER™ TRAY

- Aluminum alloy.
- Welded rails.
- Alloy front wind fairing.
- Tried and proven flexible glass re-enforced nylon components.
- Black powder coated finish for improved appearance and corrosion resistance.
- Full range of accessories available.



10.4 UNIVERSAL PIONEER™ PLATFORM

- Universal clamping system suits the most popular roof racks on the market.
- Low clearance.
- Easy assembly.
- Black powder coated finish and corrosion resistant.
- Optional rail systems available.
- Full range of accessories to suit.



PIONEER™ - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	DESCRIPTION	PART NO	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT (kg)	WEIGHT (lbs)
10.1	Platform	52100, 44100B	1528 x 1236mm / 61" x 48"	NA	17.5	38.57
10.1	Platform	52101, 44101B	1528 x 1376mm / 61" x 54"	NA	20.5	45.182
10.1	Platform	42113B	1528 x 1426mm / 61" x 57"	NA	30	66.14
10.1	Platform	52102, 44102B	1928 x 1236mm / 76" x 48"	NA	24.0	53.998
10.1	Platform	52103, 44103B	1928 x 1376mm / 76" x 54"	NA	27.0	46.284
10.1	Platform	52104	2128 x 1426mm / 84" x 56"	NA	30.0	66.12
10.1	Platform	42105B	2728 x 1465mm / 107" x 58"	NA	38.5	84.854
10.1	Platform	52107	2128 x 1236mm / 84" x 48"	NA	24.5	53.998
10.1	Platform	52108	1828 x 1426mm / 72" x 56"	NA	25.5	56.202
10.1	Platform	52109	1328 x 1236mm / 52" x 48"	NA	16.0	35.264
10.1	Platform	52110	1328 x 1376mm / 52" x 54"	NA	18.0	39.672
10.1	Platform	42111B	1328 x 1426mm / 52" x 56"	NA	19.5	42.978
10.1	Platform	42112B	928 x 1426mm / 36" x 56"	NA	14.5	31.958
10.1	Platform	42119BF	2528 x 1586mm / 99" x 62"	NA	40.0	88.16
10.2	Tradie	45100B	1528 X 1236mm / 61" x 48"	NA	21.5	47.386
10.2	Tradie	45101B	1528 X 1376mm / 61" x 54"	NA	22.5	49.59
10.2	Tradie	45102B	1928 X 1236mm / 76" x 48"	NA	26.5	58.406
10.2	Tradie	45103B	1928 X 1376mm / 76" x 54"	NA	29.5	65.018
10.2	Tradie	45104B	2128 X 1426mm / 84" x 56"	NA	32.5	71.63
10.2	Tradie	45107B	2128 X 1236mm / 84" x 48"	NA	27.5	60.61
10.2	Tradie	45108B	1426 X 1828mm / 72" x 56"	NA	28.0	61.712
10.2	Tradie	45109B	1236 X 1328mm / 52" x 48"	NA	17.5	38.57
10.2	Tradie	45110B	1376 X 1328mm / 52" x 54"	NA	19.5	42.978
10.2	Tradie	45111B	1426 X 1328mm / 52" x 56"	NA	21.0	46.284
10.3	Tray	41100	1520 x 1260mm / 59" x 49"	1400 x 1140mm / 55" x 45"	22.0	48.488
10.3	Tray	41101	1520 x 1400mm / 59" x 55"	1400 x 1280mm / 55" x 50"	22.5	49.59
10.3	Tray	41102	1920 x 1260mm / 75" x 49"	1800 x 1140mm / 71" x 45"	29.0	63.916
10.3	Tray	41103	1920 x 1400mm / 75" x 55"	1800 x 1280mm / 71" x 50"	32.5	71.63
10.3	Tray	41104	2120 x 1450mm / 83" x 57"	2000 x 1330mm / 79" x 52"	36.0	79.344
10.3	Tray	41107	2120 x 1260mm / 83" x 49"	2000 x 1140mm / 79" x 45"	30.0	66.12
10.4	Universal Platform	42115BF	1478 x 1184mm / 58" x 46"	NA	17.0	37.468
10.4	Universal Platform	42114BF	1228 x 952mm / 48" x 37"	NA	12.0	26.448

www.rhinorack.com/fitmyvehicle



For product numbers and specification, see page 55

11.0 PIONEER™ RAILS

OPTIONAL SIDE RAILS ALLOW YOU TO CONFIGURE YOUR PLATFORM IN THE BEST WAY TO SUIT YOUR LOAD.



11.1 FULL RAIL

Our stylish Pioneer™ Platform can now be transformed into a Pioneer™ Tray by adding the Full Rail Kit.

Note: ONLY fits older generation Pioneer™ Platform.



11.2 SIDE RAIL

Pioneer™ Platform Side Rails are sturdy and enable increased security when transporting your gear.

Note: ONLY fits older generation Pioneer™ Platform.



11.3 FRONT & SIDE RAIL

Change your configuration for individual load types. Never leave important adventure gear behind again.

Note: ONLY fits older generation Pioneer™ Platform.

Rails can be mounted to all planks in any location with our “C” channel mounting system.

For details on the rail that best suits your platform, talk to your local Rhino-Rack® dealer or go to rhinorack.com



NEW



WE MAKE IT SO YOU CAN TAKE IT.

STOW IT

RSIT

The Stow It has been designed to provide the most secure load carrying solution for all shovels, spades, paddles, axes, fishing rods and more. The Stow It is compatible with Rhino-Rack's most popular systems – the Pioneer™ Platforms, Vortex & Heavy Duty Cross Bars.

The Stow It is one of the first “utility holders” to be released that is made from lightweight cast aluminium. Past shovel holders from both Rhino-Rack and our competitors have primarily been made of plastic which doesn't provide the same load capacity as cast aluminium and is designed for trade & off-road use.

- Universal fitment to Pioneer Tray, Heavy Duty Bars and Vortex Bars
- All hardware included
- Premium quality powder coated light weight aluminium bodies
- Secure “ratchet” locking mechanism
- Easy to handle/operate
- Simple single person installation
- Load capacity of 8kg
- Key locking with opportunity to key alike with your roof rack systems
- MasterKey Compatible
- Easy to replace lock barrel
- Holds 10-50mm diameter items
- Additional mounting brackets available for compatibility with all Pioneer Systems
- Spring loaded for quick locking & release
- Rubber inserts secure accessories into place while also protecting them

RHINO-RACK
STOW it™

12.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 56



12.1 PIONEER™ ACCESSORY BAR

43232B, 43119B, 43120B, 43137B, 43138B

This accessory bar allows accessories to be attached to the Rhino-Rack Pioneer™ Trays, Platforms and Tradies.



12.2 RATCHET GRAB

43139

The Pioneer™ Ratchet Grab is an ideal system for securing cargo boxes to your Pioneer™ Platform, Tray or Tradie.



12.3 MULTI-PURPOSE HOLDER

53100

Made from stainless steel and powder coated to resist corrosion to withstand the harshest weather conditions.



12.4 STOW IT

RSIT

Convenient quick close and release load carrying solution for your shovel and other equipment.



12.5 HIGH LIFTING JACK BRACKET

43101

Secure and lock your High Lifting Jack in place with our strong, durable and corrosion resistant powder coated steel bracket.



12.6 HIGH LIFTING JACK AND SHOVEL BRACKET KIT

43157

This kit allows you to fit a shovel and high lifting jack to one side of your Pioneer™.

12.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 56



12.7 EYE BOLT KIT

43178

Designed to aid in carrying heavy loads on your Rhino-Rack® Pioneer™ System.



12.8 CORNER BRACKETS

43256

Cargo Corners have been designed to provide users with a secure and adaptable anchor point for large bulky items.



12.9 CABLE CORE LOCKDOWN

43205, 43206, 43207, 43208, 43209, 43210

Ergonomically designed to suit a wide range of crossbar brands and simple to install with the supplied Allen key.



12.10 RECOVERY TRACK FLAT BRACKET

43235

Secures recovery tracks on your Rhino-Rack® Pioneer™ Systems.



12.11 ROTOPAX FIT KIT

43203

The Pioneer™ Rotopax fit kit allows you to mount your Rotopax onto the range of Rhino-Rack® Pioneer™ systems.



12.12 WRAP PADS

43150

The Pioneer™ Wrap Pads are used to provide protection for both your gear and the Pioneer™ system.

12.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 56



12.13 LUGGAGE BAGS

LB200, LB250, LB350, LB500, LB600

The ideal solution for carrying your bulky
light weight gear while on the road.



12.14 AWNING BRACKETS

43259

Made from powder coated steel, these
brackets are corrosion resistant and
built to last.



12.15 PIONEER™ RECOVERY TRACK SIDE BRACKET

43159, 43197

Mounts recovery tracks at a 75° angle to
all Rhino-Rack® Pioneer™ systems.



12.16 PIONEER™ WIND FAIRING

43249

The Rhino-Rack Wind Fairing has been engineered to reduce the wind noise
as it deflects the air around your load minimising whistle while driving.

- Adjustable longitudinal movement
- UV resistant with sturdy 4mm thick ABS construction
- Soft Santoprene rubber feet
- Does not interfere with the usable space on the Pioneer™ system
- 5 year warranty

Note: ONLY fits older generation Pioneer™ Platform.

12.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 56



12.17 RATCHET PICKUP KIT

43175, 43179

Allows you to strap down items to your Pioneer™ system very quickly and easily.



12.18 LIGHT BRACKETS

43156, 43173

Built to secure your lights for work and adventure.

Note: ONLY fits older generation Pioneer™ Platform.



12.19 JERRY CAN HOLDERS

43107, 43108, 43151, 43152

A space conscious resolution to your jerry can needs allowing two cans to be transported easily.



12.20 GAS BOTTLE HOLDER

RGBH4

Designed to securely fit most 4.0L gas bottles on the market.



12.21 RHINO SPARE WHEEL STRAP

RSWS

Securely fasten your spare wheel to our range of Pioneer™ Trays and Platforms.

12.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 56



12.22 ALUMINIUM FOLDING LADDER BRACKET

RUFLB

Attach your Rhino-Rack® Aluminium Folding
Ladder to any Pioneer™ system.



12.23 PIONEER™ TIEDOWN POINT (x2) 43261

Their low profile design makes them an ideal
accessory when height is an issue.



12.24 RHINO-RACK® WHEEL STEP

RWS

A safe and effective way to load and
unload the gear mounted on your
4WD's roof.



12.25 RHINO-RACK® STEEL SHOVEL

43123

A square mouth shovel with a Stainless
Steel 304 Blade.



12.26 RHINO-RACK® SPADE

43124

Perfect for getting under bogged vehicles.



12.27 PIONEER GRAB HANDLE (x2)

43245

Large and sturdy form factor allows for a
great grip when used as a handle and a strong
anchor point when securing gear.

12.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



12.28 PIONEER LADDER MOUNT

43217

Allows you to use the Aluminium Folding Ladder on your Pioneer™ system.



12.29 ALUMINIUM FOLDING LADDER

RAFL

The Aluminium Folding Ladder connects to the edge of your Pioneer™ Systems using a specific mounting bracket fixed with bolts for added stability. The mounting bracket can be installed on any side of the vehicle as desired. The ladder unfolds at an angle to prevent contact with your vehicle. Constructed from Aluminium with a black powder coat finish, the Aluminium Folding Ladder is built strong to last.

Features:

- For use with Rhino-Rack® Pioneer™ Systems.
- Alloy construction with cast steel hinges.
- Wide feet (70mm/2.7") are perfect for use on soft ground.
- Adjustable feet extend to 325mm (19.7") to ensure stability on uneven ground.
- Maximum ladder length 2325mm (91.5"). Ladder folds to 1060mm (41.7").
- Maximum load rating of 125kg (275lb).
- Mounting brackets and hardware included.
- Additional brackets sold separately (#43217, #RUFLB)



PIONEER™ ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIM	WTY	WEIGHT	NOTE
11.1	Full Rail	43180B	42100B / 44100B	1	1226mm side x 962mm end / 48.3" x 37.9"	3yrs	4.6kg / 10.1lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43181B	42101B / 44101B	1	1226mm side x 1102mm end / 48.3" x 43.4"	3yrs	5.1kg / 11.2lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43182B	42102B / 44102B	1	1626mm side x 962mm end / 64" x 37.9"	3yrs	5.9kg / 13lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43183B	42103B / 44103B	1	1626mm side x 1102mm end / 64" x 43.4"	3yrs	6.4kg / 14.1lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43184B	42104B	1	1826mm side x 1152mm end / 71.9" x 45.4"	3yrs	7.2kg / 15.9 lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43185B	42105B	1	2426mm side x 1191mm end / 95.5" x 46.9"	3yrs	9.3kg / 20.5lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43187B	42107B	1	1826mm side x 962mm end / 71.9" x 37.9"	3yrs	6.7kg / 14.8lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43188B	42108B	1	1526mm side x 1152mm end / 60.1" x 45.4"	3yrs	6.2kg / 13.7lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43189B	42114B	1	962mm side x 678mm end / 37.9" x 26.7"	3yrs	2.8kg / 6.2lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43201B	42115B	1	1176mm side x 910mm end / 46.3" x 35.8"	3yrs	4.5kg / 9.9lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43227B	42109B	1	1026mm side x 962mm end / 40.4" x 37.9"	3yrs	4kg / 8.8lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43228B	42110B	1	1026mm side x 1102mm en / 40.4" x 43.4"	3yrs	4.5kg / 9.9lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43229B	42111B	1	1026mm side x 1152mm end / 40.4" x 45.4"	3yrs	4.3kg / 9.5lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43230B	42112B	1	626mm side x 1152mm end / 24.6" x 45.4"	3yrs	3.7kg / 8.2lbs	Specifically designed for different sized Pioneer Platforms.
11.1	Full Rail	43231B	42113B	1	1226mm side x 1152mm end / 48.3" x 45.4	3yrs	4.9kg / 10.8lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43140B	52100 / 52101	2	900mm / 35.43"	3yrs	3.6kg / 7.9lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43141B	52100 / 52101 / 52102 / 52103/52104	2	1500mm / 59"	3yrs	4.2kg / 9.3lbs	Cut rails to suit. Refer to fitting instructions.
11.2	Side Rail	43142B	52105	2	2100mm / 82.67"	3yrs	5kg / 11lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43144B	52102 / 52103	2	1300mm / 51.18"	3yrs	4kg / 8.8lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43145B	52108	2	1200mm / 47.24"	3yrs	3.9kg / 8.6lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43146B	52109 / 52110 / 42111B	2	700mm / 27.56"	3yrs	3.4kg / 7.5lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43147B	52112	2	1200mm / 11.81"	3yrs	3.9kg / 8.6lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43148B	42113B	2	1350mm / 53.15"	3yrs	4kg / 8.8lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43149B	52121	2	600mm / 23.63"	3yrs	3.3kg / 7.3lbs	Specifically designed for different sized Pioneer Platforms.
11.2	Side Rail	43200B	52115	2	850mm / 33.46"	3yrs	3.6kg / 7.9lbs	Specifically designed for different sized Pioneer Platforms.
11.3	Front & Side Rail	43160B	52100 / 52101 / 52102 / 52103 / 52104	1	1152mm / 45.35"	3yrs	2.9kg / 6.4lbs	Cut rails to suit. Refer to fitting instructions
11.3	Front & Side Rail	43161B	42114B	1	1191mm & 750mm / 46.9" & 29.5"	3yrs	3.1kg / 6.8lbs	Cut rails to suit. Refer to fitting instructions
11.3	Front & Side Rail	43163B	52100 / 52102 / 52107	1	962mm & 400mm / 37.9" & 15.8"	3yrs	2.3kg / 5.1lbs	Cut rails to suit. Refer to fitting instructions
11.3	Front & Side Rail	43164B	52101 / 52103	1	1102mm & 400mm / 43.4" & 15.8"	3yrs	2.8kg / 6.2lbs	Cut rails to suit. Refer to fitting instructions
11.3	Front & Side Rail	43165B	42114B	1	678mm & 400mm / 26.7" & 15.8"	3yrs	1.7kg / 3.7lbs	Cut rails to suit. Refer to fitting instructions
11.3	Front & Side Rail	43166B	42115B	1	910mm & 410mm / 35.8" & 16.1"	3yrs	2.2kg / 4.9lbs	Cut rails to suit. Refer to fitting instructions

www.rhinorack.com/fitmyvehicle

PIONEER ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIM	WTY	WEIGHT	NOTE
12.1	Pioneer™ Accessory Bar	43232B	52107, 52100, 52109, 52102, 52104, 45104B, 45100B, 45102B, 45109B, 45107B	2	610mm / 24"	3yrs	1.5kg / 3.3lbs	Accessory Bar attaches to the 'C' Channel.
12.1	Pioneer™ Accessory Bar	43119B	52100, 52102, 52107, 52109, 45100B, 45102B, 45107B, 45109B,	2	1220mm / 48"	1yr	3.2kg / 7.1lbs	Accessory Bar attaches to the 'C' Channel.
12.1	Pioneer™ Accessory Bar	43120B	52101, 52103, 52104, 42105B, 52108, 52110, 42111B, 42112B, 45101B, 45103B, 45104B, 45108B, 45110B, 45111B	2	1360mm / 53"	1yr	3.6kg / 7.9lbs	Accessory Bar attaches to the 'C' Channel.
12.1	Pioneer™ Accessory Bar	43137B	52100, 52102, 52107, 52109, 45100B, 45102B, 45107B, 45109B	2	1220mm / 48"	3yrs	3.3kg / 7.3lbs	VA Bar accessories. Attaches into the 'C' Channel.
12.1	Pioneer™ Accessory Bar	43138B	52101, 52103, 52104, 42105B, 52108, 52110, 42111B, 42112B, 45101B, 45103B, 45104B, 45108B, 45110B, 45111B	2	1360mm / 53"	3yrs	3.7kg / 8.2lbs	VA Bar accessories. Attaches into the 'C' Channel
12.2	Ratchet Grab	43139	Pioneer™	1		1yr	1.2kg / 2.6lbs	
12.3	Multi-Purpose Holder Bracket	53100	Pioneer™ / Sunseeker	2	74.4mm x 92mm x 69mm / 2.9" x 3.6" x 2.7"	3yrs	0.5kg / 1.1lbs	
12.4	Stow It	RSIT	Pioneer™ / VA Bars	2	28-37mm / 1.1"-1.5" grip diameter range	3yrs	1.4kg / 3.1lbs	
12.5	High Lifting Jack Bracket	43101	Pioneer™	1	310mm x 180mm x 80mm / 12.2" x 7.1" x 3.1"	3yrs	1.7kg / 3.7lbs	
12.6	High Lifting Jack/ Shovel Holder	43157	Pioneer™	1	250mm x 165mm x 90mm / 9.8" x 6.5" x 3.5"		2.7kg / 6lbs	
12.7	Eye Bolt Kit	43178	Pioneer™	4	60 x 65mm	1yr	0.9kg / 2lbs	
12.8	Corner Brackets	43256						
12.9	Cable Core Lockdown 0.6m	43205	Pioneer™/VA	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection.
12.9	Cable Core Lockdown 1.2m	43206	Pioneer™/VA	1	1.2m / 3'11"	3yrs	0.35kg / 0.77lbs	8mm (1/3") PVC coated steel wire with zinc protection
12.9	Cable Core Lockdown 1.8m	43207	Pioneer™/VA	1	1.8m / 5'11"	3yrs	0.4kg / 0.9lbs	8mm (1/3") PVC coated steel wire with zinc protection
12.9	Cable Core Lockdown 0.6m	43208	HD Bar	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
12.9	Cable Core Lockdown 1.2m	43209	HD Bar	1	1.2m / 3'11"	3yrs	0.4kg / 0.9lbs	8mm (1/3") PVC coated steel wire with zinc protection
12.9	Cable Core Lockdown 1.8m	43210	HD Bar	1	1.8m / 5'11"	3yrs	0.5kg / 1.1lbs	8mm (1/3") PVC coated steel wire with zinc protection
12.10	Recovery Track Flat Bracket	43235	Pioneer™	2	380mm x 105mm x 105mm / 15" x 4.1" x 4.1"	3yrs	1.92kg / 4.23lbs	
12.11	Pioneer™ Rotopax Fit Kit	43203	Pioneer™	1	NA	3yrs	0.2kg / 0.5lbs	
12.12	Wrap Pad	43150	Pioneer™	2	700mm / 27.6"	1yr	0.7kg / 1.5lbs	



PIONEER ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIMENSIONS	WTY	WEIGHT	NOTE
	Roller	43129	45100B, 45102B, 45107B, 45109B	1	1070mm / 42"	3yrs	2.44kg / 5.4lbs	Not suitable for Pioneer Trays
	Roller	43130	45101B, 45103B, 45110B	1	1210mm / 48"	3yrs	2.65kg / 5.8lbs	Not suitable for Pioneer Trays
	Roller	43131	42111B, 42112B, 45104B, 45108B, 45111B	1	1260mm / 50"	3yrs	2.7kg / 6lbs	Not suitable for Pioneer Trays
	Roller	43176	42105B	1	1299mm / 51"	3yrs	2.9kg / 6.4lbs	Not suitable for Pioneer Trays
12.13	Weatherproof Luggage Bag (200L)	LB200	Basket / Alloy Tray / Pioneer		1400 x 500 x 300mm / 55.1" x 19.7" x 11.8"	1yr	3kg / 6.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.13	Weatherproof Luggage Bag (250L)	LB250	Basket / Alloy Tray / Pioneer		1100 x 800 x 300mm / 43.3" x 31.5" x 11.8"	1yr	3.2kg / 7.1lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.13	Weatherproof Luggage Bag (350L)	LB350	Basket / Alloy Tray / Pioneer		1200 x 960 x 300mm / 47.2" x 37.8" x 11.8"	1yr	3.9kg / 8.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
12.13	Weatherproof Luggage Bag (500L)	LB500	Basket / Alloy Tray / Pioneer		1500 x 1100 x 300mm / 59" x 43.3" x 11.8"	1yr	5kg / 11lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof
12.13	Weatherproof Luggage Bag (600L)	LB600	Basket / Alloy Tray / Pioneer		1800 x 1100 x 300mm / 70.9" x 43.3" x 11.8"	1yr	5.7kg / 12.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof
12.14	Awning Bracket	43259	Pioneer™	2	120 x 60 x 140mm / 4.7" x 2.4" x 5.5"	3yrs	0.8kg / 1.8lbs	Hole distance 100mm
12.15	Pioneer Recovery Track Side Bracket	43159	Pioneer™	2	320mm / 12.6" in length	3yrs	2.2kg / 4.9lbs	When fitting 3 or 4 tracks, the Pioneer Recovery Support Bracket Part No: 43197 is required. Not suitable for the 45100, 41100, 45101
12.15	Pioneer Recovery Support Bracket	43197	Platform / Tradie		294mm x 70mm x 5mm	3yrs	0.77kg / 1.7lbs	Bracket not required for Pioneer Tray as the railings supplies the necessary support.
12.16	Wind Fairing	43249	Pioneer™	1	1130mm / 44"	5yrs		Not suitable for all new Pioneer range.
12.16	Wind Fairing	43250	Pioneer™	1	1272mm / 50"	5yrs		Not suitable for all new Pioneer range.
12.16	Wind Fairing	43251	Pioneer™	1	1332mm / 52"	5yrs		Not suitable for all new Pioneer range.
12.16	Wind Fairing	RF4	Vortex Bar	1	1270mm / 50"	5yrs		
12.16	Wind Fairing	RF3	Vortex Bar	1	1118mm / 44"	5yrs		
12.16	Wind Fairing	RF2	Vortex Bar	1	965mm / 37.9"	5yrs		
12.16	Wind Fairing	RF1	Vortex Bar	1	813mm / 32"	5yrs		
12.17	Pioneer Pick Up Kit	43175	Pioneer™	2	1.8m / 70.9" strap length	1yr	1kg / 2.2lbs	Lashing Capacity 225kg/496lb
12.17	Cam Buckle Pick Up Kit	43179	Pioneer™	2	2.2m / 86.6" strap length	1yr	0.7kg / 1.5lbs	Lashing Capacity 225kg/496lb
12.18	Light Bracket Kit	43156	Pioneer™	3	1 X LED Bar / 2X SPOT - 300mm x 105mm x 44.5mm / 11.8" x 4.1" x 1.8"	3yr	1.9kg / 4.2lbs	Holds 1 LED bar / 2x spot
12.18	LED Light Bracket	43173	Pioneer™	3	175 x 100 x 50mm / 6.8" x 3.9" x 1.9"	3yr	1.08kg / 2.38lbs	Holds 1 LED bar (up to 7.5Kg)
	Adjustable Load Holder	RLH2	Pioneer™ / VA Bars	2	160 x 85 x 65mm	3yrs	0.3kg / 0.7lbs	Allows the profile to be minimised to 160mm

www.rhinorack.com/fitmyvehicle

PIONEER ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIMENSIONS	WTY	WEIGHT	NOTE
12.19	Vertical Jerry Can	43107	Pioneer™	1	480 x 240 x 210mm / 18.8" x 9.4 x 8.2"	1yr	3.1kg / 6.8lbs	Holds 1 jerry can. Suits most 20l and 10l metal or plastic jerry cans.
12.19	Horizontal Jerry Can	43108	Pioneer™	1	585 x 205 x 140mm / 23" x 8" x 5.5"	1yr	3kg / 6.6lbs	Holds 1 jerry can. Suits most 20l and 10l metal or plastic jerry cans.
12.19	Double Vertical Jerry Can	43151	Pioneer™	1	460 x 380 x 190mm / 18" x 14.9" x 7.4"	1yr	3.7kg / 8.2lbs	Holds 2 jerry cans. Suits most 20l and 10l metal or plastic jerry cans.
12.19	Double Horizontal Jerry Ca	43152	Pioneer™	1	610 x 380 x 130mm / 24" x 14.9" x 5.1"	1yr	3.6kg / 7.9lbs	Holds 2 jerry cans. Suits most 20l and 10l metal or plastic jerry cans.
12.20	Gas Bottle Holder	RGBH4	Pioneer™	1	220 x 45 x 25mm / 8.6" x 1.7" x 0.9"	1yr	1.25kg / 2.76lbs	Suits most 4.0L gas bottles.
12.21	Rhino Spare Wheel Strap	RSWS	Pioneer™	1	145 x 60 x 40mm / 5.7" x 2.4" x 1.6"		0.7kg / 1.5lbs	Eye bolt kit (3) part# 43178 required (sold separately).
12.22	Aluminium Folding Ladder Bracket	RUFLB	Pioneer™	1		3yrs	2.1kg / 4.6lbs	
	Heavy Duty Attachment Plate Kit	43105	Pioneer™	2	84mm x 40mm x 4mm / 3.3" x 1.6" x 0.2"	3yrs	0.5kg / 1.1lbs	
12.23	PIONEER™ Tiedown Point (x2)	43261						
12.24	Wheel Step	RWS	NA	1		3yrs		Tyre size: 30 x 9.50R15, 285 X 75r16, 33 X 10.5R15, 265 X 70r16 265 X 75r16, 265 X 70r17, 33 X 12.50R15 (tight fit)
12.25	Shovel	43123	NA	1	1410mm / 55.5"	N/A	2.25kg / 5lbs	
12.26	Spade	43124	NA	1	1065mm / 42"	N/A		
12.27	PIONEER™ Grab Handle (x2)	43245	Pioneer™					
12.28	Ladder Mount	43217	Pioneer™	1	135 x 50 x 40mm / 5.3" x 1.9" x 1.5"	3yrs	0.6kg	
1229	Aluminium Folding Ladder	RAFL	Pioneer™	1	2325mm/91.5" max ext, 2000mm/78.7" min ext	5yrs	5.3kg / 11.7lbs	





LUGGAGE CARRIER

- 62. Trays
- 63. Tray Accessories
- 64. Luggage Bags
- 66. Roof Boxes
- 67. Luggage Carrier - Tech Specs

13.0 TRAYS

BASKETS & TRAYS ARE A STEADFAST TRADITION OF RHINO-RACK®.



For product numbers and specification, see page 67



13.1 XTRAY

- Universal clamp fits most crossbars.
- 3 year warranty.
- 75kg load rating.
- Engineered 2 piece construction.
- Corrosion resistant.
- Fits roof racks of varying distances.
- Bar spacing: Max=760mm
Min=535mm



13.2 STEEL MESH PLATFORM

- Strong and durable.
- Corrosion resistant.
- Zinc-plated and powder-coated to avoid corrosion and colour fading.

NB: Fitting Kits sold separately



13.3 STEEL MESH BASKET

- Strong and durable.
- Corrosion resistant.
- Zinc-plated and powder-coated to avoid corrosion and colour fading.

NB: Fitting Kits sold separately

14.0 TRAY ACCESSORIES

VIEW THE RANGE OF ACCESSORIES TO COMPLIMENT YOUR RHINO-RACK STEEL MESH PLATFORM.



For product numbers and specification, see page 67



14.1 LUGGAGE NETS

RLN1, RLN2

The luggage net offers easy fitting with one piece hooking units for you to easily load and unload your gear.



14.2 HD BAR U-BOLTS

RUBK

For use when mounting a Rhino-Rack® Mesh Basket, Mesh Platform or a Luggage Box/Ski Box to the Rhino-Rack® Heavy Duty Bar



14.3 RHINO BAR VA U-BOLTS

S280

Used to mount a Rhino-Rack® Steel Mesh Basket and Platform to the Rhino-Rack® Vortex Bar.



14.4 EURO BAR U-BOLTS

MUBK

Mount the full range of Rhino-Rack® Mesh Baskets and Mesh Platforms to Euro crossbars.



14.5 MESH BASKET FITTING KIT

BP4

Off-road proven. Mount a range of Steel Mesh Baskets and Platforms

15.0 LUGGAGE BAGS

BOOT SPACE ON THE ROOF.

PERFECT COMPANIONS FOR ROOF RACKS OR A PIONEER TRAY, ROOF BAGS AND BOXES.

For all those items you need to throw in to make your adventure more enjoyable why not simply add them to your roof. Our bags are quick and easy to install and most importantly keep everything dry and clean on your trip.

Features:

- Constructed using 500D High-End poly canvas tarpaulin - waterproof, tear resistant & fibre reinforced.
- Protective velcro overlap to shield the zipper from the elements.
- Welded seams provide superior waterproofing compared to traditional stitching methods.
- Extra strong UV50+ securing straps with heavy duty Duraflex buckles to easily secure the luggage bag to a luggage tray or basket.
- Storage bag to keep the luggage bag protected between trips.

KEEP YOUR EXTRA BULKY LIGHTWEIGHT GEAR SAFE AND SOUND WITH OUR RANGE OF RHINO LUGGAGE BAGS.



For product numbers and specification, see page 67



18.1 200L
LB200



18.2 250L
LB250



18.3 350L
LB350



18.4 500L
LB500



18.5 600L
LB600



16.0 ROOF BOXES

YOU CAN CARRY MORE GEAR WHEN YOU'RE TRAVELLING
WITH A RHINO-RACK® ROOF TOP LUGGAGE BOX



WHAT'S IN THE BOX?

With a Rhino-Rack® MasterFit Roof Box you can conveniently carry more. Our top of the line 4WD off-road proven roof box can carry a huge 75kg/165lb.

Our unique MasterFit Technology means you can quickly and safely fit the box by using a revolutionary Twist to Tighten & Press to Lock clamping system.

Features:

- Low profile
- Safe and secure fit
- 5 year warranty
- 75kg/165lb load rating
- For crossbars with a max width of 90mm & max height of 35mm

COMPARISON CHART RM	RMFT370	RMFT410	RMFT530
Black	Black	Black	Black
External Length (mm)	1770mm / 66.9"	1910mm / 75.2"	2150mm / 84.6"
External Width (mm)	770mm / 30.3"	810mm / 31.9"	900mm / 35.4"
External Height (mm)	420mm / 16.5"	420mm / 16.5"	430mm / 17"
Capacity (litres)	370L	410L	530L
Box weight	15kg / 33.1lb	18kg / 39.7lb	21.5kg / 47.4lb
Max. allowed weight	75kg / 165.3lb	75kg / 165.3lb	75kg / 165.3lb
Crossbar Spacing	550-890mm	550-1000mm	550-1000mm
Material	ABS/ASA	ABS/PMMA	ABS/PMMA
Opening	Dual	Dual	Dual
Locking points	Central	Central	Central
Load securing straps included	2	3	3
Warranty	5 years	5 years	5 years



Jaws tighten around crossbar.



Twist and press button to lock.



Sleek, textured look.

LUGGAGE CARRIER - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART NO.	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT (KG/LB)	WTY	NOTES
13.1	Xtray Small	RMCB01	1200mm x 900mm x 200mm / 47.2" x 35.4" x 7.9"	1070mm x 760mm x 125mm / 42.1" x 30" x 5"	14kg / 30.9lb	3yrs	Universal clamp fits most crossbar types.
13.1	Xtray Large	RMCB02	1480mm x 1090mm x 150mm / 58.3" x 42.9" x 5.9"	1350mm x 950mm x 125mm / 53.1" x 37.4" x 5"	21kg / 46.3lb	3yrs	Universal clamp fits most crossbar types.
13.2	Steel Mesh Platform - Half	RPBH	1500mm x 650mm / 59.1" x 25.6"	1460mm x 610mm / 57.5" x 24"	12kg / 26.5lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Small	RPBS	1245mm x 940mm / 49" x 37"	1205mm x 900mm / 47.4" x 35.4"	8kg / 17.6lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Med	RPBM	1340mm x 1100mm / 52.8" x 43.3"	1300mm x 1060mm / 51.2" x 41.7"	18kg / 39.7lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Lge	RPBL	1590mm x 1205mm / 62.6" x 47.4"	1550mm x 1165mm / 61" x 45.9"	21kg / 46.3lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Xlge	RPBXL	2120mm x 1180mm / 82.7" x 45.9"	2100mm x 1165mm / 82.7" x 45.9"	27kg / 59.5lb	3yrs	Fit Kit sold separately.
13.3	Steel Mesh Basket - Small	RLBS	1245mm x 940mm x 130mm / 46.1" x 34.4" x 5.11"	1170mm x 875mm x 130mm / 46.1" x 34.4" x 5.1"	9kg / 19.8lb	3yrs	Fit Kit sold separately.
13.3	Steel Mesh Basket - Med	RLBM	1340mm x 1070mm x 125mm / 47.6" x 38.2" x 5.5"	1210mm x 970mm x 125mm / 47.6" x 38.2" x 5.5"	14kg / 30.9lb	3yrs	Fit Kit sold separately.
13.3	Steel Mesh Basket - Lge	RLBL	1590mm x 1205mm x 160mm / 60.6" x 45.2" x 6.3"	1540mm x 1150mm x 160mm / 60.6" x 45.3" x 6.3"	19.2kg / 42.3lb	3yrs	Fit Kit sold separately.
14.1	Luggage Net Small	RLN1	800mm x 1200mm / 31.5" x 47.2"	800mm x 1200mm / 31.5" x 47.2"	0.53kg / 1.17lb	1yr	
14.1	Luggage Net Large	RLN2	1000mm x 900mm / 39.4" x 35.4"	1000mm x 900mm / 39.4" x 35.4"	0.61kg / 1.34lb	1yr	
14.2	U-Bolt - HD Fit Kit	RUBK	75mm x 67mm / 3" x 2.6"	NA	0.66kg / 1.46lb	3yrs	To suit Steel Mesh Basket/Platform.
14.3	U-Bolt - VA Fit Kit	S280	65mm x 100mm / 2.6" x 4"	NA	0.65kg / 1.43lb	3yrs	To suit Steel Mesh Basket/Platform.
14.4	European U-Bolt - Euro Fit Kit	MUBK	34mm x 40mm / 1.3" x 1.6"	NA	0.3kg / 0.66lb	3yrs	To suit Steel Mesh Basket/Platform.
14.5	Mesh Basket Fitting Kit	BP4	34mm x 40mm / 1.3" x 1.6"	NA	0.3kg / 0.66lb	3yrs	To suit Steel Mesh Basket/Platform.
15.1	Weatherproof Luggage Bag (200L)	LB200	1400 x 500 x 300mm / 55.1" x 19.7" x 11.8"	NA	3kg / 6.6lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.1	Weatherproof Luggage Bag (250L)	LB250	1100 x 800 x 300mm / 43.3" x 31.5" x 11.8"	NA	3.2kg / 7.1lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.1	Weatherproof Luggage Bag (350L)	LB350	1200 x 960 x 300mm / 47.2" x 37.8" x 11.8"	NA	3.9kg / 8.6lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.1	Weatherproof Luggage Bag (500L)	LB500	1500 x 1100 x 300mm / 59" x 43.3" x 11.8"	NA	5kg / 11lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.1	Weatherproof Luggage Bag (600L)	LB600	1800 x 1100 x 300mm / 70.9" x 43.3" x 11.8"	NA	5.7kg / 12.6lbs	1yr	Not to be attached directly to crossbars or directly to the roof.

LOAD SECURING

- 70. Rapid Locking Straps
- 71. Rapid Straps
- 72. Securing
- 73. What's The Best Way To Secure My Kayak?
- 74. Load Securing - Tech Specs



📍 COLEDALE, NSW, AU



17.0 RAPID LOCKING STRAPS

FASTEN AND SECURE YOUR LOAD QUICKLY AND SAFELY.




For product numbers and specification, see page 74

- Straps can be tightened before & after cover is locked.
- 3.2mm / 0.126" PU coated steel wire encased in the strap to minimise the risk cutting.
- Steel wire starts 250mm / 9.8" from the end, allowing easy feed of strap through the cambuckle and ease in tying off excess strap.
- Maximum lashing capacity is 225kg / 496lbs.
- Tested to AS4380:2001
- Cambuckle Cover is completely removable to aid in feeding/ securing strap.
- Security stop inside cover helps prevent theft.
- Aluminium cambuckle is corrosion resistant.

Rapid Locking Straps are available in the following sizes:

- 2.5m / 98.4"
- 3.5m / 137.8"



Lockable cover is completely removable and Masterkey™ compatible



Rubberised cambuckle helps protect your load/vehicle from damage



Includes: 2 straps, 2 covers with locks, 2 keys, 2 storage velcro straps.

18.0 RAPID STRAPS

ENSURE THAT YOUR LOAD IS FASTENED AND SECURED TO YOUR ROOF RACKS.



For product numbers and specification, see page 74



- Unique design registered Buckle Protector, designed to encase the aluminium metal cam buckle.
- Buckle Protector is made from TPV rubber and provides maximum protection for your gear or vehicle.
- Sewn in Velcro "Roll it" Strap to keep the strap neatly stowed and indicate strap length.
- Low vibration noise caused by wind.
- Maximum lashing capacity is 225kg / 496lb.
- Tested to AS4380:2001
- Aluminium cambuckle is corrosion resistant.

Rapid Straps are available in the following sizes:

- 3.5m / 137.8"
- 4.5m / 177.2"
- 5.5m / 216.5"

19.0 SECURING

ENSURE THAT YOUR LOAD IS FASTENED AND SECURED TO YOUR ROOF RACKS.



For product numbers and specification, see page 74



19.1 RAPID HOOK STRAP

RTDH3

The ideal accessory to ensure that your load is fastened and secured to your roof racks.



19.2 RATCHET GRAB

43139

The Pioneer Ratchet Grab comes with a 2.0m strap, an eye bolt and multidirectional fitting.



19.3 PIONEER EYE BOLT KIT

43178

Designed to aid carrying heavy loads on your Rhino-Rack® Pioneer System.



19.4 PICKUP KIT

43179

The mounting blocks are designed with a low profile to minimise wind resistance and are easily installed.



19.5 ADJUSTABLE LOAD HOLDER

RLH2

Designed to secure your load in position so it won't slide in transit.



19.6 CABLE CORE LOCKDOWN

43205, 43206, 43207

Designed to suit a wide range of crossbar brands and simple to install with the supplied Allen key.



19.7 HD CABLE CORE LOCKDOWN

43208, 43209, 43210

Ergonomically designed to suit a wide range of crossbar brands. Allen key included.



19.8 RHINO-RACK® J BOLT

RJBSW

To be used in conjunction with your Rhino-Rack® Heavy Duty roof racks and spare wheel.



WHAT'S THE BEST WAY TO SECURE MY KAYAK?

TYING DOWN YOUR KAYAK INCORRECTLY CAN GET YOU IN TROUBLE. IT CAN CAUSE AN ACCIDENT OR DAMAGE YOUR KAYAK. HERE ARE SOME TIPS TO HELP YOU SAFELY SECURE THINGS.

There are a couple of things to bear in mind when securing your kayak. Firstly, positioning your kayak correctly, is important. Make sure the weight distribution is even on the kayak carrier. Secondly, when carrying a kayak (or any long load for that matter) the front and rear must be anchored to avoid rocking. Rocking can cause damage to your vehicle, kayak, or roof racks.

Some vehicles have anchor points under the bonnet and boot for towing while other vehicles may need to use alternative securing methods. Rhino-Rack® has two alternative securing methods for long loads; the Bonnet Anchor Strap (RBAS) and the Rhino Anchor Strap (RAS).

If the kayak will be left unattended for some time it is recommended to use the Locking Rapid Straps (RTD35L) for added security. These straps have an inner lining of polyurethane coated wire with a lockable casing to help prevent theft.

Strap the body of the kayak by looping the straps around each roof rack. Fasten using the cam buckles and tighten so it is secure without placing too much pressure on the kayak and roof racks. If you cannot reach under the kayak, consider placing the strap down on the far side and walk

the straps around the vehicle. The Rhino-Rack® Wheel Step (RWS) is suitable for some vehicles to assist in securing loads.

Use tie down straps to secure the bow and stern to the anchor points, either use points on the kayak to secure the strap or use the Rhino-Rack® Bow Strap Bonnet Tie Down (RBAS1). This Kayak Tie Down strap has two cam buckles, one to fasten the strap around the kayak and the other to the vehicle anchor point. Once attached to the kayak pull through the anchor point and twist the strap around itself to reduce vibration. Use the cam buckle to tighten the straps and always coil the excess to prevent damage from wind flapping.

Always check the kayak is secured firmly to the carriers before driving. To check the kayak is secure, move the kayak left to right from the rear and front of the vehicle. The vehicle and kayak should move in unison if the load is secure. As new ropes and straps may stretch and road vibrations may cause straps to loosen, check the kayak is secure again after driving a short distance.

Drive cautiously as longer loads can change the handling of vehicles, especially at higher speeds and in heavy wind conditions. Be mindful the length of your vehicle may have changed, always check how far the kayak protrudes and drive accordingly.

LOAD SECURING - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIMENSIONS	WTY	WEIGHT	NOTE
17.1	Rapid Straps Locking	RTD25L	N/A	2	2.5m / 98.4"	1yr	1.1kg / 2.4lbs	Lashing capacity 225kg/496lb
17.1	Rapid Straps Locking	RTD35L	N/A	2	3.5m / 137.8"	1yr	1.3kg / 2.9lbs	Lashing capacity 225kg/496lb
18.1	Rapid Straps	RTD35P	N/A	2	3.5m / 137.8"	1yr	0.4kg / 0.9lbs	Lashing capacity 225kg/496lb
18.1	Rapid Straps	RTD45P	N/A	2	4.5m / 177.2"	1yr	0.5kg / 1.1lbs	Lashing capacity 225kg/496lb
18.1	Rapid Straps	RTD55P	N/A	2	5.5m / 216.5"	1yr	0.55kg / 1.21lbs	Lashing capacity 225kg/496lb
19.1	Rapid Hook Straps	RTDH3	N/A		3m / 118"			Lashing capacity 225kg/496lb
19.2	Ratchet Grab	43179	Pioneer	2	1.8m / 70.9" strap length	1yr	1kg / 2.2lbs	Lashing capacity 225kg/496lb
19.3	Eyebolt Kit	43178	Pioneer	4		1yr		
19.4	Pick Up Kit	43179	Pioneer	2	2.2m / 86.6" strap length	1yr	0.7kg / 1.5lbs	Lashing capacity 225kg/496lb
19.5	Adjustable Load Holder	RLH2	VA Bars/Pioneer	2	160 x 85 x 65mm / 6.3" x 3.3" x 2.5"	3yrs	0.3kg / 0.7lbs	Allows the profile to be minimised to 130mm
19.6	Cable Core Lockdown	43205	Pioneer/VA	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
19.6	Cable Core Lockdown	43206	Pioneer/VA	1	1.2m / 3'11"	3yrs	0.35kg / 0.77lbs	8mm (1/3") PVC coated steel wire with zinc protection
19.6	Cable Core Lockdown	43207	Pioneer/VA	1	1.8m / 5'11"	3yrs	0.4kg / 0.9lbs	8mm (1/3") PVC coated steel wire with zinc protection
19.6	Cable Core Lockdown	43208	HD Bar	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
19.7	HD Cable Core Lockdown	43209	HD Bar	1	1.2m / 3'11"	3yrs	0.4kg / 0.9lbs	8mm (1/3") PVC coated steel wire with zinc protection
19.7	HD Cable Core Lockdown	43210	HD Bar	1	1.8m / 5'11"	3yrs	0.5kg / 1.1lbs	8mm (1/3") PVC coated steel wire with zinc protection
19.8	Rhino J Bolt	RJBSW	HD Bar	1	1.8m / 5'11"	3yrs	0.5kg / 1.1lbs	8mm (1/3") PVC coated steel wire with zinc protection

www.rhinorack.com/fitmyvehicle





SHADE

- 78. Covering All Bases
- 79. Batwing
- 80. Sunseeker
- 82. Shade Accessories
- 84. Shade - Tech Specs

COVERING ALL BASES

The Rhino-Rack® Batwing boasts a range of great features. This amazing 270 degree awning is a perfect way to bring shade to all your adventures. It is light, tough, easy to use but most of all fully integrated.

Materials:

- The hinges are made from flexible and durable plastic to minimise the risk of snapping support poles.
- The Awning fabric is a heavy duty rip-stop, water and mould resistant material that has been independently tested to UPF 50 + rating, offering the maximum sun protection.

Accessories for the Batwing are available on page 84.





BATWING™



BATWING™
COMPACT



20.1 BATWING AWNING

33200, 33100

- Black powder coated extrusion and poles plus the new black UV resistant PVC bag, looks fantastic on any vehicle.
- Easy grip zippers.
- The large straps make it easier to pack and unpack and keep the awning safely stored while you travel.
- New internal storage pocket holds all 8 ropes and 10 pegs.
- Powder-coated aluminium poles feature cross-directional tie down points for added security in windy conditions.
- Brackets included.
- Compatible with all existing Rhino-Rack® side walls, extensions and tents.

20.2 BATWING COMPACT

33300, 33400

- Available in both left and right hand vehicle.
- UV50+ sun protection
- 270° of shade and 6.4m2 coverage area (69 square foot).
- Ultra durable lightweight 210D poly oxford water resistant PU2000mm (UV50+).
- Black anodised aluminium and powder coated extrusions and poles.
- 580gsm black PVC outer bag.
- Drop down poles integrated into the awning.

WHERE THE SUN DON'T SHINE.

The Rhino-Rack® Sunseeker is constructed from the same high quality materials as the Batwing. Available in 2 sizes it is perfect for small, medium or large vehicles and provides protection from the elements for all your outdoor activities.

Simply mount the Sunseeker Awning to your roof rack and roll out the 2.5m / 8.2ft awning to create a 5.15sqm / 55.38 sq ft shaded area for you and your family to relax in. The Sunseeker Awning is perfect for watching sport, camping, picnics, lunch breaks at work and lazy days at the beach.

Accessories for the Sunseeker are available on page 84.



sunseeker



20.3 SUNSEEKER AWNING

32133, 32132

- Quick & Easy to set up and pack down.
- UV-protection with a UV50+ rating.
- Corrosion resistant.
- MouldShield™.
- Water resistant rating of PU 2000mm.
- Velcro tensioning tabs attached to the awning to aid water run off.
- Sturdy support telescopic poles made from black anodised aluminium.
- Spikes at the base of each pole aid in securing them to the ground with a convenient peg rope.
- Black heavy duty PVC 540gsm carry bag.
- All hardware covered in plastic caps for protection and to reduce wear & tear.
- Protective patches increases strength, durability, and longevity.
- Fits all Rhino-Rack® and competitor roof racks with specific fitting kits.
- Compact single extrusion design to minimise product height when closed and stored on vehicle roof.

**THE HARSH SUMMER SUN
WON'T BE ABLE TO STOP KEEN
ADVENTURERS FROM HITTING THE
ROAD AND EXPLORING THE GREAT
OUTDOORS WHEN YOU HAVE A
RHINO-RACK® AWNING.**

Not all awning can shield you from UV radiation, that's why Rhino-Rack® is proud our awning range offers maximum UV protection. With a UPF 50+ rating to provide excellent protection from UV radiation, meaning you will be sun safe while relaxing at your chosen location.

But remember, shade does not provide 100% protection. Some of the sun's UV can still reach you in the shade by reflecting off surrounding surfaces. As a rule of thumb if you can see the sky, you are less than fully protected so always combine shade with clothing, a hat, sunglasses and sunscreen.



21.0 SHADE ACCESSORIES

ACCESSORIES THAT WILL FIT ONTO OUR AWNING RANGE INCLUDING TENTS AND SHADE EXTENSIONS.



For product numbers and specification, see page 84



21.1 SUNSEEKER 2.0M AWNING EXTENSION

32111


Extra cover to your Sunseeker 2.0 Awning.



21.2 SUNSEEKER SIDE WALL

32112

Add an extra 2m x 2m of coverage and enjoy the extra shade and privacy.



21.3 SAND SCREW

31113

Secure your tent and awning to the ground with a unique screw flute and comfortable grip handle.



21.4 BATWING FRONT EDGE ZIPPERED INSERT

31124

Squares off the front edge of the Batwing for extra shade.



21.5 BATWING/SUNSEEKER EXTENSION

31101

Extend your coverage by a further 2m. Telescopic poles and pegs included.

21.0 SHADE ACCESSORIES

ACCESSORIES THAT WILL FIT ONTO OUR AWNING RANGE INCLUDING TENTS AND SHADE EXTENSIONS.



For product numbers and specification, see page 84



21.6 BATWING TAPERED EXTENSION WITH DOOR

33103

Tapered extension piece for our Batwing, featuring a door for easy access.



21.7 BATWING TAPERED ZIP EXTENSION

33107

Tapered extension piece for our Batwing and secure to the ground at an angle.



21.8 BATWING COMPACT EXTENSION WITH DOOR

33106

An easy to fit tapered extension piece for our Batwing Compact, featuring a door for easy access.grip handle.



21.9 BATWING COMPACT TAPERED ZIP EXTENSION

33104

An easy to fit tapered extension piece for our Batwing Compact.

SHADE - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART NO.	SIZE (OPEN)	SIZE (CLOSED)	MOUNT	WEIGHT	WTY	SUITS	NOTES
20.1	Batwing LH	33100	15m square / 161.5 square ft	2500 x 95 x 200 / 98.4" x 3.7" x 7.9"	Pioneer/VA/HD	Awning 19.5kg/43lb, hardware 2kg/4.4lb	1yr		UV50+ 210D poly ox w/r PU2000mm
20.1	Batwing RH	33200	15m square / 161.5 square ft	2500 x 95 x 200 / 98.4" x 3.7" x 7.9"	Pioneer/VA/HD	Awning 19.5kg/43lb, hardware 2kg/4.4lb	1yr		UV50+ 210D poly ox w/r PU2000mm
20.2	Batwing Compact LH	33300	6.4m2/68.9ft2	2000x95x200/ 78.7"x3.7"x7.9"	Pioneer/VA/HD	17.90kg/39.5lb	1yr		UV50+ 210D poly ox w/r PU2000mm
20.2	Batwing Compact RH	33400	6.4m2/68.9ft2	2000x95x200/ 78.7"x3.7"x7.9"	Pioneer/VA/HD	17.90kg/39.5lb	1yr		UV50+ 210D poly ox w/r PU2000mm
20.3	Sunseeker Black 2500	32133	2500 x 2100 / 98.4" x 82.7"	60 x 110 x 2500 / 2.4" x 4.3" x 98.4"	Pioneer/VA/HD	10kg / 22lb	1yr		UV50+ 210D poly ox w/r PU2000mm
20.3	Sunseeker Black 2000	32132	2000 x 2100 / 78.7" x 82.7"	60 x 110 x 2000 / 2.4" x 4.3" x 78.7"	Pioneer/VA/HD	8.85kg / 19.5lbs	1yr		UV50+ 210D poly ox w/r PU2000mm
21.1	Sunseeker 2000 Extension	32111	1980 x 1900 / 78" x 74.8"		Sunseeker 2000	2kg / 4.4lbs	1yr	Sunseeker 2000	Also suits Batwing Compact
21.2	Sunseeker Side Wall	32112	1970 x 2000 / 77.5" x 78.7"		Sunseeker	2kg / 4.4lbs	1yr	Sunseeker 2000/2500	Adds another 2m x 2m of additional coverage
21.3	Sand Screw	3113	513mm/ 20.2"			0.16kg/ 0.35lb	1yr		
21.4	Front Edge Zippered Insert	31124	2480 x 1160 / 97.6" x 45.7"		Batwing LH	1kg / 2.2lbs	1yr	Batwing LH	Fills out front edge of LH Batwings
21.5	Batwing/Sunseeker Extension	31101	2470 x 1900 / 97.2" x 74.8"		Sunseeker 2500/ Batwing	2.3kg / 5.1lbs	1yr	Sunseeker 2500/ Batwing	UV protected, waterproof and mould resistant
21.6	Batwing Tapered Extension with Door	33103	3655 x 2235 / 143.9" x 88"		Batwing	4kg / 8.8lbs	1yr	Batwing / Sunseeker 2500	Zipper and Velcro tabs along sides to join multiple extensions
21.7	Batwing Tapered Extension	33107	3655 x 2235 / 143.9" x 88"		Batwing	3.5kg / 7.7lbs	1yr	Batwing / Sunseeker 2500	Zipper and Velcro tabs along sides to join multiple extensions
21.8	Batwing Compact Tapered Extension with Door	33106	3000 x 2235 / 118.1" x 88"		Batwing Compact	3.5kg / 7.7lbs	1yr	Batwing Compact / Sunseeker 2000	Zipper and Velcro tabs along sides to join multiple extensions
21.9	Batwing Compact Tapered Extension	33104	3000 x 2235 / 118.1" x 88"		Batwing Compact	3kg / 6.6lbs	1yr	Batwing Compact / Sunseeker 2000	Zipper and Velcro tabs along sides to join multiple extensions
	Tapered Extension	31112	2300 x 3800 / 90.6" x 149.6"	-	Batwing	2.8kg / 6.2lb	1yr	Batwing	Up to 4 extensions can be used.

www.rhinorack.com/fitmyvehicle



WATER

- 88. Kayak Carriers
- 90. SUP & Kayak Accessories
- 91. Fishing Rod Holders
- 91. Kayak Loaders
- 93. Side Boat Loader
- 94. Rear Boat Loader
- 95. Water - Tech Specs





22.0 KAYAK CARRIERS

OUR LARGE RANGE OF RHINO-RACK® KAYAK AND CANOE CARRIERS ARE PERFECT FOR ALL TYPE OF WATER CRAFTS.



For product numbers and specification, see page 95



22.1 LOCKABLE KAYAK CARRIER

580, 581

- Hidden locks.
- Fits a variety of hull shapes.
- Marine grade felt lined rear cradles for maximum hull protection.
- 6mm thick TPV (santoprene rubber front pads)
- Pads provide 75mm x 200mm contact surface area.
- Perfect hull contact.
- Unique 180 degree rotation.
- 4 cradles included.
- Includes 4 straps (2x 16.4ft / 5m, 2x 11.5ft / 3.5m) with buckle protector.

Fit kit sold separately for heavy duty crossbars.



MASTERKEY COMPATIBLE



22.2 UNIVERSAL KAYAK CARRIER

570, 571

- Universal crossbar fit.
- Fits a variety of hull shapes.
- Perfect hull contact.
- Marine grade felt lined rear cradles for maximum hull protection.
- 6mm thick TPV (santoprene rubber front pads)
- Pads provide 75mm x 200mm contact surface area.
- Unique 180 degree rotation.
- Includes 4 straps (2x 16.4ft / 5m, 2x 11.5ft / 3.5m) with buckle protector

Fit kit sold separately for heavy duty crossbars.

22.0 KAYAK CARRIERS

OUR LARGE RANGE OF RHINO-RACK® KAYAK AND CANOE CARRIERS ARE PERFECT FOR ALL TYPE OF WATER CRAFTS.



For product numbers and specification, see page 95



22.3 NAUTIC STACK

S520

- The most space conscious kayak loading option.
- Can hold up to 4 kayaks.
- Foldable Stack arm when not in use.
- Glass reinforced nylon base.
- Stack arm made of high strength aluminum alloy.



22.4 FOLDABLE 'J' STYLE

S512

- Side loading.
- Rubber tube padding protection.
- Universal mounting system.
- Steel tubing with coating protection.



22.5 KAYAK CARRIER EXTENSION

S512X

- Transport 1 extra watercraft at the same time.
- Includes straps.
- Strong and durable steel coated.
- Completely assembled and ready out of the box.
- To be used in conjunction with the Foldable 'J' Style Carrier (S512).



22.6 FIXED 'J' STYLE

S510

- Universal fitment.
- Side loading.
- Rubber tube padding protection.
- Stainless steel hardware included

23.0 SUP & KAYAK ACCESSORIES

OUR RANGE OF ACCESSORIES TO HELP STORE AND SECURE YOUR WATER CRAFT.



23.1 WRAP PAD

RWP01, RWP03, RWP04, RWP05

Wrap around your Vortex bars for the extra protection required when loading and unloading your kayak/canoe/surfboard.



23.2 VA UNDERSIDE TIE DOWN POINT

S606

Installed on the underside of the crossbar ensures kayaks and straps do not loosen.



23.3 WALL MOUNT

RWHL, RWHS

The Wall Hanger allows you to mount and store your luggage box, tray, kayak or anything up to 80kg / 176lb securely.



23.4 KAYAK BOW STRAP

RBAS1, RBAS2

Includes a 3.6m tie down strap and anchor point strap to secure your kayak in transit.



23.5 MULTI PURPOSE HOLDER

RMPHU

Perfect to transport fishing rods, ski poles, kayak paddles and more.



23.6 BONNET ANCHOR STRAP

RBAS, RAS

Provides an anchor point for long loads when no other tie off points are available.

24.0 FISHING ROD HOLDERS

OUR LARGE RANGE OF RHINO-RACK® KAYAK AND CANOE CARRIERS ARE PERFECT FOR ALL TYPE OF WATER CRAFTS.



For product numbers and specification, see page 95



24.1 PIONEER FISHING ROD HOLDER BRACKET

43159

Mount a Rhino-Rack Fishing Rod Holder (Small) to the side of your Rhino-Rack Pioneer system.



24.2 FISHING ROD HOLDER

572

Provides a convenient way to transport your fishing rods on your next fishing trip.

WHAT IS THE BEST 'LIFTER' FOR ME?

Just like understanding what racks you might need for your vehicle by going through the six questions on page 6, finding out the best lifting accessory for you is just as important but just as easy. The two main considerations are first, what you are carrying, how heavy and how big and second are you likely to be by yourself when you are lifting and loading?

Designed to protect you, your vehicle and those around you, Rhino-Rack® have plenty of accessories to help you get your gear up and safely secured to the roof of your vehicle. Most importantly we design these products so one person can get it done with a minimum of fuss. Loading on the side or the rear of the vehicle is also covered, plus if you need extra tie downs, you will find more load securing options from page 89. We love the outdoors so it is important to us you spend more time enjoying it than missing out by not getting your gear there safely or spending way too much time loading and unloading.



25.1 UNIVERSAL SIDE LOADER

RUSL

The Rhino-Rack® Universal Side Loader is incredibly useful when loading your SUP, Longboard, Kayak, Canoe or any other long load. Designed for single person operation, it is a simple process. Set up your Universal Side Loader then lift one side of your load onto the accessory using it as a pivot to load the other end onto the crossbars.

25.0 KAYAK LOADERS

OUR RANGE OF PRODUCTS THAT HELP YOU EASILY LOAD KAYAKS ON TO YOUR VEHICLE'S ROOF.



For product numbers and specification, see page 95



25.2 NAUTIC KAYAK LIFTER

NKL

The Nautic Kayak Lifter is a complete system for loading and unloading and is perfect for heavier kayaks.

Features:

- Quick set up.
- Fits most popular roof racks.
- No drilling required in kayak.
- Lifts kayaks up to 80kg.
- Height adjustable to suit various vehicle heights.
- Easy slide ramps.

- Corrosion resistant.
- UV protection.
- 5 year warranty.
- Designed & built in Australia.

Kit includes:

- 2 adjustable alloy ramps.
- 2 alloy roller support bars.
- Manual Winch.
- Hardware.
- 8m non stretch marine rope.
- Harness Kit (includes 6 straps).



26.0 SIDE BOAT LOADER

LOAD YOUR TINNIE WITH EASE.



For product numbers and specification, see page 95



2 adjustable alloy ramps included



Worm drive included.



2 ratchet straps included.



- Single person operation.
- Load and unload your tinnie without unhitching the caravan or trailer.
- Uses a hand drill for effortless loading (18 volt drill recommended).
- Ideal for boats up to 80kg / 176lbs in weight*.
- Fits Rhino Heavy Duty and Rhino VA crossbars 1250mm / 49" and up.
- Fits a range of vehicles including 4WD's, lowroof camper vans and station wagons.

**Check your manufacturers load rating to determine the maximum carrying capacity of your specific vehicle.*

27.0 REAR BOAT LOADER

LOAD YOUR TINNIE ONTO YOUR 4WD WITH EASE



For product numbers and specification, see page 95



Worm Drive.



2 Ratchet Straps included.



Hitch Frame Part (sold separately)

- Single person operation.
- Worm drive winch operated by cordless drill (18V).
- Carries boats up to 80 kg / 176lbs*.
- Designed to reduce the risk of personal injury.
- Boat Loader 50.8mm / 2" Receiver Hitch H Frame (Part# RBLHF).

Please Note:

- Not suitable for inflatable boats.
- Not suitable for station wagons.

** Please check with your local Rhino-Rack® dealer to ensure this product is suitable for your vehicle or boat.*

WATER - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART NO.	HOLDS	STRAPS	LOAD	WTY	NOTES	RECOMMENDED ACCESSORIES
22.1	Lockable Kayak Carrier	580	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Masterkey compatible.	HD-FK2, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
22.1	Lockable Kayak Carrier	581	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Masterkey compatible.	HD-FK2, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
22.2	Universal Kayak Carrier	570	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Security fasteners.	HD-FK1, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
22.2	Universal Kayak Carrier	571	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Security fasteners.	HD-FK1, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
22.3	Nautic Stack	S520	4	4	75KG/165lbs	5yrs	Off-road load rating is 38Kg/84lbs, C Channel and Universal Mounting.	RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
22.4	Foldable 'J' Style	S512	1	4	45kg/99lbs	3yrs	Off-road Rating is 23Kgs/50lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Include paddle holder.	S512X, KC-FK8, KC-FK9, KC-FK10 RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
22.5	Kayak Carrier Extension	S512X	1	4	30kg/66lbs	3yrs	Off-road Rating is 15Kgs/33lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall	Paddle cradle on the S512 cannot be used while the S512X extension is fitted
22.6	Fixed 'J' Style	S510	1	4	45kg/99lbs	3yrs	Off-road Rating is 23Kgs/50lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall.	KC-FK8, KC-FK9, KC-FK10 RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
23.1	Wrap Pad	RWP01	1	0	75kgs/165lbs	1yr	380mm/15" in length and suits VA Bars.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
23.1	Wrap Pad	RWP03	1	2	75kgs/165lbs	1yr	550mm/22" in length.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
23.1	Wrap Pad	RWP04	1	2	75kgs/165lbs	1yr	700mm/28" in length.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
23.1	Wrap Pad	RWP05	1	2	75kgs/165lbs	1yr	850mm/33" in length.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
23.2	VA Underside Tie Down Point	S606				5yrs		
23.3	Wall Mount	RWHL, RWHS	1	1	80kg/176lbs	3yrs	Internal or external use.	
23.4	Kayak Bow Strap	RBAS1		1		1yr	Suitable for both Bow and Stern bonnet and boot. See instructions for reference.	
23.4	Kayak Bow Strap	RBAS2		1		1yr	Paddle board bonnet tie down strap	
23.5	Multi Purpose Holder R	RMPHU	1-2 Paddles	0	7kg/15lbs	3yrs	Can be fitted to Pioneer and C channel, HD-FK5 fitting kit is required to attach this product to the HD Bars C channel or HD-FK1 for HD universal mounting	RTD35P
23.6	Bonnet Anchor Strap	RBAS		1		1yr	Can be used for either bonnet or boot.	
23.6	Bonnet Anchor Strap	RAS		2		1yr	Used for permanent mounting inside bonnet	
24.2	572/573 Series	572/573	4	N/A		5yrs		Masterkey compatible

WATER - TECH SPECS



Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART NO.	HOLDS	STRAPS	LOAD	WTY	NOTES	RECOMMENDED ACCESSORIES
24.1	Pioneer Fishing Rod Holder Bracket	572						
25.1	Universal Side Loader	RUSL			60kg/132lbs	3yrs	Clamps included to suit Rhino VA/HD/Euro, Thule, Rola, Prorack.	
25.2	Nautic Kayak Lifter	NKL	1		80kg/176lbs	5yrs	Requires a roof rack system with bar overhang of 100mm. Not recommended for our VA 2500 RS, RSS, RSF, RSP, SG systems.	NKL-FK1, NKL-FK2, NKL-FK3, NKL-FK5, NKL-FK5, RTD25I
26.1	Side Boat Loader	RSBL	1 Boat		80kg/165lbs	5yrs	Uses a hand drill for effortless loading (18 volt drill recommended).	
27.1	Rear Boat Loader	RBLW	1 Boat		80kg/165lbs	5yrs	2" Receiver Hitch H Frame (Part# RBLHF) sold separately	





📍 JINDABYNE, NSW, AU



SNOW

- 100. Ski & Snowboard Carrier
- 100. Snow - Tech Specs

28.0 SKI & SNOWBOARD CARRIER

WE HAVE A RANGE OF PRODUCTS FOR CARRYING ONE TO SIX SKIS.



28.1 SKI & SNOWBOARD CARRIER

572, 573, 574, 576

- Available in 4 different sizes.
- Sold in a pair.
- Easy to use locking mechanism.
- Universal fit to suit the most popular roof racks on the market.
- Rubber grip profile protects your skis and snowboards.



28.2 MULTI-PURPOSE HOLDER

RMPHU

- Made from strong glass reinforced nylon.
- The strap is made from thermoplastic vulcanizate rubber.
- Load Rating of up to 7kg / 15.5lb.
- The fastest way to strap down and transport.
- Left or right side fastening with ease.
- The internal width is 55mm.

SNOW - TECH SPECS

REF	PART NO.	INT DIMENSION	SKI	SNOWBOARDS	FISHING RODS
30.0	572	250mm / 9.84"	2	-	4
30.0	573	325mm / 12.8"	3	2	4
30.0	574	500mm / 19.69"	4	2	-
30.0	576	695mm / 27.36"	6	4	-
30.1	RMPHU	-	1	-	3



BIKES

- 104. Roof Mounted Bike Carriers
- 105. Rear Mounted Bike Carriers
- 106. Bike Carrier Accessories
- 107. Masterkey™
- 108. Bikes - Tech Specs





29.0 ROOF MOUNTED BIKE CARRIERS

BIKE CARRIER SOLUTIONS
SUITABLE FOR EVERYONE!



29.1 HYBRID

RBC050

- Multiple locking system, to keep your bike and racks as secure as possible.
- Ergonomically shaped handle with release trigger and locking system.
- Premium aluminium casting and tray.
- Wheel straps secure bike firmly to your roof.
- Universal hardware.
- Fits to C-Channels (use #RBCA034)
- Fits from 20" kids bikes to 29" mountain bikes.
- Suitable for bikes up to 21kg / 45lb.
- Minimum crossbar spacing 550mm / 21" and maximum is 1070mm/42".
- Fat Bike Adaptor also available.



29.2 MOUNTAIN TRAIL

RBC035

- Low profile.
- Universal crossbar fit.
- Fits all wheel dimensions.
- Locks included to secure carrier to both the bicycle and roof bars.
- Easily adjustable locking skewer.
- Fits discs and standard brake systems.



29.3 ROAD WARRIOR

RBC036

- Low profile.
- Suits most "C" Channel crossbar profiles.
- Rear wheel strap fits all wheel dimensions.
- Lockable.
- Suits most types of bikes with either standard or disc brake systems.
- Adjustable locking skewer.



30.0 REAR MOUNTED BIKE CARRIERS

BIKE CARRIER SOLUTIONS
SUITABLE FOR EVERYONE!



30.1 BALL MOUNT BIKE CARRIER

RBC008

- Top arm folds down when not in use.
- Max 15kg / 33lbs per bike.
- Folds down for boot/hatch access.
- Includes 2 straps for securing the bikes.
- Recommended accessory RBCA011 (Number Plate Holder).



30.2 SPARE WHEEL BIKE CARRIER

RBC025

- Easy fitment.
- Ultra-light material.
- Secured by thick rubber straps.
- Carrying capacity of four bikes.

Note: Not recommended for off-road use or rear mounting on caravans.



31.0 BIKE CARRIER ACCESSORIES

ACCESSORIES THAT WILL COMPLIMENT YOUR BIKE CARRIERS.



31.1 NUMBER PLATE HOLDER

RBCA011

Addresses any regulatory issues if your rear mounted bike carrier is obstructing your number plate.



31.2 BAR ADAPTOR

RBCA021

Allows your rear mounted bike carrier to be used with oversized bike frames and certain children's and ladies bikes.



31.3 MULTI-AXLE ADAPTOR

RBCA030

Convert your existing Rhino-Rack fork mount bike carrier to work with new and emerging thru-axle standards.



31.4 THRU AXLE INSERT

(12MM X 100MM)

RBCA031

Allows 12mm x 100mm thru-axle bikes to fit the Multi-Axle adaptor and attach to existing bike carriers.



31.5 THRU AXLE INSERT

(15MM X 110MM)

RBCA036

Allows 15mm x 110mm thru-axle bikes to fit the Multi-Axle adaptor and attach to existing bike carriers.



31.6 THRU AXLE INSERT

(15MM X 150MM)

RBCA037

Allows 15mm x 150mm thru-axle bikes to fit the Multi-Axle adaptor and attach to existing bike carriers.



31.7 THRU AXLE INSERT

(20MM X 110MM)

RBCA038

Allows 20mm x 110mm thru-axle bikes to fit the Multi-Axle adaptor and attach to existing bike carriers.



31.8 THRU AXLE INSERT

(9MM X 135MM)

RBCA039

Allows 9mm x 135mm thru-axle bikes to fit the Multi-Axle adaptor and attach to existing bike carriers.



31.9 THRU AXLE INSERT

(9MM X 100MM)

RBCA041

Allows 9mm x 100mm thru-axle bikes to fit the Multi-Axle adaptor and attach to existing bike carriers.



THE KEY TO SOLVING ALL YOUR PROBLEMS.

The Rhino-Rack® Masterkey™ system allows you to change the locks in your Rhino-Rack® roof racks and accessories to eliminate carrying multiple keys.

- Each pack contains 2 moulded Masterkeys in blue for easy identification.
- One key for all your Rhino-Rack® products.
- Simply replace the lock barrels in all your Rhino-Rack® products.
- Barrel sets available in 2, 4 & 8 packs.



COMPATIBLE PRODUCTS:

Roof Rack	2500 System, RLT600, SRB Leg, VA-SEC2/4
Watersport	580, 581
Ski Carrier	572, 574, 576
Bike Carrier	RBC035, RBC036, RBC050
	RTD35L, RTD45L, RTD55L, 43205, 43206, 43207, 43208, 43209, 43210
Securing	
Other	Conduit Locking End Cap

BIKES - TECH SPECS




Check your vehicle manufacturer's handbook for your car's onroad and offroad roof load rating.

REF	PRODUCT	PART NO.	HOLDS	DIMENSIONS	MAX LOAD	Weight	WTY	NOTES
29.1	Hybrid	RBC050	1	980mm x 330mm x 115mm / 38.6" x 13" x 4.5"	21kg / 45lb	7.2kg / 15lbs	5yrs	Fat Bike Adaptor also available with part #RBCA033. Use #RBCA035 for Heavy Duty Bar.
29.2	Mountaintrail - Roof	RBC035	1	400mm x 180mm x 80mm / 55.1" x 7.1" x 3.1"	15kg	4kg / 8.82lbs	5yrs	Minimum cross bar spacing 550mm / 21.6", maximum 1010mm / 39.7"
29.3	Road Warrior - Roof	RBC036	4	1400mm x 180mm x 80mm / 55.1" x 7.1" x 3.1"	15kg	2.5kg / 5.51lbs	5yrs	Minimum cross bar spacing 550mm / 21.6", maximum 1010mm / 39.7"
30.1	Ball Mount Bike Carrier - Rear	RBC008	2	910mm 260mm 380mm / 35.8" x 10.2" x 15"	60kg/132lb	15kg / 33lbs	3yrs	Folds down for boot/hatch access. For use with Circular towball mounts and not the conical flanged stile mounts (particularly the "convert-a-ball" product).
30.2	Spare Wheel Bike Carrier - Rear	RBC025	NA	750mm x 600mm x 120mm / 29.5" x 23.6" x 4.7"	30kg/66lb	7.3kg / 16lbs	3yrs	Not recommended for heavy off-road use or rear mounting on caravans
31.1	Number Plate Holder	RBCA011	NA	880mm x 190mm x 110mm / 34.6" x 7.5" x 4.3"	-	2.3kg / 5lbs	3yrs	Check with the regulatory body in your region whether you are required to use a Number Plate Holder.
31.2	Bar Adaptor	RBCA021	NA	300mm x 150mm x 50mm / 11.8" x 5.9" x 2"	-	1.1kg / 2.4lbs	3yrs	Allows rear mounted bike carrier to be used with oversized frames and certain kids/ladies bikes
31.3	Multi Axle Adaptor	RBCA030	NA		-	-	3yrs	Converts existing fork mount to work with new thru-axle standards.
31.4	Thru Axle Insert	RBCA031	NA	12 x 100mm / 0.4" x 3.9"	-	-	3yrs	Allows thru-axle bikes to fit the multi axle adaptor.
31.5	Thru Axle Insert	RBCA036	NA	15 x 110mm / 0.5" x 4.3"	-	-	3yrs	Allows thru-axle bikes to fit the multi axle adaptor.
31.6	Thru Axle Insert	RBCA037	NA	15 x 150mm / 0.5" x 5.9"	-	-	3yrs	Allows thru-axle bikes to fit the multi axle adaptor.
31.7	Thru Axle Insert	RBCA038	NA	20 x 110mm / 0.8" x 4.3"	-	-	3yrs	Allows thru-axle bikes to fit the multi axle adaptor.
31.8	Thru Axle Insert	RBCA039	NA	9 x 135mm / 0.3" x 5.3"	-	-	3yrs	Allows thru-axle bikes to fit the multi axle adaptor.
31.9	Thru Axle Insert	RBCA041	NA	9 x 100mm / 0.3" x 3.9"	-	-	3yrs	Allows thru-axle bikes to fit the multi axle adaptor.
31.10	Thru Axle Insert	RBCA040	NA	15 x 100mm / 0.5" x 3.9"			3 yrs	Allows thru-axle bikes to fit the multi axle adaptor








TRADE SOLUTIONS

- 113. Ladder Carriers
- 114. OHS Ladder Loader
- 115. Slide Out Ladder Loader
- 116. Internal Ladder Rack System
- 117. Ladder Accessories
- 118. Piecing it Together.
- 120. Trade Accessories
- 123. Brackets Are Our Thing.



32.0 LADDER CARRIERS

VIEW OUR LARGE RANGE OF LADDER CARRIERS AND OTHER ITEMS TO HELP YOU LOAD YOUR LADDERS SAFELY ONTO YOUR VEHICLE.



32.1 CSL LADDER RACK SYSTEM

The CSL ladder rack system is constructed from non-corrosive materials capable of withstanding all manner of extreme environments and weather conditions. This versatile system fits a wide variety of vans, wagons, Utes and 4WD's. Mounted to Rhino-Rack® Heavy Duty Cross bars, the CSL ladder rack system is available in lengths from 2.6m/8.5ft to 4.0m/13ft and a variety of widths to allow for both extension and step ladders.

Key features of the CSL are the rear roller that allows for stress free loading and unloading, and the PVC guide strips on the inside of the aluminum rails that protect the ladder from any damage whilst it is safely loaded and secured. A RLS5 ladder strap is also included to secure the ladder to the Heavy Duty Cross bars.

Recommended maximum load capacity of 42kg/93lbs.



32.2 MULTI-SLIDE LADDER RACK SYSTEM

Like the CSL ladder rack system, the Multi-Slide ladder rack system is just as well known and a popular trade solution. The Multi-Slide is also offered in a wide range of lengths from 1.5m/4.9ft to 4.0m/13ft and is available in different widths to cater for both extension ladders and step ladders.

The Multi-Slide systems has a rear roller to assist guiding the ladder onto the polypropylene plastic pads along the ladder rails. There are additional polypropylene plastic guides to protect the ladder.

Also installed on Heavy Duty Cross Bars, a RLS5 strap is included to safely secure the ladder.

Recommended maximum load capacity up to 42kg/93lbs (35Kg/77lb for the 1.5m/4.9ft ladder rack).

33.0 OHS LADDER LOADER

LOADING LADDERS ON HIGH-ROOFED VEHICLES IS NOW MADE QUICK, EASY AND SAFE.



The OHS Ladder Loader allows you to load and unload either a step or extension ladder from your vehicle quickly, easily and safely. Australian designed and built, the Rhino-Rack OHS Ladder Loader aids in safety, significantly reducing the risk of a manual handling injury. It has also been designed in line with current Australian Work Health & Safety Regulations.

The OHS Ladder Loader is ergonomically designed using a combination of gas struts and structural grade materials to provide a one person, fast and simple way of lifting your ladder. Since the ladder is loaded and secured to the OHS unit at waist-level the risk of injury through climbing onto the vehicle to secure the ladder is eliminated.

Supplied with a ladder strap to secure the ladder in place and additionally a cable lock to prevent theft of the ladder. A variety of options are available for both extension & step ladders to fit both high roof (above 2.6m/8.5ft) and low roof (below 2.5m/8.2ft) vehicles.

WHAT SIZE LADDER RACK DO YOU NEED?

Please speak to your nearest Rhino-Rack dealer for a recommendation on the systems is best suited to your vehicle.

RAIL LENGTH	EXTENSION LADDER	STEP LADDER
1.5m/4.9ft	✗	✓
1.8m/5.9ft	✗	✓
2.2m/7.2ft	✗	✓
2.6m/8.5ft	✓	✓
3.0m/9.8ft	✓	✓
3.5m/11.5ft	✓	✓
4.0m/13.1ft	✓	✗

Part No	Description
CSL26M	CSL 2.6M LADDER RAIL SET
CSL30M	CSL 3.0M LADDER RAIL SET
CSL35M	CSL 3.5M LADDER RAIL SET
CSL40M	CSL 4.0M LADDER RAIL SET
MS26M	MULTISLIDE 2.6M LADDER RAIL SET
MS30M	MULTISLIDE 3.0M LADDER RAIL SET
MS35M	MULTISLIDE 3.5M LADDER RAIL SET
MS40M	MULTISLIDE 4.0M LADDER RAIL SET
LR470	LADDER ROLLER 470MM
LR615	LADDER ROLLER 615MM
LR680	LADDER ROLLER 680MM
ERGKIT	ERGON LADDER RACK KIT

34.0 SLIDE OUT LADDER LOADER



DESIGNED TO ASSIST IN LOADING LADDERS WITHOUT STRAIN.

The Slide Out Ladder Loader (T7-SLRS) is similar to the Multi-Slide ladder rack system however it features an additional slide out mechanism at the rear. This allows for easier access to your ladder and prevents damage to your vehicle during loading and unloading of the ladder.

The 2.2m ladder rails feature the polypropylene plastic guides that are also used in the Multi-Slide Ladder Rack System.

The extension slide allows for the ladder rack to slide out past the rear of the vehicle by an additional 750mm to provide a pivot point which is further away from the body of the vehicle, onto which the ladder can lean and slide. The Slide Out Ladder Loader is recommended for SUV's and Wagon's to protect the ladder from damaging the rear of the car.

35.0 INTERNAL LADDER RACK SYSTEM



35.1 Internal Ladder Rack

ILRRACK

The Rhino-Rack Interior Ladder Rack is a new internal ladder rack system that mounts to the underside of the roof of your van. Connecting to the underside of your vehicle's roof via 3 vehicle specific brackets, it allows for the new Rhino-Rack Interior Ladder Rack system to be fitted inside your vehicle.


Features:

- The interior ladder rack is mounted to the vehicles roof opening up floor space for the cargo area.
- Ladders can be easily stowed for travel or removed for usage using the track and bungee system.
- The interior ladder rack can store a ladder up to a height of 1.8m and 14kgs.
- Must be installed in conjunction with Cargo Barrier/Solid Partition Barrier.
- Quick release & height adjustability
- Front and rear lower height adjustable sections of the ladder carriers can be pivoted up towards the roof when not being used to increase clearance within the van
- Quick release bungee cord tension lock off incorporated into the Heavy Duty bar to act as an additional safety measure



36.0 LADDER ACCESSORIES

VIEW OUR LARGE RANGE OF LADDER CARRIERS AND OTHER ITEMS TO HELP YOU LOAD YOUR LADDERS SAFELY ONTO YOUR VEHICLE.



36.1 RHINO ECONOMY LADDER SLIDE KIT

SEGLK, REGLK

The safe, secure and economical solution for loading and unloading your ladder.



36.4 ALLOY ROLLERS

RR1375, RR1500, RR1650, RR1800, RR470, RR540, RR615, RR680, SR470, SR540, SR615, SR680


A great way to get your ladders on and off your Rhino-Rack® roof racks with only a small amount of effort required.



36.2 RHINO-RACK® EASY SLIDE

RES

Sold in a pair. Easy Slides allow you to slide your ladder into place with ease



36.5 LADDER HOOPS

RUH,MSLHK, SUH

Keep your ladder safe and stable on your vehicle's roof with the aid of Rhino-Rack's Ladder Hoops (RUH, MSLHK, SUH).



36.3 RHINO-RACK LADDER SLIDE

REG, SEG

Help simplify the action of loading a ladder onto your Rhino-Rack Heavy crossbars.



36.6 LADDER STRAPS & CABLE LOCKS

RLS5, SLS5, RLS5-15, RLLR, RLLB

Secure your ladders to your Heavy Duty and Vortex Cross Bars. Cable locks can also be attached to your ladder rail extrusion (RLS5, SLS5, T7-FK3)..

PIECING IT TOGETHER.



CONDUIT CAP

Lockable end cap.



CONDUIT

3mtr/100mm DIA
3mtr/150mm DIA
4.6mtr/100mm DIA
4.6mtr/150mm DIA



CONDUIT CLAMP

100mm clamp. (1pr)
150mm clamp. (1pr)



LADDER SLIDES

Adjustable low friction polypropylene slides to fit various length ladders.



LADDER STRAP

"Snap on" fastening shackle. Secures your ladder quickly and easily.




LADDER ROLLER

Rear roller allows effortless ladder loading onto your roof.



LADDER HOOPS

Two piece height adjustable ladder hoop to allow for most ladder sizes.



CABLE LOCK

Secure your ladder to increase safety and minimise theft.





LET'S TALK OPTIONS.

Positioning your conduit on top of your roof racks is a default for most people, however, sometimes you need all the space you can get on top of the racks for the bigger equipment like ladders or it is just too high to reach easily.

With the Rhino-Rack® Conduit Lower Side Bracket you now have an option to fit the conduit below the racks, giving you easier access and clearance from your doors. Also consider what you are going to carry in your conduit. Heavy metal like copper might need an extra third bar and bracket for that safe transport, whereas fishing rods only need two.

37.0 TRADE ACCESSORIES

VIEW OUR RANGE OF CONDUITS, CONDUIT CARRIERS END CAPS AND CLAMPS FOR YOUR WORK RELATED NEEDS.



37.1 CONDUITS

P30-100, P30-150, P41-100,
P46-100, P46-150

The Rhino-Rack conduit range includes a variety of lengths to suit your vehicle, with an option of a 100mm/3.9in or 150mm/5.9in diameter.

The conduit end caps can be purchased separately and are available in black or orange. With the ability to attach to your ladder rack rails, Heavy Duty Cross Bars or Vortex Cross bars; the Conduit range at Rhino-Rack provides a solution for all needs.

ITEM	LENGTH	DIAMETER
P30-100	3.0m/9.8ft	100mm/3.9in
P30-150	3.0m/9.8ft	150mm/5.9in
P41-100	4.1m/13.5ft	100mm/3.9in
P46-100	4.6m/15.1ft	100mm/3.9in
P46-150	4.6m/15.1ft	150mm/5.9in



37.2 LOCKING END CAP

LSE100, LSE100H, LSE101, LSE101H

- Two conduit locking end caps are included.
- Suits 100mm PVC pipes (3.9 inches).
- Masterkey compatible
- O-Ring seal reduces dust and water build up.
- Recommended maximum carrying capacity is 15kg / 33lb.
- Dynamic testing to AS1235:2000
- Crash tested to ISO11154:2006
- Available in orange.



37.3 CONDUIT END CAP & SLEEVE

BEC, BEC150

- Crash tested for proven reliability.
- Wire trace for easier operation
- Maximum carrying capacity 15kg / 33lb.



37.4 CONDUIT END CAP

BCW, BC150, BCW-C

- Fits Rhino-Rack® 100mm (4") Conduit Carriers.
- Crash tested for proven reliability

37.0 TRADE ACCESSORIES

VIEW OUR RANGE OF CONDUITS, CONDUIT CARRIERS END CAPS AND CLAMPS FOR YOUR WORK RELATED NEEDS.



37.5 CONDUIT CLAMPS

RPC4, RPC6

- Suits a 150mm (6") Conduit
- Load rating 15kg/33lb.
- Mounts the conduit above or below the bar.



37.6 CONDUIT CLAMP (2)

BC2, BC3, BC4, BC2-150, BC3-150

- Suits a 100mm and 150mm conduit
- Load rating 15kg / 33lbs.
- Mounts the conduit above or below the bar.



37.7 CONDUIT LOWER SIDE BRACKET

BC3-LSB

- Mounts Conduit to the side of your vehicle
- Clamp secures conduit while still allowing for sliding door clearance.



37.8 RATCHET GRAB

43139

- 4.5m / 15ft long strap.
- Made from high-grade webbing.
- Load Rating up to 680kg / 1500lb.



37.9 ADJUSTABLE LOAD HOLDER

RLH1, RLH2

- Position your load so it doesn't slide.
- Trigger locking for easy adjustment



37.10 EYEBOLT

REB, 604

- Used as a tie off point.
- Compatible with many Rhino-Rack® accessories.

37.0 TRADE ACCESSORIES

TRADE ACCESSORIES THAT WILL HELP YOU GET THE JOB DONE EASILY AND SAFELY.



37.11 CABLE LOCK

RLLB

- A great easy solution for locking your ladders to your Rhino-Rack® Heavy Duty Bars.
- Cable length 7cm / 27.6inch



37.12 RATCHET GRAB

RRG, SRG

- Suits Rhino-Rack® Heavy Duty and Mont Blanc bars.
- 2m strap included with a 220kg load rating.



37.13 LADDER PEG

RSLP, RMLP, RLLP

- Allows you to position your ladder.
- Used for a variety of mounting applications.
- Perfect for postioning ladders.



BRACKETS ARE OUR THING.

Need a safe solution to secure your equipment? We have a range of brackets designed to help you attach your gear. For custom solutions and advice please contact your local Rhino-Rack® specialist..

AERIAL



FOLDING AERIAL BRACKET

Part# 43196

- Bars: Rhino-Rack® Heavy Duty
- Use: Aerial Lights



MULTI-PURPOSE

Part# RMPB

- Bars: Rhino-Rack® Heavy Duty
- Use: Aerial Lights



VORTEX AERIAL BRACKET

Part# S613

- Bars: Rhino-Rack® Vortex
- Use: Aerial



AERIAL MOUNT KIT

Part# RAMK

- Bars: Rhino-Rack® Heavy Duty
- Use: Aerial



AERIAL MOUNT BRACKET KIT

Part# RABK

- Bars: Rhino-Rack® Heavy Duty
- Use: Aerial

LIGHTS



BEACON MOUNTING PLATE

Part #RBP [HD] Part #SBP [VA]

- Use: Beacon Lights



HIGH LEVEL TAIL BRACKET

Part# RHLTL

- Bars: Rhino-Rack® Vortex
- Use: Lights



LIGHT ANGLE BRACKET

Part# RLAB

- Bars: Rhino-Rack® Heavy Duty
- Use: Lights



RHINO BEACON PLATE-CAB BAR MOUNT

Part# RBP-CBM

- Bars: Rhino-Rack® Heavy Duty
- Use: Beacon Lights



LIGHT MOUNT BRACKET

Part# RWLB

- Bars: Rhino-Rack® Heavy Duty and Vortex
- Use: Lights Aerials

AWNING



RHINO-RACK® UNIVERSAL

Part# 31111

- Bars: Rhino-Rack® Vortex, Heavy Duty, Pioneer range
- Use: Batwing & Sunseeker



BATWING HD BRACKET KIT

Part# 31102

- Bars: Rhino-Rack® Heavy Duty
- Use: Batwing



TRACKLANDER TRAY

Part# 31104

- Bars: Tracklander
- Use: Batwing



SUNSEEKER EURO BAR BRACKET KIT

PART# 32102

- Bars: Rhino-Rack Heavy Duty
- Use: Sunseeker



SUNSEEKER AWNING ANGLED DOWN BRACKET

Part# 32127

- Bars: Flush bars
- Use: Sunseeker



ARB/TJM TRAY

Part# 31103

- Bars: ARB/TJM
- Use: Batwing



SUNSEEKER AWNING ANGLED UP BRACKET

Part# 32123

- Bars: Flush bars
- Use: Sunseeker



UNIVERSAL & SUNSEEKER AWNING KIT

Part# 31126

- Bars: Rhino-Rack Heavy Duty, Rhino-Rack Vortex, Pioneer
- Use: Sunseeker



BATWING AWNING BRACKET

Part# 43259

- Bars: Rhino-Rack Heavy Duty* and Vortex
- Use: Batwing
- * Heavy Duty needs 33101

**LEAVE YOUR WORRIES.
BRING EVERYTHING ELSE.**




Rhino-Rack® products can be purchased and installed through our vast network of authorised dealers globally. Head over to www.rhinorack.com, and click “Where To Buy” in the navigation menu to find your nearest Rhino-Rack® dealer.

Join the herd! We love hearing about our customers making space for adventure, so don't forget to tag us [@rhino_rack](https://www.instagram.com/rhino_rack) or [#rhinorack](https://www.facebook.com/rhinorack) on socials to keep in touch.

Or head to rhinorack.com/join to sign up for email updates!







MAKE SPACE FOR ADVENTURE



RHINORACK.COM