



SPORTZ



CROSSBAR CATALOGUE 2025

RHINO-RACK IS FOUNDED ON THE BELIEF
THAT LIFE IS BETTER WHEN WE

MAKE SPACE FOR ADVENTURE

Our mission is to help you make time and space in your life for adventure, with products that allow you to bring whatever you need wherever you're heading.



LEADING THE WAY INNOVATION FOCUS

**AS A PIONEERING BUSINESS, OUR VISION IS TO REDEFINE
THE FUTURE OF 'RACKS.'**

Embracing innovation and pushing boundaries, we are determined to challenge the conventional norms and introduce cutting-edge products that revolutionise cargo transportation for our next adventure.

By embracing change and harnessing the spirit of adventure, we aim to inspire a new era of transportation solutions that cater to the evolving needs of travelers and adventurers alike.

30
YEARS

OUR STORY

RHINO-RACK CELEBRATES 30 YEARS OF INNOVATION AND HELPING COUNTLESS PEOPLE MAKE SPACE FOR ADVENTURE.



1992



Richard Cropley founded Rhino-Rack. Our first racks were sold in Haberfield, NSW.

1998



Began selling internationally, to adventurers in over 60 countries.

2008



Rhino-Rack opened its first warehouse in Denver, Colorado.

2010



Designed and launched our iconic Pioneer™ Platform range.

2018



The Batwing Awning wins our first product design award.

2019



All plastic removed from the Pioneer™ packaging.

2020



Our latest Rhino-Rack® Pioneer™ Platform is awarded a Gold Award at the 2020 Good Design Awards.

2021



Rhino-Rack is acquired by the Clarus Corporation.

2022



Rhino-Rack celebrates its 30th anniversary of bringing innovative, versatile roof and Vehicle Storage solution to the Australian and global customers.

2023




Launch of world's leading tray with Pioneer 6, launch of the universal Sportz crossbar range and opening of new USA head office in Denver, Colorado.

CROSS BARS

RHINO-RACK CROSS BARS: THE ULTIMATE FOUNDATION FOR YOUR NEXT ADVENTURE.

Whether you need to mount cross bars to your roof, tub, roller shutter or canopy, we've got the ideal setup to suit your needs.

Our Cross Bars seamlessly accommodate a diverse range of accessories, ensuring you're well equipped for any adventure.



WORLD CLASS SPORTZ SERIES RANGE

SPORTZ IS A RHINO-RACK LEGACY BRAND THAT HAS BEEN REINVIGORATED TO OVERHAUL AN EXISTING, COMPLEX CROSSBAR PROGRAM, TO CREATE A SIMPLIFIED SOLUTION.

The Sportz Cross bar program has been developed with the DIY in mind, responding to the growing trend of people embracing DIY projects and seeking user-friendly options they can accomplish from home.



 **RHINO-RACK®**

SPORTZ



INTRODUCING THE ALL-NEW ***SPORTZ*** BAR

DESIGNED TO TRANSFORM YOUR OUTDOOR ADVENTURES, THE SPORTZ BAR COMBINES CUTTING-EDGE INNOVATION WITH A SLEEK AESTHETIC. THIS CROSSBAR IS ENGINEERED FOR THOSE WHO THRIVE ON ADVENTURE, PROVIDING A RELIABLE AND STYLISH SOLUTION FOR TRANSPORTING YOUR GEAR.

Whether you're embarking on a long road trip or a spontaneous weekend getaway, the Sportz bar elevates every journey with its robust yet elegant design. Its ease of use and versatile capabilities mean you can effortlessly switch between carrying bikes, kayaks, or camping gear, allowing you to pursue your passions without hesitation. With the Sportz bar, you're not just setting off on an adventure; you're enhancing every moment along the way.



SPORTZ CROSS BAR

ZWIFLOC INTEGRATION Experience seamless adaptability with our exclusive Zwifloc integration, empowering you to effortlessly switch setups for various activities at a moment's notice.

UNDER BAR SLIDER For ease of installation, the new under bar slider simplifies attaching the leg to the bar, making the entire system setup on your vehicle faster and more convenient than ever before.

TWIN STRIP TECHNOLOGY Redefining wind management, our new twin strips leverage cutting-edge geometry to smoothly guide airflow over the bar, significantly reducing channel splitting and associated wind noise.

UPDATED DESIGN Inspired by the latest Rhino-Rack design guidelines, the Sportz bar boasts a high-tech aesthetic that merges style with functionality seamlessly. Every detail is crafted to enhance both the look and performance of your vehicle, setting a new standard in rooftop load carrying.

SUCCESSOR TO THE VORTEX BAR Proudly replacing the renowned Vortex bar, the Sportz Bar sets a new benchmark in cross bar innovation, offering unmatched versatility, performance, and style. Elevate your driving experience with confidence in a trusted name synonymous with quality and excellence.

75-100KG DYNAMIC DEPENDENT ON LEG


System rated to 100kg dynamic (subject to vehicle manufacturers load limit)

DIY

Easy DIY installation

MAXIMUM COMPATIBILITY

Compatible with the full range of Rhino-Rack overhang legs



INDEPENDENT LABS

City Crash and durability tested by independent labs to ensure it is suitable for overlanding and off-road use

UNDERBAR SLIDER

Allows for easy installation

TWIN STRIP TECHNOLOGY

Significantly reduces channel splitting and associated wind noise

ISO 11154 STANDARD

Tested to comply with the Roof Load Carries international ISO 11154 standard

EASY INSTALL OF ACCESSORIES

There is no need to cut rubber strips on top of crossbar to mount accessories. Simply drop into the channels using Zwifloc hardware and move into the desired position.

BAR STYLES

VORTEX [VA]



PERFECT FOR RECREATIONAL AND TRADE USE

- Vortex Generating Strip and Secure Core™ locking end caps included
- Masterkey™ compatible
- Suitable for off-road and commercial use, and suits most load carrying accessories.

BAR LENGTHS

1065mm/41.92"
1180mm/46.45"
1260mm/49.60"
1375mm/54.13"
1500mm/59.05"
1650mm/64.96"
1800mm/70.86"

HEAVY DUTY [HD]



PERFECT FOR TRADE ACCESSORIES

- Suitable for off-road and commercial use
- Large range of commercial carrying solutions available
- Rubber strips included.

BAR LENGTHS

1120mm/46.45"
1250mm/49.60"
1375mm/54.13"
1500mm/59.05"
1650mm/64.96"
1800mm/70.86"
2000mm/78.74"

RECONN-DECK [RDB]



STRONG AND DURABLE CROSSBAR WITH INTEGRATED CHANNELS

- Integrated channels on all four sides for easy mounting of accessories
- Available in different lengths to suit a range of vehicles
- Made from powder coated aluminium providing the ultimate in corrosion resistance.

BAR LENGTHS

1260mm/50"
1500mm/59"
1650mm/65"
1800mm/70.86"

SPORTZ [SZ]

NEW



VERSATILE CROSSBAR FOR EVERY ADVENTURE WITH ZWIFLOC INTEGRATION

- Seamless accessory adaptability with Zwifloc integration
- Underbar slider for easy installation
- New twin strip technology, significantly reducing channel splitting and associated wind noise.

BAR LENGTHS

1180mm/46.45"
1260mm/49.60"
1375mm/54.13"
1500mm/59.05"
1650mm/65"
1800mm/70.86"

ROOF TYPES AND MOUNTS



VERSATILE SOLUTIONS FOR ALL KINDS OF FITS

RHINO-RACK ENABLES EPIC DRIVING ADVENTURES WITH 100% CONFIDENCE ACROSS THE LARGEST VARIETY OF VEHICLE FITS

Achieved through relentless innovation, user-centred design, flexibility and simplicity, rugged aesthetics, and enduring quality.

FITS MORE THAN 7000 VEHICLES



FITS ALL ROOF TYPES IN THE MARKET

BARE ROOF



FIXED POINT MOUNT



FLUSH RAIL



RAISED RAIL



GUTTER MOUNT



WHICH ROOF RACKS ARE RIGHT FOR YOU?

Scan the QR code or visit rhinorack.com/roof

MAXIMISE VEHICLE SPACE

ROOF



CANOPY



VAN



**LID/ROLLER
SHUTTER**




UTE TUB




FLUSH

A flush system is both sleek and stylish in design where the cross rails do not overhang the mounts.




OVERHANG

An overhang system creates additional storage space where the ends of the cross rails sit further out than the mounts.



BARE ROOF MOUNTS

Clamp systems are designed for vehicle roofs that have no designated attachment points.



HEAVY DUTY 2500

The HD 2500 roof rack is secure, strong and trade ready.



ROC25 (FLUSH)

Both sleek and stylish in design, the ROC25 roof rack system is a perfect solution to carry all your gear.



VORTEX 2500

If you're after a roof rack that is adaptable, easy to use, strong and light, then the Rhino-Rack® Vortex 2500 roof rack is the ideal solution.

FIXED POINT MOUNTS



RTV TRACK

Universal tracks for vehicles. Sold as a pair and includes hardware and end caps.




RTS TRACK

Specialty tracks for vehicles. Sold as a pair and includes hardware and end caps.



RTC TRACK

Tracks for your canopy. Sold as a pair, including hardware and end caps.



RX300

The Rhino-Rack RX300 High and Low roof rack system is design specifically for use with vehicle roofs that feature factory fix mount points. Built "Overland Tough" with rugged good looks and tested to meet the needs of any adventurer, tradie or weekend warrior.


RX300L-2 | RX300L-4 | RX300H-2 | RX300L-4



RCH/RCL

The RCH Locking Legs are designed with a key locking system to reduce wind resistance and increase security. This unique design helps reduce noise without compromising durability and load carrying capacity.

LEG HEIGHTS. RCH 52MM/2.1" | RCL 37MM/1.5"




RLTF/RLTP

The Rhino-Rack® RLTF/RLTP legs are attached to your roof via a set of mounting brackets or Rhino-Rack® tracks.

LEG HEIGHTS. RLTF 85MM/3.3" | RLTP 50MM/1.9"

FLUSH RAIL

A vehicle roof that features factory fitted solid rails can be easily identified if the rail has no air gap between the rail and the vehicle roof.



VORTEX SX - FLUSH (OVERHANG)

Designed to suit vehicles that feature solid rails. Easy to use, this leg includes security hardware to secure your racks. Compatible with Rhino-Rack® Vortex Bars.

LEG HEIGHT: 70MM / 2.8"




VORTEX RX200 - FLUSH RAIL

New to market, designed for quick and easy installation on vehicles with flush rails.

RAISED RAIL

A vehicle roof that features factory fitted raised rails can be easily identified if there is an air gap between the rail and the vehicle roof.



STEALTHBAR (FLUSH)

Low profile roof rack system consisting of pre-assembled Vortex Bars ready-to-fit for vehicles with raised factory rails.

LEG HEIGHT: 35MM / 1.4"



VORTEX RX100- RAISED RAIL

New to market, designed for quick and easy installation on vehicles with raised rails.

GUTTER MOUNT

Some vehicles have integrated stripmoulds known as gutters where a roof rack system can be mounted offering an integrated look.



SG GUTTER MOUNT LEG

The Vortex SG roof rack system is the system of choice for Jeeps that have protruding side gutters and stylish flush bars with no overhang. They are easy to install, making them an ideal solution.

- Made for vehicles with protruding side gutters
- Features wind noise reducing VGS strips

LEG HEIGHT 110mm / 4.3"



RL GUTTER MOUNT LEG


The Rhino-Rack® RL Legs are specially designed heavy duty legs to fit to gutter mounts on a vehicle.

- Both Vortex and HD compatible with overhang bars.

LEG HEIGHTS 110mm / 4.3", 150mm / 5.9", 210mm / 8.3", 280mm / 11.0"

DITCH MOUNT

Ditch mount brackets attach to a vehicle using specialised fixed hardware to mount roof rack legs directly to a vehicle. Ditch mount systems offer a refined, robust fixing point to the vehicle without the need for clamps.



RVL/RVH LEG

We have updated our popular range of flush legs to a new low and high locking version and fits the VA bar extrusion. Ideal when used with the RCP-BK for flush bar surface mounts, RTV-BK for track mounts.

RVL 2,4,6 | RVH 2,4,6



QUICK MOUNT LEG

Designed to be fitted onto Rhino-Rack tracks with the ability for one person to easily remove the roof racks when they are not required using a simple trigger locking system.

RLT600 | RLT600H



RCL/RCH LOCKING LEG

Locking Legs are designed with a key locking system to reduce wind resistance and increase security. This unique design helps reduce noise without compromising durability and load carrying capacity.

RCL 2,4,6 | RCH 2,4,6

CROSS BARS FOR YOUR UTE TUB



RECONN-DECK UTE TUB SYSTEM

CARRY MORE GEAR MORE EASILY.

The Reconn-Deck™ ute tub system is designed to easily increase your vehicle storage capacity, so you can make even more space for adventure.

The system for each vehicle has been rigorously tested to meet City Crash and ISO 11154 standards. The Reconn-Deck™ is our versatile ute bed system. Gain another level of space - perfect for your rooftop tent!

Featuring a modular design, the Reconn-Deck™ lets you create your own platform. There are countless ways to customise, accessorise and extend your set-up, giving you all the carry space you need for overlanding adventures.

STRONG AND DURABLE CROSSBAR WITH INTEGRATED CHANNELS

- Integrated channels on all four sides for easy mounting of accessories
- Available in different lengths to suit a range of vehicles
- Made from powder coated aluminium providing the ultimate in corrosion resistance
- Bar lengths: 1260mm/50", 1500mm/59", 1650mm/65", 1800mm/70"
- Available in black



RECONN-DECK™ RANGE

RECONN-DECK™ IS OUR MOST VERSATILE UTE TUB SYSTEM. CAREFULLY CRAFTED WITH A SLEEK AND RUGGED DESIGN THAT LOOKS STYLISH ON EVEN THE TOUGHEST UTES.

Featuring a modular design, the Reconn-Deck™ lets you create your own platform. There are countless ways to customise, accessorise and extend your set-up, giving you all the carry space you need for four-wheel driving adventures.



RECONN-DECK™ BARS

- Integrated channels on all 4 sides for mounting accessories
- Powder coated aluminium for corrosion resistance
- Compatible with most Rhino-Rack Pioneer and Stow It accessories.



RECONN-DECK™ WITH VORTEX BARS

- Value option for mounting rooftop tent
- C-channels to add range of accessories for all applications



RECONN-DECK™ BARS WITH NS BARS

- Create a customised Reconn-Deck™ platform
- Bars can be moved/spaced out to suit users specific needs
- Underside channels can be accessed to mount recovery tracks, shovel or other accessories

TUB MOUNT FITMENT

FOR UTE TUB FITS WHERE FACTORY RAIL SYSTEMS ARE NOT AVAILABLE. THE VEHICLE SPECIFIC FIT KIT HAS BEEN DEVELOPED TO ENSURE A PERFECT FITMENT REINFORCING THE TUB FOR SAFETY AND DURABILITY.

System rated up to 75kg on-road and off-road load rating* – all backed by City Crash testing to ensure ultimate off-road performance.

**FORD RANGER
PX**



**TOYOTA HILUX (SR5
& ABOVE)**



* To get your cargo capacity, subtract the system weight from the system load limit. Manufacturers load limits apply.

TRACK FITMENT

FOR UTE TUB FITS WHERE FACTORY OR CUSTOM-MADE RAIL SYSTEMS ARE AVAILABLE, TRACK NUTS HAVE BEEN DEVELOPED TO ENSURE QUICK AND SECURE FITMENT.

Simply slide the track nuts into the factory fitted tracks to create a mounting location for your towers. System rated up to 150kg on-road and off-road load rating* – all backed by City Crash testing to ensure ultimate off-road performance.

FEATURES

- System rated up to 150kg on-road and off-road load rating*
- Quick and easy to install or dismantle (includes tools)
- No drilling required, mounts directly to factory tracks
- Designed and engineered in Australia

**RAM
1500**



**JEEP
GLADIATOR**



**NISSAN NAVARA
PRO-4X**



* To get your cargo capacity, subtract the system weight from the system load limit. Manufacturers load limits apply.

CANOPY RACK SYSTEMS

ROOF RACKS TO SUIT THE MOST POPULAR CANOPIES AND UTES ON THE MARKET.

Just because you have added a canopy on the back of your ute, it doesn't mean you can't add racks or trays to carry more gear.

Choose from our range of leg and bar options or select from our Pioneer™ range. We have all sorts of cleverly designed accessories, legs and spacers to ensure your load is level and safe.

To find the perfect fit for your canopy, visit rhinorack.com

NEED TO LEVEL THINGS OUT?

LEG HEIGHT SPACERS ARE PERFECT FOR CREATING MORE HEIGHT OR LEVELING YOUR ROOF RACK CROSSBARS.

Rhino-Rack® offers a wide variety of leveling spacers that simply connect onto the leg. The spacers can range from 5-30mm in height and fit a wide variety of our legs. They also nest in one another to provide a seamless finish and style to the vehicle.

The roof of a vehicle, as in most cases, has a subtle or dramatic curve from front to rear. When fitting three or more roof bars to a vehicle there is the challenge of maintaining a level working surface. Roof bars that are not level cause serious problems when loading and unloading, as they do not distribute the weight evenly across the vehicle roof which can become a safety concern.

We have spacers to suit Vortex and Heavy Duty bars.



CANOPY MOUNT

For lighter load situations where utility posts are not required.



ARTIFICIAL GUTTER

An ideal product to mount roof racks to a range of canopies.



SPECIALISED CANOPY POST ADAPTOR

Use Rhino-Rack® Heavy Duty Bars and compatible VA and Pioneer™ accessories on ARB Ute Posts.



ACTIVITY GUIDE

WE EMBRACE THE DIVERSITY OF ADVENTURE, UNDERSTANDING THAT IT HOLDS A DISTINCT MEANING FOR EACH INDIVIDUAL.

Whether it's camping trips with family, weekend getaways with mates, hitting the slopes, or catching a quick wave before work, our product can swiftly take you from work to play and caters to a wide range of your needs.



WATER SPORTS

RIDE THE WAVES OF ADVENTURE AND PADDLE, SURF OR SKI WHENEVER THE WATER CALLS. WITH THE RIGHT SETUP, MAKING SPACE FOR ADVENTURE HAS NEVER BEEN EASIER.

SET UP BY
@CASSIEEE.S
NISSAN NAVARA

BATWING
COMPACT
AWNING +
STOW IT
33116

FISHING ROD
HOLDER
572

STOW IT
UTILITY
HOLDER -
LARGE
LSIT

STOW IT ROLLER
ADAPTOR
OSIT

STOW IT
RECOVERY
TRACTION
BOARD
HOLDER
MSIT

ALUMINIUM
FOLDING
LADDER
RAFL

VORTEX
CROSSBARS
VA137B

WRAP PADS
43150

TIE DOWN
STRAPS
RTD35P

PIONEER 6
PLATFORM
62101

GRAB
HANDLES
61003

LADDER
ROLLER
LR880



KAYAKING

EASILY TRANSITION FROM LAND TO WATER, IMMERSING YOURSELF IN THE EXCITEMENT OF KAYAKING WHILE DISCOVERING THE BEAUTY OF YOUR FAVOURITE WATERWAYS.



STOW IT
UTILITY
HOLDER -
REGULAR
RSIT2

STOW IT UTILITY
HOLDER - LARGE
LSIT

BATWING AWNING
(RIGHT) WITH
STOW IT
33115

NAUTIC KAYAK
CARRIER
371

EYE BOLTS
PEB4

RAPID TIE
DOWN STRAP
RTD35P

VORTEX
CROSSBARS
VA150B



TRADE

DISCOVER SEAMLESS COMPATIBILITY WITH A WIDE ARRAY OF ACCESSORIES TO PERSONALISE YOUR ROOFTOP FOR TRADE.

CONDUIT CARRIER
(3.0M/100MM)
P30-100

SUNSEEKER
2.5M AWNING
WITH STOW IT
32140

CONDUIT
CLAMP SET
3 PIECE
BC3

3.0M CSL LADDER
RACK
CSL30M

470MM LADDER
ROLLER
LR470

3.0M MULTI-SLIDE
LADDER RACK
MS30M

STOW IT UTILITY
HOLDER - REGULAR
RSIT2

SHOVEL
43123

RECONN-DECK
NS BARS
RDNSB50

STOW IT UNIVERSAL
ADAPTOR
USIT

STOW IT BASE
BRACKETS
SSIT2


RECONN-DECK
CROSSBARS
WITH BACKBONE
RTHB3 + RDB165

680MM LADDER
ROLLER
LR680



CYCLING

WHETHER YOU'RE HITTING THE DIRT TRAILS OR CYCLING THE SPECTACULAR COASTLINE, THE RUSH OF ADRENALINE AND THE SENSE OF ACCOMPLISHMENT YOU FEEL AS YOU EMBARK ON A NEW ADVENTURE IS LIKE NO OTHER.



VORTEX CROSSBARS
WITH RX LEGS
RXB1VA126

HYBRID BIKE
CARRIER X2
RBC050

TECHNOLOGY


ZWIFLOC™

EASY & FLEXIBLE


TO ALLOW ALL THE VERSATILITY YOU NEED

Our innovative Zwifloc™ fastening system allows compatible accessories to be placed anywhere on the channels without the need to move other accessories around.


The patented Zwifloc™ hardware simply drops into the channel, so there is no need to position via a traditional channel aperture. Compatible with all Pioneer™ systems and Reconn-Deck™ bars.



Zwifloc™ simply drops into your Reconn-Deck bar or Pioneer, and sits flush within the channel.



Tighten the bolt to engage.



High tensile M6 nut rotates within the housing cage to lock in under the channel lip.

EYE BOLTS WITH ZWIFLOC™

DROP IN ANYWHERE

The Eye Bolts with Zwifloc™ are designed to provide versatile tie down points for your Pioneer platform, Reconn-Deck or Vortex cross bars. The kit includes 4 Eye Bolts, each with the patented Zwifloc™ channel nut, which allows quick and easy installation anywhere without moving other accessories.

SIMPLY TWIST IN AND TWIST OUT

The patented Zwifloc™ channel nut gives you the flexibility to add, remove or reposition the eye bolts anywhere on a Pioneer platform or Reconn-Deck system.

Personalise your accessory layout. No need to slide the eye bolts into position or move other accessories around - simply place them wherever you need them to be.



SCAN HERE

Or visit rhinorack.com/zwifloc to find all the products that include Zwifloc channel nuts.

TECHNOLOGY


STOW IT™

MULTI-FUNCTIONAL

TO SUIT EVERY ADVENTURE

Start your journey with the STOW IT Base Bracket, which includes two Base Brackets and all mounting hardware, including Zwifloc™ channel nuts.

The STOW IT Base Bracket mounts directly to your Pioneer Platform or crossbar and is the core of this mounting system, allowing you to easily change the adaptor to suit your accessory needs.



STOW IT UTILITY HOLDER (REGULAR) | RSIT2



STOW IT AWNING ADAPTOR | BSIT




STOW IT LIGHT BAR ADAPTOR | ISIT




STOW IT ROLLER ADAPTOR | OSIT




UNIVERSAL ADAPTOR | USIT



STOW IT RECOVERY TRACTION BOARD HOLDER | MSIT



STOW IT BASE BRACKET | SSIT2



STOW IT UTILITY HOLDER (LARGE) | LSIT



SCAN HERE

Or visit rhinorack.com/stow-it to learn more.

OUR COMMITMENTS

UNWAVERING COMMITMENT TO SAFETY AND QUALITY

At Rhino-Rack, we are committed to educating our customers on the safe use and enjoyment of our products. Our products undergo rigorous crash testing and vehicle load rating, ensuring durability and reliability. We take the safety of our customers, and others on the road, as our number one priority.

CITY CRASH TESTING

AT RHINO-RACK, OUR TOP PRIORITY IS TO ENGINEER PRODUCTS OF THE UTMOST QUALITY TO GUARANTEE YOUR SAFETY AND SATISFACTION.

We subject all Rhino-Rack products to rigorous safety standards testing, adhering to the ISO standard. This includes comprehensive City Crash Testing to ISO11154 and Static Load Testing to ISO11154.

We also put our prototypes to the test in real-world Aussie conditions, experimenting with functions that enhance the safety, ease of use, and overall enjoyment of our equipment.

Rest assured, we go the extra mile to ensure that our products meet and exceed your expectations.



VEHICLE LOAD RATING

IT IS VITAL FOR YOU TO UNDERSTAND THE CAPACITY OF YOUR VEHICLE'S ROOF, TUB AND STORAGE SOLUTIONS

THERE ARE THREE LOAD RATINGS THAT APPLY IN DIFFERENT SITUATIONS. THESE ARE:

- On-road refers to the load rating of a vehicle when traveling on a sealed road
- A static rating is the load rating of a stationary vehicle and is necessary if you're using, for example, a rooftop tent
- The off-road load rating refers to a vehicle traveling on an unsealed road that does not contain a surface protection layer. Sometimes manufacturers will list the load ratings in the vehicle owner's manual, however, you can calculate the off-road load rating yourself using the formula provided in your product fitting instructions.

It is important to remember the on-road rating does not take into consideration the weight of the roof racks. According to our instructions, the on-road rating + weight of the racks is called roof allowance. But remember, if you buy an accessory or holder and attach it to your rack or tray, you must also include the weight of these items in the load.

It is very unsafe to overload your vehicle. Failure to follow the load ratings in each circumstance could result in damage to your vehicle, potential loss of your load, voiding warranty or insurance, or cause traffic accidents. It's illegal to overload your vehicle.

To get started calculating your load rating, you'll need to make note of your vehicle's load rating from your vehicle owner's manual as well as the Rhino-Rack roof rack system you have installed on your vehicle.



STATIC

When the vehicle is parked or stationary



ON-ROAD

Driving on paved or sealed roads



OFF-ROAD

Driving on unsealed or dirt roads



MAKE SPACE FOR ADVENTURE

SPORTZ

RHINORACK.COM

©Rhino Rack Australia Pty Limited, ABN 63 122 680 639, 22a Hanson Place, Eastern Creek NSW 2766, Australia
2025/V2

Rhino-Rack has made reasonable efforts to ensure that the information within this publication is correct at the time of printing. Although Rhino-Rack monitors the quality of the information and updates the information regularly, human or mechanical error, or changes in circumstances after the time of publication may be possible and may impact the accuracy of the information. Rhino-Rack does not warrant that any information or data in this publication is accurate, complete, current or suitable for any purpose. To the maximum extent permitted by law, Rhino-Rack disclaims all liability for any loss, damage, expense and costs incurred by any person arising out of accessing, downloading, using or relying on any materials in this publication.