



RHINO-RACK®

MAKE SPACE FOR ADVENTURE

📍 TWILIGHT COVE, WA

CATALOGUE 2021/2022



At Rhino-Rack, we believe there's an adventurer in all of us. It's what drives us to create world-ready outdoor gear, born and proven in Australia.

The type of adventure is less important than getting out in the first place. A quick morning surf is as valuable as a big day in the mountains. Every time we load up the car and hit the road, it's a victory.

As someone smart once figured out, a job expands to fill the time you give it. So you have to make space for adventure.



We are proud that many of our Roof Rack Bars and Legs are Australian Made, keep an eye throughout the catalogue for the Australian Made logo.



2021 Winner - **Stow iT**
2020 Winner - **Pioneer**
2018 Winner - **Batwing**



reddot winner 2021
2021 Winner - **Pioneer & Stow iT**

THERE'S AN ADVENTURER IN ALL OF US

We help people make space for adventure with world ready outdoor gear born and proven in Australia.



OUR STORY

CORE VALUES

Our values reflect those of a business started by a band of explorers and adventurers with a love and care for the great outdoors. That spirit is in all that we do, and every product we make.

PROTECTING NATURE FOR NATURE-LOVERS

The best thing we can do for the environment is make our stuff last longer. We care deeply about preserving the landscapes we love, and work hard to minimise our environmental impact right across the board - from design, right through to manufacture and distribution.

MAKING ADVENTURE ACCESSIBLE TO ALL


Every journey has to start somewhere. Whether you're a beginner, enthusiast, or veteran explorer – hitting the road for work or play – we strive to build products which help make adventure inclusive for everybody.

DEDICATED TO NEW DISCOVERIES

We're not bound by convention. Our success – and much of the fun – lies in developing new ways to do things. We're always seeking what's next by embracing the thrill of discovery and experimentation.

CHAMPIONING AUSSIE GRIT

Everyone at Rhino-Rack is prepared to roll up their sleeves and give things a go – even if it's outside our comfort zone. It's this Aussie grit – that sense of courage and determination – which unites us and our customers.



FIT MY CAR

FINDING THE RIGHT ROOF RACK HAS NEVER BEEN EASIER.

With thousands of vehicles and even more products designed to specifically fit particular vehicles it is so important to get it right. A Rhino-Rack® roof rack that fits perfectly means you can rest easy knowing the gear you carry is safe and sound on the roof of your vehicle.

The right Rhino-Rack® product for your vehicle can easily be found when you visit **www.rhinorack.com/fitmyvehicle**, then select your vehicle Manufacturer, Model, Year and Body type to browse every applicable product that fits your vehicle best.

From there, you can see all retail prices & dive into specifications, features, & benefits with installation instructions included. You can also add products to your wish list and email a friend or your local Rhino-Rack® Dealer.

Find your local dealer by going to **www.rhinorack.com/where-to-buy**.

! Always refer to the product specification, installation instructions and vehicle owner's manual for suitability, fit, installation and use of a specific product. Contact your local Rhino-Rack® dealer if in doubt or have any questions relating to the product.



VEHICLE LOAD RATING

There are a number of things to consider when working out your vehicle's load rating, and we want to help you understand the capacity of your racks and vehicle roof. Firstly, different vehicles have different ratings. You need to know the load rating of your vehicle. This information will be easy to find in your vehicle's owner manual.

Secondly, there are a few different load ratings you need to understand. There are on-road and static ratings for all vehicles, as well as off-road ratings for vehicles that can travel off-road.

- **On-road** refers to the load rating of a vehicle when traveling on a sealed road.
- A **static rating** is the load rating of a stationary vehicle, and is necessary if you're using a rooftop tent for example.
- The **off-road** load rating refers to a vehicle traveling on an unsealed road that does not contain a surface protection layer. Sometimes, manufacturers will list the load ratings in the vehicle's Owner Manual, however, you can calculate the off-road load rating yourself using the formula provided in your product fitting instruction.

Lastly, it is important to remember the on-road rating does not take into consideration the weight of the roof racks. According to our instructions, the on-road rating + weight of the racks is called roof allowance. But remember, if you buy an accessory or holder and attach it to your rack or tray, you must also include the weight of these items in the load.

It is very unsafe to overload your vehicle. The "just wing it" approach is not appropriate in this context, and failure to follow the load ratings in each circumstance could result in damage to your vehicle, potential loss of your load, voiding warranty or insurance or cause traffic accidents. It's illegal to overload your vehicle.

To get started calculating your vehicle's load rating, you'll need to make a note of your vehicle's load rating from your vehicle's owner manual as well as the Rhino-Rack Roof Rack system you have installed on your vehicle. Once you have this information you can begin by entering your vehicle details at the below website.



STATIC

When the vehicle is parked or stationary.



ON-ROAD

Driving on paved or sealed roads.



OFF-ROAD

Driving on unsealed or dirt roads.

**HAVE YOU CHECKED YOUR
VEHICLE'S LOAD RATING?**
Know your load limits

Or visit:
rhinorack.com/loadrating



OUR RANGE



ROOF RACKS - PAGE 7



PIONEER™ RANGE - PAGE 30



UTE TUB SYSTEM - PAGE 63



LUGGAGE CARRIER - PAGE 71



LOAD SECURING - PAGE 78



SHADE - PAGE 87



WATER - PAGE 96



BIKES - PAGE 108



TRADE - PAGE 117





CROSSBAR ROOF RACKS

- 8. Where Do I Start?
- 10. Cross Bar Options
- 12. Bare Roof Mounts
- 13. Fixed Point Mounts
- 14. Track Mount
- 15. Track Mounting
- 17. Ditch Mount
- 18. Raised Rail / Solid Rail
- 19. Gutter Mount
- 20. Cross Bar Roof Racks - Tech Specs
- 21. Roof Racks - Tech Specs
- 23. Canopy Rack Systems
- 25. Need to Level Things Out?
- 26. Canopy - Tech Specs

CROSSBAR ROOF RACK SYSTEMS

A roof rack system generally consists of a leg and rail combination tailored to suit your vehicles make and model. Depending on your roof type you will be able to identify the mounting system options available.

WHERE DO I START?

CHOOSING THE BEST ROOF RACKS FOR YOUR NEXT ADVENTURE BEGINS WITH THESE 4 STEPS:

STEP ONE

Identify your vehicles roof mounting type

STEP TWO

Select bar type

STEP THREE

Choose a bar style i.e flush or overhang

STEP FOUR

Cross check your roof solution via
www.rhinorack.com/fitmyvehicle

WHICH ROOF RACK
SHOULD YOU CHOOSE?


Or visit:
rhinorack.com/roof



STEP ONE - WHAT DOES YOUR ROOF LOOK LIKE?

THE ROOF OF THE VEHICLE WILL DETERMINE THE RACK SOLUTION, IF YOUR NOT SURE VISIT [RHINORACK.COM/ROOF](https://rhinorack.com/roof)

1.0 BARE



1.1 BARE ROOF


A roof has no designated attachment points integrated into the vehicles design.



1.2 FIXED POINT MOUNT


A roof that has designated attachment points integrated into the vehicles design known as fixed point mounts.

2.0 RAIL



2.1 RAISED RAIL

A vehicles roof that features factory fitted raised rails can be easily be identified if there is an airgap between the rail and the vehicles roof.



2.2 SOLID RAIL

A vehicles roof that features factory fitted solid rails can be easily identified if the rail has no airgap between the rail and the vehicles roof.

3.0 GUTTER



3.1 GUTTER MOUNT

A vehicle that has a connection between the side of the vehicle and the roof which forms in a shape of a gutter.

STEP TWO - SELECT YOUR CROSS BAR

MULTIPLE SIZES AVAILABLE



VORTEX [VA]

COLOUR



Perfect for recreational and trade use. This is the most versatile crossbar on the market.

- Vortex Secure Core™ locking end caps included.
- Masterkey™ compatible.
- Strong and durable for off-road and commercial use.
- Suits most load carrying accessories on the market.
- Vortex Generating Strip (VGS) is included.
- Extruded structural Aluminium curved to suit the contour of your roof.

Bar Lengths Available:

1065mm / 41.92"
1180mm / 46.45"
1260mm / 49.60"
1375mm / 54.13"
1500mm / 59.05"
1650mm / 64.96"
1800mm / 70.86"
2000mm / 78.74"



HEAVY DUTY [HD]

COLOUR



Perfect for trade accessories. For example: ladder racks.

- Designed to be used with heavy duty accessories
- Extruded structural Aluminium.
- Strong and durable for off-road and commercial use.
- Large range of commercial carrying solutions available.
- Rubber strips included.

Bar Lengths Available:

1065mm / 41.92"
1180mm / 46.45"
1260mm / 49.60"
1375mm / 54.13"
1500mm / 59.05"
1650mm / 64.96"
1800mm / 70.86"
2000mm / 78.74"



EURO

COLOUR



Perfect for light duty load carrying.

- Fits 2500 leg system and SX legs.
- Accessories available.
- Not suitable for off-road or heavy duty commercial use.
- Available in black.


Bar Lengths Available:

1065mm / 41.93"
1180mm / 46.45"
1260mm / 49.6"
1375mm / 54.13"
1500mm / 59"



STEP THREE - CHOOSE A BAR STYLE


FLUSH OR OVERHANG



FLUSH



A flush system is both sleek and stylish in design where the cross rails 'do not' overhang the mounts.



OVERHANG



A overhang system creates additional storage space where the cross rails 'overhang' the mounts.

STEP FOUR - CHECK YOUR VEHICLE

SCAN TO CHECK YOUR SPECIFIC ROOF SOLUTION ON
THE RHINO-RACK FIT YOUR VEHICLE JOURNEY.




Or visit:
rhinorack.com/roof

1.0 BARE ROOF MOUNTS

CLAMP SYSTEM DESIGNED FOR QUICK AND SIMPLE USE.



For product numbers and specification, see page 20



Clamp systems are designed for vehicle roofs that have no designated attachment points.



1.0.1 VORTEX 2500

If you're after a roof rack that is adaptable, easy to use, strong and light, then the Rhino-Rack® Vortex 2500 roof rack is the ideal solution.



1.0.2 HEAVY DUTY 2500

The HD 2500 roof rack is secure, strong and trade ready.



1.0.3 EURO 2500

The Euro 2500 roof rack is light-weight and suitable for daily carrying applications.



1.0.4 ROC25 (FLUSH)


Both sleek and stylish in design, the ROC25 roof rack system is a perfect solution to carry all your gear.

1.2 FIXED POINT MOUNT

WE SPECIALIZE IN A RANGE OF BRACKETS THAT ATTACH TO THE EXISTING MOUNTING POINTS ON YOUR VEHICLE'S ROOF.



For product numbers and specification, see page 20



A range of brackets/base kits solutions designed to allow for fitment onto existing fixed point mounts provided by the vehicle manufacturer.

This can be located on either the bare roof or in some instances on the solid rails.



1.2.1 ROC25

The ROC25 Flush roof rack system is specifically molded to fit the contours of your vehicle's roof.



1.2.2 RC

The RC leg not only suits our specialised tracks, but can also attach to the specific vehicle mounting points that exist on the roof of your vehicle.

Available in 2 heights.

Leg Height RCH: 52mm / 2.1"

Leg Height RCL: 37mm / 1.5"



1.2.3 RLTF

With a high profile design, this leg is perfect for highly curved roofs.



1.2.4 RV

The RV leg is designed to suit our specialized tracks or the specific vehicle mounting points that currently exist on the roof of your vehicle. Available in 2 heights.

Leg Height RVH: 65mm / 2.5"


Leg Height RVL: 45mm / 1.7"

1.3 TRACK MOUNT

VEHICLE SPECIFIC TRACKS, DESIGNED
FOR STRENGTH AND FLEXIBILITY. OFF-ROAD PROVEN.



For product numbers and
specification, see page 20



MAXIMUM ON/OFF-ROAD CARRYING CAPACITY

Tracks are our specialty. We have a wide
and extensive range of tracks. Contact your
Rhino-Rack® Distributor or log on to
rhinorack.com for the best option for you



1.3A RTV TRACK

Universal tracks for vehicles. Sold as a pair
and includes hardware and end caps.



1.3B RTS TRACK

Specialty tracks for vehicles. Sold as a pair
and includes hardware and end caps.



1.3C RTC TRACK


Tracks for your canopy. Sold as a pair,
including hardware and end caps.

1.3 TRACK MOUNTING

TRACKS ARE OUR SPECIALTY



For product numbers and specification, see page 20



Vehicle specific tracks are designed for strength and flexibility.



1.3.1 RLT600

The Quick Mount™ RLT600 Leg Set is designed for single person use with a trigger locking system. Full (4) or Half (2) (RLT600H) leg sets to suit Vortex bars. Spacer kits and fitting kits are available for Rhino-Rack® Heavy Duty Bars and Pioneer™ systems.

Leg height: 71mm / 2.8"



1.3.2 RCH/RCL

The RC Locking Legs are designed with a key locking system to increase security without compromising on strength and durability.

Leg Height RCH: 52mm / 2.1"

Leg Height RCL: 37mm / 1.5"



1.3.3 RV

The Vortex RV flush leg system can attach to Rhino-Rack tracks or in a fixed mounting position permanently anchored to your roof.

Leg Height RVH: 65mm / 2.5"

Leg Height RVL: 45mm / 1.7"




1.4 DITCH MOUNT

SPECIALIZED FIXED MOUNTING POINTS TO ATTACH ROOF RACKS DIRECTLY TO YOUR VEHICLE.



For product numbers and specification, see page 20

WE NOW HAVE A SPECIALIZED OPTION FOR THOSE HARD TO FIT VEHICLES.



Ditch Mount Brackets attach to a vehicle using a specialized fixed hardware to mount roof rack legs directly to a vehicle. Ditch Mount Systems offer a refined, robust and factory-esque fixing point to the vehicle without the need of clamps.

With the use of ditch mount brackets, a greater choice of leg styles and functions are available for many vehicles.

The fitment of ditch mount brackets requires a roof rack specialist due to the technical nature of modification and drilling of the vehicle. Please contact your local Rhino-Rack® dealer for more information or to organize a fitment.

Please refer to the vehicle manufacturer's handbook for specific vehicle load ratings.

Product codes for the ditch mount range are:
#RVL, #RVH, #RCL, #RCH, #RLT600





2.1 RAISED RAIL

2.2 SOLID RAIL

SECURES AND ATTACHES TO EITHER SOLID OR RAISED FACTORY RAILS.



For product numbers and specification, see page 20



2.1.1 STEALTHBAR

Low profile roof rack system consisting of pre-assembled Vortex Bars ready-to-fit for vehicles with raised factory rails.

Leg height: 35mm / 1.4"



2.1.2 VORTEX SX (RAISED)

Designed specifically for use with roofs that feature raised rails. Compatible with Rhino-Rack® Vortex and Euro Bars.

Leg height: 55mm / 2.1"



2.2.1 VORTEX SX (SOLID OR FLUSH)

Designed to suit vehicles that feature solid rails. Easy to use, this leg includes security hardware to secure your racks. Compatible with Rhino-Rack® Vortex Bars and Euro Bars.

Leg height: 70mm / 2.8"

3.0 GUTTER MOUNT

SECURES AND ATTACHES TO GUTTERS.



For product numbers and specification, see page 20



Some vehicles have integrated strip molds known as gutters where a roof rack system can be mounted offering an integrated look



3.1 SG GUTTER MOUNT LEG

The Vortex SG roof rack system is the system of choice for Jeeps that have protruding side gutters. Easy to install - they are an ideal solution that offers great strength and durability.

Leg height: 110mm / 4.3"

- Made for vehicles with protruding side gutters.
- Features wind noise reducing VGS strips.
- Strong and built to last.
- Stylish flush bars with no overhang.



3.2 RL GUTTER MOUNT LEG

The Rhino-Rack® RL Legs are specially designed heavy duty legs to fit to gutter mounts on a vehicle.

- Compatible with both Vortex and HD overhang Bars.

Leg heights:

110mm / 4.3"
150mm / 5.9"
210mm / 8.3"
280mm / 11.0"

CROSSBAR ROOF RACKS - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PART #	SUITS	COLOUR	HEIGHT	WTY	NOTE
1.0	BARE ROOF MOUNTS					
1.0.1	VA 2500	VA Bars	B	110mm / 4.3"	5yrs	
1.0.2	HD 2500	HD Bars	B / S*	115mm / 4.5"	Life	
1.0.3	EURO 2500	EURO Bars	B	115mm / 4.5"	Life	
1.0.4	ROC25	VA Bars	B	115mm / 4.5"	Life	
1.2	FIXED POINT					
1.2.1	ROC25 FMP	VA/HD/ EURO Bars	B / S*	VA 80mm/3.1", HD 85mm/3.3"	5yrs	
1.2.2	RCH	VA/HD Bars	B / S*	VA 80mm/3.1", HD 85mm/3.3"	5yrs	
1.2.2	RCL	VA/HD Bars	B / S*	VA 65mm/2.6", HD 70mm/2.8"	5yrs	
1.2.3	RLTF	VA/HD Bars	B / S*	VA 65mm/2.6", HD 70mm/2.8"	5yrs	
1.2.4	RVH	VA Bars	B	80mm / 3.1"	5yrs	
1.2.4	RVL	VA Bars	B	55mm / 2.2"	5yrs	
1.3	TRACKS					
1.3.A	RTV	VA/HD Bars	B	RLTP 63mm/2.5", RLTF 93mm/3.7", RLT600 83mm/3.3", RLT500 88mm/3.5"	5yrs	
1.3.B	RTS	VA/HD Bars	B	RLTP 55mm/2.2", RLTF 85mm/3.3", RLT600 75mm/3", RLT500 80mm/3.1"	5yrs	
1.3.C	RTC	VA/HD Bars	B	RLTP 65mm/2.6", RLTF 95mm/3.7", RLT600 85mm/3.3", RLT500 90mm/3.5"	5yrs	
1.3	TRACKMOUNT					
1.3.1	RLT600	VA/HD Bars	B / S*	HD 75mm/3", VA 70mm/2.8"	Life	
1.3.2	RCH	VA/HD Bars	B / S*	HD 75mm/3", VA 83mm/3.3"	5yrs	
1.3.2	RCL	VA/HD Bars	B / S*	HD 75mm/3", VA 83mm/3.3"	5yrs	
1.3.3	RVH	VA Bars	B	83mm/3.3" + ~track height	5yrs	
1.3.3	RVL	VA Bars	B	83mm/3.3" + ~track height	5yrs	

* Silver available on HD bars only.

B  S 

CROSS ROOF RACKS - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PART #	QTY	SUITS	COLOUR	HEIGHT	WTY	NOTE
1.4	DITCHMOUNT						
1.4	RVL		VA Bars	B	55mm / 2.2"	5yrs	
1.4	RVH		VA Bars	B	80mm / 3.1"	5yrs	
1.4	RCL		VA/HD Bars	B / S*	VA 65mm/2.6", HD 70mm/2.8"	5yrs	
1.4	RCH		VA/HD Bars	B / S*	VA 80mm/3.1", HD 85mm/3.3"	5yrs	
1.4	2500 FMP		VA/HD/ EURO Bars	B / S*	Up to 115mm/4.5" using High Base	5yrs	
1.4	RVL		VA Bars	B	55mm / 2.2"	5yrs	
2.0	RAIL MOUNT						
2.1.1	Stealth (Raised Rail)		VA Bars	B	35mm / 1.4"	5yrs	
2.1.2	Vortex SX (Raised Rail)		VA Bars	B	55mm x 2.1"	5yrs	
2.2.1	Vortex SX (Solid or Flush Rail)		VA Bars	B	70mm x 2.8"	5yrs	
3.0	GUTTER MOUNT						
3.1	SG		Sports Bar	B	110mm / 4.3"	Life	
3.2	RL		VA/HD Bars	B / S*	110mm-280mm/ 4.3"-11"	Life	

* Silver available on HD bars only.

B  S 

ROOF RACKS TO SUIT THE MOST POPULAR CANOPIES AND UTEs ON THE MARKET.

Just because you have added a canopy on the back of your ute doesn't mean you can't add racks or trays to carry more gear. Choose from our range of leg and bar options or select from our Pioneer™ range. We have all sorts of cleverly designed accessories, legs and spacers to ensure your load is level and safe. To find the perfect fit for your canopy, go to www.rhinorack.com.



4.0 CANOPY RACK SYSTEMS

WE HAVE A RANGE OF OPTIONS TO SUIT A VARIETY OF CANOPIES



For product numbers and specification, see page 26



4.1 CANOPY MOUNT

For lighter load situations where utility posts are not required.



4.2 QM CANOPY MOUNT

Complete with internal backing mounts to fit a Quick Mount™ RLT600 leg onto a canopy.



4.3 ARTIFICIAL GUTTER

An ideal product to mount roof racks to a range of canopies.



4.4 SPECIALISED CANOPY POST ADAPTER

Use Rhino-Rack® Heavy Duty Bars and compatible VA and Pioneer™ accessories on ARB Ute Posts.



4.5 TRACK ADAPTER PLATE

Connect a standard gutter mount leg to any of the Rhino-Rack® track systems. Suitable for off-road use.



4.6 SPECIALISED CANOPY POST ADAPTER

Fit Rhino-Rack® Heavy Duty bars, VA and Pioneer™ accessories to an EGR Canopy Post.





NEED TO LEVEL THINGS OUT?

LEG HEIGHT SPACERS ARE PERFECT FOR CREATING MORE HEIGHT OR LEVELING YOUR ROOF RACK CROSSBARS.

Rhino-Rack® offers a wide variety of leveling spacers that simply connect onto the leg. The spacers can range from 5-30mm in height and fit a wide variety of our legs. They also nest in one another to provide a seamless finish and style to the vehicle.

The roof of a vehicle, as in most cases, has a subtle or dramatic curve from front to rear.

When fitting three or more roof bars to a vehicle there is the challenge of maintaining a level working surface. Roof bars that are not level cause serious problems when loading and unloading, as they do not distribute the weight evenly across the vehicle roof which can become a safety concern.

We have spacers to suit Vortex and Heavy Duty bars.



CANOPY - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

PART #	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WTY	NOTE
LEG KITS							
RFMPS	Fixed Mount	70mm / 2.7"	-	HD	RLTP	5yrs	VA Bar requires VA-FK1. High profile design, ideal for highly curved roofs or leveling bars
RFMC	Rhino Canopy Mount Leg Set	100mm / 3.9"	-	HD	RLTF	5yrs	Suits steel canopies. VA Bar requires VA-FK1
RFMC2	Fixed Mount	80mm / 3.15	-	HD	RLCP High	5yrs	High profile design, ideal for highly curved roofs or leveling bars; VA BAR REQUIRES VA-FK2.
RFMPS2	Fixed Mount RLCP Legs Low (2Pcs)	80mm / 3.15"	-	HD	RLCP	5yrs	Suits steel canopies; VA Bar requires VA-FK2. Only to be used with RLT600/ RLT600H Legs.
GUTTERS							
739A	False Gutter Set	18mm / 0.7"	165 mm / 6.5"	HD	RL	3yrs	RL Leg with VA Bar requires VA-FK1.
739AHALF	False Gutter Set Half	18mm / 0.7"	166 mm / 6.5"	HD	RL	3yrs	VA Bar requires VA-FK1.
TRACK KITS							
RTC12JW	Jeep Wrangler TJ 2 DR Canopy		1420mm / 55.9"	VA, HD	RLT600	5yrs	Allows connection to any standard Gutter mount leg.
RTC12JWMY11	Jeep Wrangler 4 DR Tracks MY011		1420mm / 55.9"	VA, HD	RLT600	5yrs	Fits Rhino-Rack Vortex onto ARB Ute Posts
RTC14	Canopy/Ute Track Set 1.4 MTR Black		1270mm / 50"	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ute Posts.
RTC16	Canopy/Ute Track Set 1.6 MTR Black		2019mm / 79.5"	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ascent Canopy Posts
RTC18	Canopy/Ute Track Set 1.8 MTR Black		2019mm / 79.5"	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
RTC8JW	Jeep Wrangler JK 2 DR Removable Roof		940mm / 37"	VA, HD	RLT600	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
RTC8JWMY11	Jeep Wrangler 2 DR TRACKS MY011		940mm / 37"	VA, HD	RLT600	5yrs	Fits to the factory fitted track supplied with early model TJM Canopies
RTC95JW	Jeep Wrangler JK 4 DR Removable Roof		1420mm / 55.9"	VA, HD	RLT600	5yrs	
RTRL	Track Adapter Suits Rhino RL Legs		239mm / 9.4"	VA, HD		5yrs	
RTS03	Track Set 1200mm Hilux Dual Cab (PR)		1420mm / 55.9"	-	-	5yrs	
RTS502	Track Set for Discovery 3 (PR)		1679mm / 66.1"	-	-	5yrs	
RTS502F	Track Set for Discovery 3 Front Bar (PR)		259mm / 10.2"	-	-	5yrs	
RTS507	Track Set Nissan Navara (PR)		1420mm / 55.9"	-	-	5yrs	
RTS518	Track Set Hyundai H1 Van (PR)		2400mm / 94.5"	-	-	5yrs	
RTS527	Track Set Colorado MY2013 (PR)		1420mm / 55.9"	-	-	5yrs	
RTS533	Toyota Tundra Track Set Crew Max		1420mm / 55.9"	-	-	5yrs	
RTS534	Toyota Tundra Track Set Double Cab		1209mm / 47.6"	-	-	5yrs	
RTS540	Track Set LC200 PR		2029mm / 79.9"	-	-	5yrs	
RTS547	Toyota Tacoma Track Set		1420mm / 55.9"	-	RLT600	5yrs	
RTS551	Range Rover Sport Track Set		1420mm / 55.9"	-	RLT600	5yrs	
RTS554	Track Ranger BT50		1420mm / 55.9"	-	RLT600	5yrs	
RTV128	RTV Track Set 1280mm Black		1420mm / 55.9"	-	RLT600	5yrs	
RTV148	RTV Track Set 1480mm Black		1699mm / 66.9"			5yrs	

www.rhinorack.com/fitmyvehicle

CANOPY - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

PART #	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WTY	NOTE
TRACK KITS							
RTV168	RTV Track Set 1680mm Black	61mm / 2.4"	1,680mm/66.1"			5yrs	
RTV188	RRTV Track Set 1880mm Black	61mm / 2.4"	1,880mm/74"			5yrs	
RTV208	RTV Track Set 2080mm Black	61mm / 2.4"	2,080mm/81.8"			5yrs	
MOUNTING KITS							
RFMRL	Cabin Mount	25mm / 1"	215mm / 8.5"	-	RL	5yrs	
QMCM01	QM Canopy Mount	105mm / 4.1"	-	-	RLT600	5yrs	Only to be used with RLT600/RLT600H Legs.
QMCM02	QM Canopy Mount	105mm / 4.1"	-	-	RLT600	5yrs	Only to be used with RLT600/RLT600H Legs
RCP52-BK	RFMPC2 Base Kit (2Pcs) Canopy Mount	-	-	VA	RVL, RVH, RCL, RCH	5yrs	
RTC16-FK	Canopy/Ute Track Set 1.6m Fit Kit	-	1600mm / 63"	-	-	5yrs	
RTRL	Track Adapter Plate	15mm / 0.6"	165mm / 6.5"	HD	RL	5yrs	
POST KITS							
ARB-AERO	ARB Canopy Post Adapter	10mm / 0.4"	40mm / 1.6"	VA	-	5yrs	Fits Rhino-Rack Vortex onto ARB Ute Posts.
ARB-HD	ARB Canopy Post Adapter	25mm / 1"	45mm / 1.8"	HD	-	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ute Posts.
ARB-ASHD	ARB Canopy Post Adapter	10mm / 0.4"	50mm / 2"	HD	-	5yrs	Fits Rhino-Rack Heavy Duty onto ARB Ascent Canopy Posts.
EGR-HD	EGR Canopy Post Adapter	-	-	HD	-	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts
EGR-VA	EGR Canopy Post Adapter	2mm / 0.08"	58mm / 2.3"	VA	-	5yrs	Fits Rhino-Rack Heavy Duty and VA bars onto EGR Canopy Posts.
SPACERS / ADAPTERS							
LHS-A1PAIR	2 x 10mm Leg Height Spacers	10mm / 0.3"	-	VA	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M6 x 45mm Bolts.
LHS-A2PAIR	4 x 10mm Leg Height Spacers	10mm / 0.3"	-	VA	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M6 x 55mm Bolts
LHSPAIR	2 x 10mm Leg Height Spacers	10mm / 0.3"	-	HD	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M10 x 35mm Bolts
LHS2PAIR	4 x 10mm Leg Height Spacers	10mm / 0.3"	-	HD	RL, RLCP, RLTP, RLTF	5yrs	Incl: 2 x M10 x 45 mm Bolts.
LHSPIV	Pivoting Leg Height Spacer	-	-	VA, HD	RL, RLCP, RLTP, RLTF	5yrs	Incl: 4 Adapters in Kit.
CXBS1	6mm CXB Spacer Set	6mm / 0.2"	-	HD	CXB	5yrs	
CXBS2	12mm CXB Spacer Set	12mm / 0.5"	-	HD	CXB	5yrs	
CXBS3	18mm CXB Spacer Set	18mm / 0.7"	-	HD	CXB	5yrs	
CXBS4	24mm CXB Spacer Set	24mm / 0.9"	-	HD	CXB	5yrs	

www.rhinorack.com/fitmyvehicle

LEG SPACERS - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

PART #	DESCRIPTION	HEIGHT	LENGTH (MM)	BAR TYPE	LEG TYPE	WTY	NOTE
RLKS1	2 X 10mm Spacer Blocks	10mm / 0.4"	-	VA	2500	5yrs	
RLKS2	4 X Spacer Blocks Max Height 18mm	18mm / 0.7"	-	VA	2500	5yrs	
RLKS3	6 X Spacer Blocks Max Height 26Mm	26mm / 1"	-	VA	2500	5yrs	
RLKS3	8 X Spacer Blocks Max Height 34mm	34mm / 1.3"	-	VA	2500	5yrs	
RLKS5	10 X Spacer Blocks Max Height 42mm	42mm / 1.7"	-	VA	2500	5yrs	
QMHD05	4 X Spacer Blocks Max Height 5mm	5mm / 0.2	-	HD	RLT600	5yrs	
QMVA05	5mm VA Spacer	5mm / 0.2	-	VA	RLT600	5yrs	
QMW05	Quick Mount Base Wedge 5mm (PR)	5mm / 0.2	-	-	RLT600	5yrs	
QMHD10	4 X Spacer Blocks Max Height 10mm	10mm / 0.4"	-	HD	RLT600	5yrs	
QMVA10	10mm VA Spacer	10mm / 0.4"	-	VA	RLT600	5yrs	
QMW10	Quick Mount Base Wedge 10mm (PR)	10mm / 0.4"	-	-	RLT600	5yrs	
QMHD15	4 X Spacer Blocks Max Height 15mm	15mm / 0.6"	-	HD	RLT600	5yrs	
QMVA15	Quick Mount 15mm VA Spacer	15mm / 0.6"	-	VA	RLT600	5yrs	
QMHD20	4 X Spacer Blocks Max Height 20mm	20mm / 0.8"	-	HD	RLT600	5yrs	
QMVA20	Quick Mount 20mm VA Spacer	20mm / 0.8"	-	VA	RLT600	5yrs	
QMHD25	4 X Spacer Blocks Max Height 25mm	25mm / 1"	-	HD	RLT600	5yrs	
QMVA25	4 X Spacer Blocks Max Height 25mm	25mm / 1"	-	VA	RLT600	5yrs	
QMHD30	4 X Spacer Blocks Max Height 30mm	30mm / 1.2"	-	HD	RLT600	5yrs	
PLHS1	Pioneer™ LHS Suit 42108 On Jk Jeep	20mm / 0.8"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	
PLHS2	Pioneer™ Leg Height Spacers	20mm / 0.8"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	
PLHSPAIR	Pioneer™ Leg Height Spacer (Pair)	10mm / 0.4"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	
PLHS3	Pioneer™ 5Mm Leg Height Spacer	5mm / 0.2"	-	PIONEER™	RL, RLTP, RLTF, RLCP	5yrs	





reddot winner 2021



THE PIONEER™ RANGE

- 32. Pioneer™ Leader Of The Rack
- 34. The Pioneer™ Platform
- 35. Mounting Options
- 36. Pioneer™ Systems
- 38. Pioneer™ - Tech Specs
- 39. Pioneer™ - Side Rails
- 41. Rhino-Rack Backbone
- 46. Rhino-Rack Backbone - Tech Specs
- 50. Rhino-Rack Stow iT
- 53. Pioneer™ Accessories
- 60. Pioneer™ Accessories - Tech Specs







PIONEER™

LEADER OF THE RACK

DON'T TRAVEL THE PATH OF ANOTHER. PIONEER™ YOUR OWN.

In 2010 Rhino-Rack® changed the way you carry gear on-road and off-road with the introduction of the Pioneer™ Platform. In 2020 the legend continues with the introduction of the All New Pioneer™ – truly the leader of the rack.

The All New Pioneer™ is the most versatile & modular platform on the market with over 90 accessories for maximum customization.

From serious four-wheel driving adventures, to loading gear from the worksite, or just making sure your sporting equipment arrives safe - Rhino-Rack® Pioneer™ Systems have got it covered.



All NEW Pioneer



Pioneer Tradie



Pioneer Tray



red dot winner 2021

**PIONEER™
PLATFORM RECEIVES
INTERNATIONALLY
RENOWNED RED DOT
AWARD: PRODUCT
DESIGN 2021**


We are proud to announce that our 'Pioneer™ Platform' has received the Red Dot Award: Product Design 2021. The "Red Dot" is an internationally recognised and sought-after seal that is given to products that feature an outstanding design.

The international jury only awards this sought-after seal of quality to products that feature an outstanding design. This is a great recognition and well-earned reflection of the

amazing work by the Rhino-Rack team. This auspicious award confirms the importance of having a robust Product Development Process that encapsulates the various inputs from market research, consumer insights, patent searches, ease of assembly and many more inputs that result in the release of world class products.

THE ORIGINAL. THE BEST.

Designed to make it easier for you, the Rhino-Rack® Pioneer™ range was another world first for Rhino-Rack®. Made from Aluminium and fiberglass re-enforced nylon the Pioneer™ range is lightweight and strong, durable enough to endure any environment and flexible enough to carry almost anything. Don't be fooled by cheap imitations or products made of steel, these will just cost you more in the long run and are bound to let you down.



**PIONEER™ PLATFORM
TAKES TOP OF THE
PODIUM IN THE
INTERNATIONAL
GOOD DESIGN AWARDS**



We are proud to announce that our 'Pioneer™ Platform' has received the prestigious Good Design Award Gold Accolade in Australia's 2020 International Good Design Awards.

As one of the oldest and most prestigious international design awards in the world since 1958, the gold accolade, also known

as the Good Design Tick, is among the most respected and recognized international design endorsement symbols in the industry. With this accolade, consumers can be assured that the Pioneer™ Platform has been professionally designed to the highest standards and evaluated through rigorous testing and processes.

INTRODUCING THE PIONEER™ PLATFORM

Features:

- Made from Aluminium and fiberglass re-enforced nylon corners
- Black powder coated for increased corrosion resistance
- The most versatile and modular platform on the market
- Faster installation time with an integrated measuring strip
- Additional accessory channels on front and rear extrusions
- Integrated wiring capabilities within all extrusions
- Corners can be drilled/cut out to provide access to wiring
- Full range of Pioneer™ Platform Accessories**
- Included torque limiting tool ensures fasteners are properly tightened and makes regular maintenance easy
- Integrated channel on the underside of the front & rear extrusions offers additional mounting points for lights bars, pod lights, and other accessories
- North/South running planks for streamlined-look and ease of cargo loading.



Integrated Front & Rear Channel

Accessory channels in the front and rear extrusions, allow for additional accessory mounting.



Integrated Front Channel

The underside channels in the front and rear allow for the mounting of lights and other accessories.



Underbar Measuring Strip

Underbars can now easily be positioned using the measuring strip and position locator.



Corners

Easy access to the internal channels of the front and rear extrusions for integrated wiring capabilities.

MOUNTING OPTIONS

To ensure we continue to offer our users the best solution on the market the ALL NEW Pioneer™ continues its legacy with its compatibility with our industry leading mounting systems. The integrated underbars on the ALL NEW Pioneer™ now mount directly with our SX Legs. Please check vehicle user manual for your vehicle's load carrying capacity.



Backbone



RLT600



RCH & RCL



SX



RL (Gutter Mount)

5.0 PIONEER™ SYSTEMS

LIGHTWEIGHT, STRONG, AND DURABLE ENOUGH FOR ANY ENVIRONMENT AND FLEXIBLE ENOUGH TO CARRY ALMOST ANYTHING.



For product numbers and specification, see page 38



5.1 ALL NEW PIONEER™ PLATFORM

- Stylish low-profile design
- Made from aluminium and fiberglass re-enforced nylon corners
- Black powder coated for increased corrosion resistance
- The most versatile and modular platform on the market
- Optional rail system available



5.2 PIONEER™ TRADIE

- Open front and rear.
- Aluminium alloy.
- Welded side rails.
- Designed to withstand harsh environmental conditions.
- Full range of Rhino-Rack® accessories.



5.3 PIONEER™ TRAY

- Aluminium alloy.
- Welded rails.
- Alloy front wind fairing.
- Tried and proven flexible glass re-enforced nylon components.
- Black powder coated finish for improved appearance and corrosion resistance.
- Full range of accessories available.



5.4 UNIVERSAL PIONEER™ PLATFORM

- Universal clamping system suits the most popular roof racks on the market.
- Low clearance.
- Easy assembly.
- Black powder coated finish and corrosion resistant.
- Optional rail systems available.
- Full range of accessories to suit.



PIONEER™ - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	DESCRIPTION	PART NO	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT (kg)	WEIGHT (lbs)
5.1	Platform	52100	1528 x 1236mm / 61" x 48"	NA	17.5	38.57
5.1	Platform	52101	1528 x 1376mm / 61" x 54"	NA	20.5	45.182
5.1	Platform	52113	1828 x 1426mm / 72" x 56	NA	25.5	56.202
5.1	Platform	52102	1928 x 1236mm / 76" x 48"	NA	24.0	53.998
5.1	Platform	52103	1928 x 1376mm / 76" x 54"	NA	27.0	46.284
5.1	Platform	52104	2128 x 1426mm / 84" x 56"	NA	30.0	66.12
5.1	Platform	52105	2728 x 1465mm / 107" x 58"	NA	38.5	84.854
5.1	Platform	52107	2128 x 1236mm / 84" x 48"	NA	24.5	53.998
5.1	Platform	52108	1828 x 1426mm / 72" x 56"	NA	25.5	56.202
5.1	Platform	52109	1328 x 1236mm / 52" x 48"	NA	16.0	35.264
5.1	Platform	52110	1328 x 1376mm / 52" x 54"	NA	18.0	39.672
5.1	Platform	52111	1328 x 1426mm / 52" x 56"	NA	19.5	42.978
5.1	Platform	52112	928 x 1426mm / 36" x 56"	NA	14.5	31.958
5.1	Platform	52119	2528 x 1586mm / 99" x 62"	NA	40.0	88.16
5.2	Tradie	45100B	1528 X 1236mm / 61" x 48"	NA	21.5	47.386
5.2	Tradie	45101B	1528 X 1376mm / 61" x 54"	NA	22.5	49.59
5.2	Tradie	45102B	1928 X 1236mm / 76" x 48"	NA	26.5	58.406
5.2	Tradie	45104B	2128 X 1426mm / 84" x 56"	NA	32.5	71.63
5.2	Tradie	45107B	2128 X 1236mm / 84" x 48"	NA	27.5	60.61
5.2	Tradie	45108B	1426 X 1828mm / 72" x 56"	NA	28.0	61.712
5.2	Tradie	45109B	1236 X 1328mm / 52" x 48"	NA	17.5	38.57
5.3	Tray	41100	1520 x 1260mm / 59" x 49"	1400 x 1140mm / 55" x 45"	22.0	48.488
5.3	Tray	41101	1520 x 1400mm / 59" x 55"	1400 x 1280mm / 55" x 50"	22.5	49.59
5.3	Tray	41102	1920 x 1260mm / 75" x 49"	1800 x 1140mm / 71" x 45"	29.0	63.916
5.3	Tray	41104	2120 x 1450mm / 83" x 57"	2000 x 1330mm / 79" x 52"	36.0	79.344
5.3	Tray	41107	2120 x 1260mm / 83" x 49"	2000 x 1140mm / 79" x 45"	30.0	66.12
5.4	Universal Platform	42115BF	1478 x 1184mm / 58" x 46"	NA	17.0	37.468
5.4	Universal Platform	42114BF	1228 x 952mm / 48" x 37"	NA	12.0	26.448

www.rhinorack.com/fitmyvehicle

6.0 PIONEER™ SIDE RAILS

OPTIONAL SIDE RAILS ALLOW YOU TO CONFIGURE YOUR PLATFORM IN THE BEST WAY TO SUIT YOUR LOAD.

New Pioneer Platform Side Rails are versatile and sturdy side rails that enable increased security for transporting your gear. The New Side Rail Kit is designed to allow flexibility when configuring your mounting on your Pioneer Platform. These new rails are designed to fit in the C-Channel to best suit your load carrying needs. Whether you are on road or off it, Rhino-Rack keeps your gear secure. Each kit contains 2 rail extrusions, cast end legs and glass reinforced nylon support feet.

Designed and tested in Australia to help secure your load on the Rhino-Rack Pioneer™ Platform.

Suitable for the 52100, 52101, 52102, 52103, 52104, 52105, 52107, 52108, 52109, 52110, 52111, 52112, 52113 and 52120 Pioneer Platforms.

- Multi configuration
- Aerodynamically designed
- Non-Corrosive
- Strong and Durable
- Easy way to secure your load
- Quick and easy to fit
- Available in 7 sizes to suit Pioneer Platform sizes
- Includes 2 x rails, all required feet and hardware to mount onto the side of your Pioneer Platform
- 3 years warranty




PART #	DESCRIPTION	L X W X D	GROSS WT	NET WT.
53140	PIONEER SIDE RAILS (SUIT 1528MM LENGTH PLATFORM)	1190 x 175 x 93	3.5	2.6
53141	PIONEER SIDE RAILS (SUIT 2128MM LENGTH PLATFORM)	1790 x 175 x 93	4.6	3.7
53142	PIONEER SIDE RAILS (SUIT 2728MM LENGTH PLATFORM)	2380 x 155 x 87	5.3	4.4
53144	PIONEER SIDE RAILS (SUIT 1928MM LENGTH PLATFORM)	1590 x 175 x 93	4.4	3.5
53145	PIONEER SIDE RAILS (SUIT 1828MM LENGTH PLATFORM)	1490 x 175 x 93	4.3	3.4
53146	PIONEER SIDE RAILS (SUIT 1328MM LENGTH PLATFORM)	990 x 175 x 93	3.3	2.4
53147	PIONEER SIDE RAILS (SUIT 928MM LENGTH PLATFORM)	580 x 155 x 87	2.9	2.0

Rails can be mounted to all planks in any location with our "C" channel mounting system.

For details on the rail that best suits your platform, talk to your local Rhino-Rack® dealer or go to torhinorack.com







YOUR ULTIMATE RIG!

RHINO-RACK® BACKBONE

For unbeatable performance and looks, the Pioneer platform with a Backbone mounting system is the go-to for your ultimate rig!

The Backbone mounting system is available in unique vehicle designs for a perfect low-profile fit. With bold, solid construction you can be sure it can handle any punishment you give it. The system is also born and proven in Australia for durability in the toughest conditions.

Backbone mounting systems are specifically designed by individual vehicle, to find out if a Backbone is available for your ride go to www.rhinorack.com/fitmyvehicle



7.0 RHINO-RACK® BACKBONE

THE NEXT LEVEL OF EVOLUTION FOR YOUR 4WD



Refer to rhinorack.com for part numbers and specifications



FORD EVEREST



FORD RANGER



FORD F250



TOYOTA PRADO (120 SERIES)



TOYOTA HILUX



TOYOTA PRADO (150 SERIES)



TOYOTA LANDCRUISER LC200



TOYOTA FJ CRUISER



TOYOTA RAV4



TOYOTA 4 RUNNER



TOYOTA LANDCRUISER 300



TOYOTA 76 SERIES



TOYOTA '79 SERIES



ISUZU MU-X



ISUZU D-MAX

7.0 RHINO-RACK® BACKBONE

THE NEXT LEVEL OF EVOLUTION FOR YOUR 4WD



Refer to rhinorack.com for part numbers and specifications



NISSAN NP300 NAVARA



HOLDEN COLORADO



CHEVROLET SILVERADO



RAM 1500 TRUCK



NISSAN Y62 PATROL



MITSUBISHI PAJERO SPORT



MITSUBISHI TRITON



VW AMAROK



MAZDA BT50



SUBARU XV



JEEP GLADIATOR



JEEP WRANGLER



JEEP GRAND CHEROKEE



DISCOVERY4



HONDA CR-V

INTRODUCING THE ALL NEW RHINO-RACK® GUTTERMOUNT BACKBONE



Refer to rhinorack.com for part numbers and specifications

A first of its kind from Rhino-Rack, this Backbone utilises the factory gutters and mounts directly to them. Offering a well established and proven mounting solution for our iconic Pioneer Platforms. There are now 3 types of Guttermount Backbone:



8.1 SHORT GUTTERMOUNT BACKBONE

RTL B4

Well known in the off-road community as the 79 Series Backbone, this Backbone now offers fits for a number of vehicles.

- Specifically designed to suit the Toyota Landcruiser Gutters, the first of its kind from Rhino Rack,
- Utilises the factory gutters and mounts directly to them.
- Offering a well-established and proving mounting solution for our iconic Pioneer Platforms.



8.2 LONG GUTTERMOUNT BACKBONE (FLAT)

RGMB1

Specifically designed around the Toyota 76 Series Landcruiser, this backbone offers a stylish and sturdy first for your Rack.

- Compatible with Pioneer trays and tested to ensure the you can carry your maximum roof payload on and off the road.



8.3 LONG GUTTERMOUNT BACKBONE (CURVED)

RGMB2

Although flat and curved long guttermount Backbones appear similar, there are key differences when it comes to the roof line of the vehicle.

- Developed for vehicles where the Gutter on the vehicle has a slight curve along the length of the vehicle.
- Engineered to not only to look good, but to function hard!
- Ensures your maximum carrying capacity is not compromised when going offroad.



THE JEEP GLADIATOR JT RHINO-RACK® BACKBONE

For ultimate performance and looks, the Pioneer™ platform with a Backbone mounting system is the go-to for your ultimate rig!

The Backbone mounting system is available in unique vehicle designs for a perfect low-profile fit. With bold, solid construction you can be sure it can handle any punishment you give it. The system is also born and proven in Australia for durability in the toughest conditions

Features

- On roof installation, no canopy removal required.
- Single person installation.
- Template provided.
- Specifically designed to be used with the Jeep JT Gladiator Pick Up ute.
- Stylish and low profile design.
- Made from strong and durable materials.
- Black powder coating for increased corrosion resistance.
- Suits Pioneer™ Platform 52121F/42121BF along with Vortex and Heavy Duty Cross Bars.
- 2 hour installation time.
- 5 year warranty.



BACKBONE

BACKBONE - TECH SPECS

*Vehicle height varies with leg type.

VEHICLE	LEG TYPE(S)	FITMENT TYPE	PLATFORM	PLATFORM SIZE	LENGTH	WEIGHT
Land Rover Discovery 3 & 4, 5DR 4WD 04/05 to 06/17	RD4B1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	2158mm	7.9kgs / 17.42lbs
Land Rover Discovery 3 & 4, 5DR 4WD 04/05 to 06/17	RD4B1	Factory Points	52104	2128mm x 1426mm / 84" x 56"	2158mm	7.9kgs / 17.42lbs
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks long 04/05 to 06/17	RD4B1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	2158mm	7.9kgs / 17.42lbs
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks long 04/05 to 06/17	RD4B1	Factory Points	52104	2128mm x 1426mm / 84" x 56"	2158mm	7.9kgs / 17.42lbs
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks short 04/05 to 06/17	RD4B1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	2158mm	7.9kgs / 17.42lbs
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks short 04/05 to 06/17	RD4B1	Factory Points	52104	2128mm x 1426mm / 84" x 56"	2158mm	7.9kgs / 17.42lbs
Ford F250 4DR ute super crew 01/17 to 12/17	RF2B1	Factory Points	52113	1528mm x 1426mm / 60" x 56"	1401mm	6.1kgs / 13.45lbs
Ford F250 4DR ute super cab 01/17 to 12/18	RF2B2	Factory Points	52111	1328mm x 1426mm / 52" x 56"	1183mm	5.1kgs / 11.24lbs
Ford F250 4DR ute super cab 01/17 On	RF2B3	Factory Points	52113	1528mm x 1426mm / 60" x 56"	1401mm	5.32kgs / 11.73lbs
Ford Everest 3rd Gen 4DR SUV with flush rails 10/15 On	RFEB1	Roof Lining Drop	52102	1928mm x 1236mm / 76" x 49"	1993mm	8.4kgs / 18.52lbs
Toyota FJ Cruiser 2DR SUV 03/11 On	RFJB1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	2016mm	7.1kgs / 15.65lbs
Toyota FJ Cruiser 2DR SUV 03/11 On	RFJB1	Factory Points	52104	2128mm x 1426mm / 84" x 56"	2016mm	7.1kgs / 15.65lbs
Ford Ranger PX/PX2/PX3 4DR ute double cab 10/11 On	RFRB1	Trackmount	52100	1528mm x 1236mm / 60" x 49"	1388mm	5.32kgs / 11.73lbs
Mazda BT50 Gen2 4DR ute dual cab 11 to 20	RFRB1	Trackmount	52100	1528mm x 1236mm / 60" x 49"	1388mm	5.32kgs / 11.73lbs
Ford Ranger Raptor PX3 4DR ute double cab 07/18 On	RFRB1	Trackmount	52100	1528mm x 1236mm / 60" x 49"	1388mm	5.32kgs / 11.73lbs
Ford Ranger Wildtrak PX/PX2/PX3 4DR ute double cab (with roof rails) 06/12 On	RFRB2	Roof Lining Drop	52100	1528mm x 1236mm / 60" x 49"	1370mm	6.1kgs / 13.45lbs
Isuzu D-Max Gen2, TF (LS-T/X-Runner) 4DR ute crew cab (with roof rails) 12 to 20	RIDB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1386mm	5kgs / 11.02lbs
Isuzu D-Max Gen2, TF (LS-U/LS-M/X-Runner) 4DR ute crew cab 12 to 20	RIDB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1386mm	5kgs / 11.02lbs
Isuzu D-Max Gen2, TF (SX) 4DR ute crew cab 16 to 20	RIDB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1386mm	5kgs / 11.02lbs
Holden Colorado 4DR ute crew cab (with roof rails) 06/15 On	RIDB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1386mm	5kgs / 11.02lbs
Holden Colorado 4DR ute crew cab 06/12 On	RIDB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1386mm	5kgs / 11.02lbs
Isuzu Mux-X LS-T, LS-U and LS-M 4dr 12/13 On	RIMB1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	1986mm	8.8kgs / 19.4lbs
Isuzu Mux-X LS-T, LS-U and LS-M 4dr 12/13 On	RIMB1	Factory Points	52102	1928mm x 1236mm / 76" x 49"	1986mm	8.8kgs / 19.4lbs
Jeep Wrangler JK 4DR 4WD Hard Top 02/11 to 03/19	RJKB1	Internal Backbone with Casting	52108	1828mm x 1426mm / 72" x 56"	NA	16kgs / 35.27lbs
Jeep Wrangler JK 4DR SUV Hard Top 03/07 to 01/11	RJKB1	Internal Backbone with Casting	52108	1828mm x 1426mm / 72" x 56"	NA	16kgs / 35.27lbs
Jeep Wrangler JK 2DR SUV Hard Top 03/07 to 01/11	RJKB2	Internal Backbone with Casting	52111	1328mm x 1426mm / 52" x 56"	NA	6.5kgs / 14.33lbs
Jeep Wrangler JK 2DR 4WD Hard Top 02/11 to 03/19	RJKB2	Internal Backbone with Casting	52111	1328mm x 1426mm / 52" x 56"	NA	6.5kgs / 14.33lbs
Jeep Wrangler JL 4DR 02/18 On	RJLB1	Internal Backbone with Casting	52108	1828mm x 1426mm / 72" x 56"	NA	11.39kgs / 25.11lbs
Jeep Gladiator JT 4DR ute 06/20 On	RJTB1	Internal Backbone with Casting	52121	1228mm x 1426mm / 48" x 56"	NA	8.78kgs / 19.36lbs

BACKBONE - TECH SPECS

*Vehicle height varies with leg type.

VEHICLE	TRADIE	TRADIE SIZE	TRAY	TRAY SIZE	BACKBONE HEIGHT
Land Rover Discovery 3 & 4, 5DR 4WD 04/05 to 06/17	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	100mm
Land Rover Discovery 3 & 4, 5DR 4WD 04/05 to 06/17	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	100mm
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks long 04/05 to 06/17	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	100mm
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks long 04/05 to 06/17	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	100mm
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks short 04/05 to 06/17	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	100mm
Land Rover Discovery 3 & 4, 5DR 4WD with factory tracks short 04/05 to 06/17	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	100mm
Ford F250 4DR ute super crew 01/17 to 12/17					100mm
Ford F250 4DR ute super cab 01/17 to 12/18	45111B	1328mm x 1426mm / 32" x 56"			100mm
Ford F250 4DR ute super cab 01/17 On					100mm
Ford Everest 3rd Gen 4DR SUV with flush rails 10/15 On	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	70mm
Toyota FJ Cruiser 2DR SUV 03/11 On	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	100mm
Toyota FJ Cruiser 2DR SUV 03/11 On	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	100mm
Ford Ranger PX/PX2/PX3 4DR ute double cab 10/11 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	100mm
Mazda BT50 Gen2 4DR ute dual cab 11 to 20	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	100mm
Ford Ranger Raptor PX3 4DR ute double cab 07/18 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	100mm
Ford Ranger Wildtrak PX/PX2/PX3 4DR ute double cab (with roof rails) 06/12 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	100mm
Isuzu D-Max Gen2, TF (LS-T/X-Runner) 4DR ute crew cab (with roof rails) 12 to 20	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	82mm
Isuzu D-Max Gen2, TF (LS-U/LS-M/X-Runner) 4DR ute crew cab 12 to 20	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	82mm
Isuzu D-Max Gen2, TF (SX) 4DR ute crew cab 16 to 20	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	82mm
Holden Colorado 4DR ute crew cab (with roof rails) 06/15 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	82mm
Holden Colorado 4DR ute crew cab 06/12 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	82mm
Isuzu Mux-X LS-T, LS-U and LS-M 4dr 12/13 On	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	75mm
Isuzu Mux-X LS-T, LS-U and LS-M 4dr 12/13 On	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	75mm
Jeep Wrangler JK 4DR 4WD Hard Top 02/11 to 03/19	45108B	1828mm x 1426mm / 72" x 56"	41108	1700mm x 1330mm / 70" x 52"	100mm
Jeep Wrangler JK 4DR SUV Hard Top 03/07 to 01/11	45108B	1828mm x 1426mm / 72" x 56"	41108	1700mm x 1330mm / 70" x 52"	100mm*
Jeep Wrangler JK 2DR SUV Hard Top 03/07 to 01/11	45111B	1328mm x 1426mm / 32" x 56"			100mm*
Jeep Wrangler JK 2DR 4WD Hard Top 02/11 to 03/19	45111B	1328mm x 1426mm / 32" x 56"			100mm*
Jeep Wrangler JL 4DR 02/18 On	45108B	1828mm x 1426mm / 72" x 56"	41108	1700mm x 1330mm / 70" x 52"	100mm*
Jeep Gladiator JT 4DR ute 06/20 On					100mm*

BACKBONE - TECH SPECS

*Vehicle height varies with leg type.

VEHICLE	LEG TYPE(S)	FITMENT TYPE	PLATFORM	PLATFORM SIZE	LENGTH	WEIGHT
Mitsubishi Pajero NS-NX 4DR 4WD LWB (with roof rails) 11/06 On	RMPB1	Roof Lining Drop	52107	2128mm x 1236mm / 84" x 49"	1896mm	7.5kgs / 16.53lbs
Mitsubishi Pajero NS-NX 4DR 4WD LWB (with roof rails) 11/06 On	RMPB1	Roof Lining Drop	52102	1928mm x 1236mm / 76" x 49"	1896mm	7.5kgs / 16.53lbs
Mitsubishi Pajero Sport Gen3, KR/KS/QE (Pre-facelift) 5DR SUV with flush rails 15 to 20	RMPB2	Factory Points	52102	1928mm x 1236mm / 76" x 49"	1867mm	6.6kgs / 14.55lbs
Mitsubishi Pajero Sport GEN3, QF (Post-facelift) 5DR SUV with flush rails 20 On	RMPB3	Factory Points				6.6kgs / 14.55lbs
Mitsubishi Triton Gen5 MQ/MR 4DR ute double cab 04/15 On	RMTB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1357mm	4.8kgs / 10.58lbs
Nissan Navara NP300 4DR ute dual cab 07/15 On	RNNB2	RIVNUTS	52100	1528mm x 1236mm / 60" x 49"	1382mm	5.1kgs / 11.24lbs
Nissan Patrol Y62 4DR 4WD 11/12 On	RNPB1	Factory Points	52104	2128mm x 1426mm / 84" x 56"	1969mm	8.7kgs / 19.18lbs
Nissan Patrol Y62 4DR 4WD 11/12 On	RNPB1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	1969mm	8.7kgs / 19.18lbs
Ram 1500 4DR ute crew cab 01/11 On	RR1B1	RIVNUT	52113	1528mm x 1426mm / 60" x 56"	1353mm	6kgs / 13.23lbs
Chevrolet Silverado HD 4DR Pick up cab crew 15 to 19	RS1B1	RIVNUT	52113	1528mm x 1426mm / 60" x 56"	1435mm	5.27kgs / 11.62lbs
Toyota Fortuner GXL / Crusade 5DR SUV with flush rails 11/15 On	RTFB1	Roof Lining Drop	52102	1928mm x 1236mm / 76" x 49"	1867mm	7kgs / 15.43lbs
Toyota Hilux Gen 7 4DR ute dual cab 04/05 to 09/15	RTHB1	Trackmount	52100	1528mm x 1236mm / 60" x 49"	1258mm	5kgs / 11.02lbs
Toyota Hilux Gen 8 4DR ute double cab 10/15 On	RTHB1	Trackmount	52109	1328mm x 1236mm / 52" x 49"	1258mm	5kgs / 11.02lbs
Toyota Hiace Gen 6 2DR VanLWB 06/19 On	RTHB3	Factory Points				12.8kgs / 28.22lbs
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	RTL1B1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	2041mm	9.2kgs / 20.28lbs
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	RTL1B1	Factory Points	52104	2128mm x 1426mm / 84" x 56"	2041mm	9.2kgs / 20.28lbs
Toyota Land Cruiser 100 Series 4DR 4WD 03/98 to 10/07	RTL1B2	Factory Points	52104	2128mm x 1426mm / 84" x 56"	1807mm	7.2kgs / 15.87lbs
Toyota Land Cruiser 100 Series 4DR 4WD 03/98 to 10/07	RTL1B2	Factory Points	52103	1928mm x 1376mm / 76" x 54"	1807mm	7.2kgs / 15.87lbs
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	RTL1B3	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1521mm	6.8kgs / 14.99lbs
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	RTL1B3	Factory Points	52101	1528mm x 1376mm / 60" x 54"	1521mm	6.8kgs / 14.99lbs
Toyota Land Cruiser 79 Series 4DR 4WD Double Cab 03/07 On	RTL1B4	Guttermount	52101	1528mm x 1376mm / 60" x 54"	1375mm	7.33kgs / 16.16lbs
Toyota Prado 150 Series 5DR 4WD 11/09 On	RTPB1	Factory Points	52107	2128mm x 1236mm / 84" x 49"	1933mm	7.9kgs / 17.42lbs
Toyota Prado 150 Series 5DR 4WD 11/09 On	RTPB1	Factory Points	52102	1928mm x 1236mm / 76" x 49"	1933mm	7.9kgs / 17.42lbs
Toyota Prado 120 Series 5DR 4WD 03/03 to 11/09	RTPB2	Factory Points	52107	2128mm x 1236mm / 84" x 49"	1800mm	7.6kgs / 16.76lbs
Toyota Prado 120 Series 5DR 4WD 03/03 to 11/09	RTPB2	Factory Points	52102	1928mm x 1236mm / 76" x 49"	1800mm	7.6kgs / 16.76lbs
Toyota RAV4 Gen 5, XA50 5DR SUV with flush rails 05/19 On	RTRB1	Factory Points	52109	1328mm x 1236mm / 52" x 49"	1173mm	4.23kgs / 9.33lbs
Volkswagen Amarok 2H 4DR ute dual cab 02/11 On	RVAB1	Factory Points	52100	1528mm x 1236mm / 60" x 49"	1388mm	5.2kgs / 11.46lbs
SUBARU XV 5dr SUV With Roof Rails 01/12 to 05/17	RSCB1	Roof Lining Drop	52100	1528mm x 1236mm / 60" x 49"	1525mm	8kgs / 17.63lbs
JEEP Grand Cherokee WK2 4dr 4WD 02/11 On	RJGB1	Ditch	52100	1528mm x 1236mm / 60" x 49"	1390mm	6kgs / 13.23lbs
TOYOTA Land Cruiser 76 Series 4dr 4WD 03/07 On	RGMB1	Gutter	52103	1928mm x 1376mm / 76" x 54"	1865mm	10.5kgs / 23.14lbs
TOYOTA Land Cruiser 76 Series 4dr 4WD 03/07 On	RGMB1	Gutter	52104	2128mm x 1426mm / 84" x 56"	1865mm	10.5kgs / 23.14lbs
HONDA CR-V SUV 5th Gen with Flush Rails 2018 on	RHCB1	Flush Rail	52109	1328mm x 1236mm / 52" x 49"	1145mm	5kgs / 11.02lbs

BACKBONE - TECH SPECS

*Vehicle height varies with leg type.

VEHICLE	TRADIE	TRADIE SIZE	TRAY	TRAY SIZE	BACKBONE HEIGHT
Mitsubishi Pajero NS-NX 4DR 4WD LWB (with roof rails) 11/06 On	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	65mm
Mitsubishi Pajero NS-NX 4DR 4WD LWB (with roof rails) 11/06 On	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	65mm
Mitsubishi Pajero Sport Gen3, KR/KS/QE (Pre-facelift) 5DR SUV with flush rails 15 to 20	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	100mm
Mitsubishi Pajero Sport GEN3, QF (Post-facelift) 5DR SUV with flush rails 20 On					100mm
Mitsubishi Triton Gen5 MQ/MR 4DR ute double cab 04/15 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	82mm
Nissan Navara NP300 4DR ute dual cab 07/15 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	87mm
Nissan Patrol Y62 4DR 4WD 11/12 On	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	76mm
Nissan Patrol Y62 4DR 4WD 11/12 On	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	76mm
Ram 1500 4DR ute crew cab 01/11 On					100mm
Chevrolet Silverado HD 4DR Pick up cab crew 15 to 19					100mm
Toyota Fortuner GXL / Crusade 5DR SUV with flush rails 11/15 On	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	100mm
Toyota Hilux Gen 7 4DR ute dual cab 04/05 to 09/15	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	93mm
Toyota Hilux Gen 8 4DR ute double cab 10/15 On	45109B	1328mm x 1236mm / 52" x 49"			93mm
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	85mm
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	85mm
Toyota Land Cruiser 100 Series 4DR 4WD 03/98 to 10/07	45104B	2128mm x 1426mm / 84" x 56"	41104	2000mm x 1330mm / 84" x 56"	85mm
Toyota Land Cruiser 100 Series 4DR 4WD 03/98 to 10/07	45103B	1928mm x 1376mm / 76" x 54"	41103	1800mm x 1280mm / 76" x 54"	85mm
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	85mm
Toyota Land Cruiser 200 Series 4DR 4WD 11/07 On	45101B	1528mm x 1376mm / 60" x 54"	41101	1400mm x 1280mm / 60" x 54"	85mm
Toyota Land Cruiser 79 Series 4DR 4WD Double Cab 03/07 On	45101B	1528mm x 1376mm / 60" x 54"	41101	1400mm x 1280mm / 60" x 54"	75mm
Toyota Prado 150 Series 5DR 4WD 11/09 On	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	87mm
Toyota Prado 150 Series 5DR 4WD 11/09 On	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	87mm
Toyota Prado 120 Series 5DR 4WD 03/03 to 11/09	45107B	2128mm x 1236mm / 84" x 49"	41107	2000mm x 1140mm / 84" x 49"	71mm
Toyota Prado 120 Series 5DR 4WD 03/03 to 11/09	45102B	1928mm x 1236mm / 76" x 49"	41102	1800mm x 1140mm / 76" x 49"	71mm
Toyota RAV4 Gen 5, XA50 5DR SUV with flush rails 05/19 On	45109B	1328mm x 1236mm / 52" x 49"			102mm
Volkswagen Amarok 2H 4DR ute dual cab 02/11 On	45100B	1528mm x 1236mm / 60" x 49"	41100	1400mm x 1140mm / 60" x 49"	100mm

9.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 59



9.1 STOW IT UTILITY HOLDER REGULAR

RSIT

Convenient quick close and release load
carrying solution for your shovel and
other equipment.



9.2 PIONEER™ ACCESSORY BAR

43232B, 43119B, 43120B, 43137B, 43138B

This accessory bar allows accessories
to be attached to the Rhino-Rack
Pioneer™ Platforms.



9.3 RATCHET GRAB

43139

The Pioneer™ Ratchet Grab is an ideal
system for securing cargo boxes to your
to your Pioneer™ Platform.



9.4 MULTI-PURPOSE HOLDER

53100

Made from stainless steel and powder
coated to resist corrosion to withstand
the harshest weather conditions.



9.5 HIGH LIFTING JACK BRACKET

43101

Secure and lock your High Lifting Jack in
place with our strong, durable and corrosion
resistant powder coated steel bracket.



9.6 HIGH LIFTING JACK AND SHOVEL BRACKET KIT

43157

This kit allows you to fit a shovel and high
lifting jack to one side of your Pioneer™.

9.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 59



9.7 EYE BOLT KIT

43178

Designed to aid in carrying heavy loads
on your Rhino-Rack® Pioneer™ System.



9.8 CORNER BRACKETS

43256

Cargo Corners have been designed to
provide users with a secure and adaptable
anchor point for large bulky items.



9.9 CABLE CORE LOCKDOWN

43205, 43206, 43207

Ergonomically designed to suit a wide
range of crossbar brands and simple
to install with the supplied Allen key.



9.10 RECOVERY TRACK FLAT BRACKET

43235

Secures recovery tracks on your
Rhino-Rack® Pioneer™ Systems.



9.11 ROTOPAX FIT KIT

43203

The Pioneer™ Rotopax fit kit allows you
to mount your Rotopax onto the range
of Rhino-Rack® Pioneer™ systems.



9.12 WRAP PADS

43150

The Pioneer™ Wrap Pads are used to
provide protection for both your gear
and the Pioneer™ system.

9.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 59



9.13 LUGGAGE BAGS

LB200, LB250, LB350, LB500, LB600

The ideal solution for carrying your bulky
light weight gear while on the road.



9.14 AWNING BRACKETS

43259

Made from powder coated steel, these
brackets are corrosion resistant and
built to last.



9.15 PIONEER™ RECOVERY TRACK SIDE BRACKET

43159, 43197

Mounts recovery tracks at a 75° angle
to all Rhino-Rack® Pioneer™ systems.



9.16 PIONEER™ WIND FAIRING

43249, 43250, 43251

The Rhino-Rack Wind Fairing has been engineered to reduce
wind noise as it deflects the air around your load, minimising
noise while driving.

- Adjustable longitudinal movement
- UV resistant with sturdy 4mm thick ABS construction
- Soft Santoprene rubber feet
- Does not interfere with the usable space on the Pioneer™ system
- 5 year warranty

Note: ONLY fits older generation Pioneer™ Platform. Not compatible
with the All New Pioneer.

9.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 59



9.17 RATCHET PICKUP KIT

43175, 43179

Allows you to strap down items to your Pioneer™ system very quickly and easily.



9.18 LIGHT BRACKETS

43156, 43173

Built to secure your lights for work and adventure.

Note: ONLY fits older generation Pioneer™ Platform.



9.19 JERRY CAN HOLDERS

43107, 43108, 43151, 43152

A space conscious resolution to your jerry can needs allowing two cans to be transported easily.



9.20 GAS BOTTLE HOLDER

RGBH4

Designed to securely fit most 4.0L gas bottles on the market.



9.21 RHINO SPARE WHEEL STRAP

RSWS

Securely fasten your spare wheel to our range of Pioneer™ Trays and Platforms.



9.22 Aluminium FOLDING LADDER BRACKET

RUFLB

Attach your Rhino-Rack® Aluminium Folding Ladder to any Pioneer™ system.

9.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



For product numbers and
specification, see page 59



9.23 RHINO-RACK® WHEEL STEP

RWS

A safe and effective way to load and
unload the gear mounted on your
4WD's roof.



9.26 PIONEER GRAB HANDLE (x2)

43245, 43261

The Pioneer Grab Handle is designed to aid
in loading, unloading and securing your gear
on to your Rhino-Rack Pioneer System. They
can also be used as a strong anchor point to
secure gear to the roof.



9.24 RHINO-RACK® STEEL SHOVEL

43123

A square mouth shovel with a Stainless
Steel 304 Blade.



9.25 RHINO-RACK® SPADE

43124

Perfect for getting under bogged vehicles.

HAVE YOU CHECKED YOUR
VEHICLE'S LOAD RATING?
Know your load limits

Or visit:
rhinorack.com/loadrating



9.0 PIONEER™ ACCESSORIES

TRANSPORTING YOUR GEAR SAFELY IS OUR PASSION.
CHECK OUT OUR FULL RANGE OF ACCESSORIES.



9.27 PIONEER™ LADDER MOUNT

43217

Allows you to use the Aluminium Folding Ladder on your Pioneer™ system.



9.29 Aluminium FOLDING LADDER

RAFL

The Aluminium Folding Ladder connects to the edge of your Pioneer™ Systems using a specific mounting bracket fixed with bolts for added stability. The mounting bracket can be installed on any side of the vehicle as desired. The ladder unfolds at an angle to prevent contact with your vehicle.



9.28 CONDUIT LOCKING END CAPS FOR SCHEDULE 40 PVC PIPES

A conduit locking end cap designed to provide maximum security with our built in Masterkey compatible steel locks.



PIONEER™ ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIM	WTY	WEIGHT	NOTE
9.1	Stow IT	RSIT	Pioneer™ / VA Bars	2	28-37mm / 1.1"-1.5" grip diameter range	3yrs	1.4kg / 3.1lbs	
9.2	Pioneer Accessory Bar	43232B	52107B, 44100B, 52109B, 52102B, 44102B, 52100B, 52104B, 45104B, 45100B, 45102B, 45109B, 45107B	2	610mm / 24"	3yrs	1.5kg / 3.3lbs	HD Bar accessories. Attaches into the 'C' Channel.
9.2	Pioneer Accessory Bar	43119B	52100B, 52102B, 52107B, 52109B, 44100B, 44102B, 45100B, 45102B, 45107B, 45109B,	2	1220mm / 48"	1yr	3.2kg / 7.1lbs	HD Bar accessories. Attaches into the 'C' Channel.
9.2	Pioneer Accessory Bar	43120B	52101B, 52103B, 52104B, 52105B, 52108B, 52110B, 52111B, 52112B, 44101B, 44103B, 45101B, 45103B, 45104B, 45108B, 45110B, 45111B	2	1360mm / 53"	1yr	3.6kg / 7.9lbs	HD Bar accessories. Attaches into the 'C' Channel
9.2	Pioneer Accessory Bar	43137B	52100B, 52102B, 52107B, 52109B, 44100B, 44102B, 45100B, 45102B, 45107B, 45109B	2	1220mm / 48"	3yrs	3.3kg / 7.3lbs	VA Bar accessories. Attaches into the 'C' Channel.
9.2	Pioneer Accessory Bar	43138B	52101B, 52103B, 52104B, 52105B, 52108B, 52110B, 52111B, 52112B, 44101B, 44103B, 45101B, 45103B, 45104B, 45108B, 45110B, 45111B	2	1360mm / 53"	3yrs	3.7kg / 8.2lbs	VA Bar accessories. Attaches into the 'C' Channel
9.3	Ratchet Grab	43139	Pioneer	1		1yr	1.2kg / 2.6lbs	
9.4	Multi-Purpose Holder Bracket	31114	Pioneer / Sunseeker	2	74.4mm x 92mm x 69mm / 2.9" x 3.6" x 2.7"	3yrs	0.5kg / 1.1lbs	
9.5	High Lifting Jack Bracket	43101	Pioneer	1	310mm x 180mm x 80mm / 12.2" x 7.1" x 3.1"	3yrs	1.7kg / 3.7lbs	
9.6	High Lifting Jack/Shovel Holde	43157	Pioneer	1	250mm x 165mm x 90mm / 9.8" x 6.5" x 3.5"		2.7kg / 6lbs	
9.7	Eye Bolt Kit	43178	Pioneer	4	60 x 65mm	1yr	0.9kg / 2lbs	
9.8	Corner Brackets	43256						
9.9	Cable Core lockdown 0.6	43205	Pioneer™ / VA Bars	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
9.9	Cable Core lockdown 1.2	43206	Pioneer™ / VA Bars	1	1.2m / 3'11"	3yrs	0.35kg / 0.77lbs	8mm (1/3") PVC coated steel wire with zinc protection
9.9	Cable Core lockdown 1.8	43207	Pioneer™ / VA Bars	1	1.8m / 5'11"	3yrs	0.4kg / 0.9lbs	8mm (1/3") PVC coated steel wire with zinc protection
9.9	Cable Core lockdown 0.6	43208	HD Bar	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
9.9	Cable Core lockdown 1.2	43209	HD Bar	1	1.2m / 3'11"	3yrs	0.35kg / 0.77lbs	8mm (1/3") PVC coated steel wire with zinc protection
9.10	Recovery Track Flat bracket	43235	Pioneer™	2	380mm x 105mm x 105mm / 15" x 4.1" x 4.1"	3yrs	1.92kg / 4.23lbs	
9.11	Pioneer™ Rotopax Fit Kit	43203	Pioneer™	1	NA	3yrs	0.2kg / 0.5lbs	
9.12	Wrap Pads	43150	Pioneer™	2	700mm / 27.6"	1yrs	0.7kg / 1.5lbs	

www.rhinorack.com/fitmyvehicle

PIONEER™ ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIMENSIONS	WTY	WEIGHT	NOTE
9.13	Weatherproof Luggage Bag (200L)	LB200	Basket / Alloy Tray / Pioneer		1400 x 500 x 300mm /55.1" x 19.7" x 11.8"	1yr	3kg / 6.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
9.13	Weatherproof Luggage Bag (250L)	LB250	Basket / Alloy Tray / Pioneer		1100 x 800 x 300mm /43.3" x 31.5" x 11.8"	1yr	3.2kg / 7.1lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
9.13	Weatherproof Luggage Bag (350L)	LB350	Basket / Alloy Tray / Pioneer		1200 x 960 x 300mm /47.2" x 37.8" x 11.8"	1yr	3.9kg / 8.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof.
9.13	Weatherproof Luggage Bag (500L)	LB500	Basket / Alloy Tray / Pioneer		1500 x 1100 x 300mm /59" x 43.3" x 11.8"	1yr	5kg / 11lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof
9.13	Weatherproof Luggage Bag (600L)	LB600	Basket / Alloy Tray / Pioneer		1800 x 1100 x 300mm /70.9" x 43.3" x 11.8"	1yr	5.7kg / 12.6lbs	Material: poly canvas tarpaulin. Not to be attached directly to crossbars or directly to the roof
9.14	Awning Bracket	43259	Pioneer™	2	120 x 60 x 140mm /4.7" x 2.4" x 5.5"	3yrs	0.8kg / 1.8lbs	Hole distance 100mm
9.15	Pioneer Recovery Track Side Bracket	43159	Pioneer™	2	320mm / 12.6" in length	3yrs	2.2kg / 4.9lbs	When fitting 3 or 4 tracks, the Pioneer Recovery Support Bracket Part No: 43197 is required. Not suitable for the 45100 , 41100 , 45101
9.15	Pioneer Recovery Support Bracket	43197	Platform / Tradie		294mm x 70mm x 5mm	3yrs	0.77kg / 1.7lbs	Bracket not required for Pioneer Tray as the railings supplies the necessary support.
9.16	Wind Fairing	43249	Pioneer™	1	1130mm / 44"	5yrs		Suitable for Pioneer - 4 series only
9.16	Wind Fairing	43250	Pioneer™	1	1272mm / 50"	5yrs		Not suitable for all new Pioneer range.
9.16	Wind Fairing	43251	Pioneer™	1	1332mm / 52"	5yrs		Not suitable for all new Pioneer range.
9.17	Pioneer Pick Up Kit	43175	Pioneer™	2	1.8m / 70.9" strap length	1yr	1kg / 2.2lbs	Lashing Capacity 225kg/496lb
9.17	Cam Buckle Pick Up Kit	43179	Pioneer™	2	2.2m / 86.6" strap length	1yr	0.7kg / 1.5lbs	Lashing Capacity 225kg/496lb
9.18	Light Bracket Kit	43156	Pioneer™	3	1 x LED Bar / 2 x SPOT - 300mm x 105mm x 44.5mm / 11.8" x 4.1" x 1.8"	3yr	1.9kg / 4.2lbs	Holds 1 LED bar / 2x spot
9.18	LED Light Bracket	43173	Pioneer™	3	175 x 100 x 50mm / 6.8" x 3.9" x 1.9"	3yr	1.08kg / 2.38lbs	Holds 1 LED bar (up to 7.5Kg)

www.rhinorack.com/fitmyvehicle

PIONEER™ ACCESSORIES - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIMENSIONS	WTY	WEIGHT	NOTE
9.19	Vertical Jerry Can	43107	Pioneer™	1	480 x 240 x 210mm / 18.8" x 9.4 x 8.2"	1yr	3.1kg / 6.8lbs	Holds 1 jerry can. Suits most 20l and 10l metal or plastic jerry cans.
9.19	Horizontal Jerry Can	43108	Pioneer™	1	585 x 205 x 140mm / 23" x 8" x 5.5"	1yr	3kg / 6.6lbs	Holds 1 jerry can. Suits most 20l and 10l metal or plastic jerry cans.
9.19	Double Vertical Jerry Can	43151	Pioneer™	1	460 x 380 x 190mm / 18" x 14.9" x 7.4"	1yr	3.7kg / 8.2lbs	Holds 2 jerry cans. Suits most 20l and 10l metal or plastic jerry cans.
9.19	Double Horizontal Jerry Ca	43152	Pioneer™	1	610 x 380 x 130mm / 24" x 14.9" x 5.1"	1yr	3.6kg / 7.9lbs	Holds 2 jerry cans. Suits most 20l and 10l metal or plastic jerry cans.
9.20	Gas Bottle Holder	RGBH4	Pioneer™	1	220 x 45 x 25mm / 8.6" x 1.7" x 0.9"	1yr	1.25kg / 2.76lbs	Suits most 4.0L gas bottles.
9.21	Rhino Spare Wheel Strap	RSWS	Pioneer™	1	145 x 60 x 40mm / 5.7" x 2.4" x 1.6"		0.7kg / 1.5lbs	Eye bolt kit (3) part# 43178 required (sold separately).
9.22	Aluminium Folding Ladder Bracket	RUFLB	Pioneer™	1		3yrs	2.1kg / 4.6lbs	
9.23	Wheel Step	RWS	NA	1		3yrs		Tyre size: 30 x 9.50R15. 285 X 75r16. 33 X 10.5R15. 265 X 70r16 265 X 75r16. 265 X 70r17. 33 X 12.50R15 (tight fit)
9.24	Shovel	43123	NA	1	1410mm / 55.5"	N/A	2.25kg / 5lbs	
9.25	Spade	43124	NA	1	1065mm / 42"	N/A		
9.26	Pioneer™ Grab Handle (x2)	43245	Pioneer™					
9.27	Ladder Mount	43217	Pioneer™	1	135 x 50 x 40mm / 5.3" x 1.9" x 1.5"	3yrs	0.6kg	
9.28	Conduit Locking End Caps for Schedule 40 PVC Pipes	LSE102	Pioneer™	2	100mm / 3.9"	5yrs		Two conduit locking end caps are included. Suits Schedule 40, 3.9 inch PVC pipes
9.29	Aluminium Folding Ladder	RAFL	Pioneer™	1	2325mm/91.5" max ext. 2000mm/78.7" min ext	5yrs	5.3kg / 11.7lbs	
10.1.1	Stow it Starter Kit	710-ATA-00001	PIONEER	4	124 x 76 x 83 ea	3 YRS	1.75 kg	Material: Black Powder coated Alluminium die cast metal
10.1.2	Roller Adaptor	710-ATA-00002	STOW IT	2	79 x 75 x 74 ea	3 YRS	0.3 kg	Material: Re-enforced Nylon plastic
10.1.3	Light Bar Adaptor	710-ATA-00003	STOW IT	2	97 x 51 x 74 ea	3 YRS	0.2 kg	Material: Black Powder coated Alluminium die cast metal
10.1.4	Batwing Adaptor	710-ATA-00005	STOW IT	2	49 x 45 x 124 ea	3 YRS	0.3 kg	Material: Black Powder coated Alluminium die cast metal

www.rhinorack.com/fitmyvehicle



EXPLORE WITH MORE

The award winning STOW iT utility holder has some new members of the family. We have extended the range to create the ultimate range of customisable, easy to use, quick access accessory systems.

Spend less time packing and more time enjoying your adventure with the NEW STOW iT mounting System. This system is simple and easy to use, featuring one base bracket that is compatible across a range of interchangeable adaptors, allowing you to quickly mount your favourite STOW iT accessories.

How does the STOW iT mounting system work?

Start your journey with the STOW iT starter kit, which includes the STOW iT Base bracket and Universal adaptor. The STOW iT base bracket mounts directly to your Pioneer platform or Crossbar and is the core product of this mounting system, allowing you to easily change the adaptor to suit your accessory needs.

STOW iT COMPATIBLE SYSTEM

Look for this icon for STOW iT system compatible adaptors and accessories



Mount the STOW iT Base Bracket to your Pioneer System



Attach the STOW iT Adaptor of choice to the Base Bracket



Attach your STOW iT Compatible accessory holder

10.1 STOW IT MOUNTING SYSTEM

The STOW iT Mounting system allows you to mount, remove and reposition your favourite accessories with ease to your Pioneer platform.

NEW



10.1.1 STOW-iT STARTER KIT

SSIT

Begin your journey with the STOW iT starter kit which includes the STOW iT base bracket, universal adaptor and the patented Rhino-Rack ZWIFLOC™ hardware.

The universal adaptor included in this kit allows you to mount your favourite Rhino-Rack accessories including the Rhino-Rack sunseeker and STOW iT utility holder.

No more sliding channel nuts, no more moving accessories to access space, with the ZWIFLOC™ you can drop in and tighten your accessory in place.



SWAP OUT YOUR UNIVERSAL ADAPTOR FOR A RANGE OF INTERCHANGEABLE STOW iT SYSTEM ADAPTORS

Each compatible with STOW iT base bracket, sold separately.

NEW



10.1.2 STOW-iT ROLLER ADAPTOR

OSIT

The STOW iT roller adaptor is easy to adjust to different lengths of rollers and is compatible with Rhino-Rack range LR rollers.

NEW



10.1.3 STOW-iT LIGHT BAR ADAPTOR

ISIT

Allows you to mount your LED and light bars quickly to your Pioneer or crossbar. The adaptor is easy to adjust to different lengths.

NEW



10.1.4 STOW-iT BATWING ADAPTOR

BSIT

Mount your Rhino-Rack Batwing with ease using the STOW iT Batwing adaptor. Suitable for most 270-degree awnings.







NEW

RECONN-DECK™

UTE TUB SYSTEM

- 64. Reconn-Deck – Leave No Gear Behind
- 65. Key Features
- 66. Reconn-Deck Range
- 68. Adventure Set-ups
- 69. Tech Specs

RECONN-DECK™

LEAVE NO GEAR BEHIND

Introducing the all new Reconn-Deck™, our most versatile ute tub system. Carefully crafted with a sleek and rugged design that looks stylish on even the toughest utes, Reconn-Deck is designed to fit ute tubs only with rails.

Featuring a modular design, the Reconn-Deck™ lets you create your own platform. There are countless ways to customise, accessorise and extend your set-up, giving you all the carry space you need for four-wheel driving adventures.

Please note this system is only compatible with vehicles that have rails on the tub. Available for the Jeep Gladiator JT (OverLand Series) and RAM 1500 Crew Cab. More fits to be added to the range. Keep an eye on our socials for the latest updates.



Reconn-Deck™ with Vortex Bars



Reconn-Deck™ with Pioneer Platform



Reconn-Deck™ Bars with NS Bars



Reconn-Deck™ Bars

RECONN-DECK™

READY FOR ADVENTURE

Whether you're heading out on four-wheel driving adventures, taking the family camping, or tackling your next job, the many options to customise the Reconn-Deck means it's suited to a range of uses. The system doubles your storage space and still gives you access to the ute tub for bulkier items. The system is also designed to minimise the vehicle height, protecting pop-up tents from the wind and ensuring easy access to car parks and campsites.

KEY FEATURES

- Up to 150kgs of off-road load carrying capacity
- Comes with four towers, plus crossbars or platform
- Fixed height of 280mm for easy access to your gear
- Added security with secure core locks on Vortex and Reconn-Deck bars and accessories
- Light weight Aluminium construction
- Quick and easy to install or dismantle (includes tools)
- Designed and engineered in Australia
- No drilling required



ROOM FOR BULKIER CARGO

Gain another level of space while still having access to the tub for large and heavy items.



TOWER CHANNELS

Channels on the legs mounts give you multiple points to mount accessories and create your ideal setup.

RECONN-DECK™ RANGE

LIGHTWEIGHT, STRONG, AND DURABLE ENOUGH FOR ANY ENVIRONMENT AND FLEXIBLE ENOUGH TO CARRY ALMOST ANYTHING.



For product numbers and specification, see page 69



RECONN-DECK™ WITH VORTEX BARS

- Entry level option, can be built on at a later time (upgrade to Pioneer or four-wheel driving bars with the same towers)
- C-channels to add range of accessories for all applications
- Bars designed to minimise wind noise
- Option to run 3 cross bars on selected vehicles with longer tubs
- Up to 100kg load rating*

To build your ultimate Recon-Deck™ setup, you first start with 4 Recon-Deck towers and then choose your type of bars (Vortex Bars, Recon-Deck Bars and Recon-Deck NS Bars) or Pioneer Platform to suit. Channels on the towers gives you multiple points to mount accessories and create your ideal set up.



RECONN-DECK™ BARS

- Integrated channels on all 4 sides for mounting of accessories
- Made from powder coated Aluminium providing the ultimate in corrosion resistance
- Removable end caps for easy installation of accessories. Secure core lock included
- Compatible with most Rhino-Rack Pioneer and roof rack accessories
- Option to run 3 cross bars on selected vehicles with longer tubs
- Up to 150kg load rating*

*Refer to load rating calculator on www.rhinorack.com

RECONN-DECK™ RANGE

LIGHTWEIGHT, STRONG, AND DURABLE ENOUGH FOR ANY ENVIRONMENT AND FLEXIBLE ENOUGH TO CARRY ALMOST ANYTHING.



For product numbers and specification, see page 69



RECONN-DECK™ BARS WITH NS BARS

- Create a Reconn-Deck™ platform with a combination of Reconn-Deck Bars and Reconn-Deck NS Bars. Choose a configuration to suit your adventure, with two Reconn-Deck Bars and up to four Reconn-Deck NS Bars to customise your platform.
- Compatible with most Rhino-Rack Pioneer and roof rack accessories
- Reconn-Deck NS Bars can be moved to suit all setups. Bars can be moved/spaced out to suit users specific needs
- Underside channels can be accessed to mount recovery tracks, shovel or other accessories
- Up to 150kg load rating*



RECONN-DECK™ WITH PIONEER PLATFORM

- Most versatile of the ute tub systems
- Quick and easy to install or dismantle (includes tools)
- Compatible with a huge range of Pioneer Accessories
- Accessories interchangeable with roof and Reconn-Deck Pioneer Platform.
- Underside channels can be accessed to mount recovery tracks, shovel or other accessories
- Up to 120kg load rating

*Refer to load rating calculator on www.rhinorack.com



TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

PRODUCT	PART#	QTY	DIMENSIONS mm (inch) H/W	WTY	WEIGHT
Reconn-Deck Tower - 1 Pair	RDT2	2	432 (17")/213 (8.4")	5 yrs	3.2kgs/7lbs
Reconn-Deck Tower - 2 Pair	RDT4	4	435 (17")/416 (16")	5 yrs	6.2kgs/13.7lbs
Vortex Bar (Black 50")	VA126B	1	1260mm (50")	5 yrs	1.7kgs/3.7lbs
Vortex Bar (Black 59")	VA150B	1	1500mm (59")	5 yrs	2.0kgs/4.3lbs
Vortex Bar (Black 65")	VA165B	1	1650mm (65")	5 yrs	2.2kgs/4.8lbs
1260mm Reconn-Deck Bar - Single	RDB126	1	1260mm (50")	5 yrs	3.7kgs/8.0lbs
1500mm Reconn-Deck Bar - Single	RDB150	1	1500mm (59")	5 yrs	4.2kgs/9.4lbs
1650mm Reconn-Deck Bar - Single	RDB165	1	1650mm (65")	5 yrs	4.6kgs/10.1lbs
500mm Reconn-Deck NS Bar - Pair	RDNSB50	2	500mm (20")	5 yrs	3.5kgs/7.5lbs
750mm Reconn-Deck NS Bar - Pair	RDNSB75	2	750mm (30")	5 yrs	4.7kgs/10.4lbs
1000mm Reconn-Deck NS Bar - Pair	RDNSB100	2	1000mm (39.3")	5 yrs	6.0kgs/13.3lbs
Track Mount Fit Kit - 1	RD-FK1	1	63mm (2.5") / 23mm (0.9")	5 yrs	0.4kgs/0.9lbs
Track Mount Fit Kit - 2	RD-FK2	1	166mm (6.5") / 28mm (1.1")	5 yrs	0.9kgs/2.0lbs
Track Mount Fit Kit - 3	RD-FK3	1	166mm (6.5") / 29mm (1.1")	5 yrs	0.7kgs/1.4lbs
Reconn-Deck Bar Roof Top Tent Bracket Kit	RTTRDB	4	74 x 50mm / 3 x 2in	3 years	0.7kgs / 1.5lbs
Pioneer Roof Top Tent Bracket Kit	53101	4	282 x 45mm / 11 x 2in	3 years	1.8kgs / 4lbs





LUGGAGE CARRIERS

- 72. Trays
- 73. Tray Accessories
- 74. Luggage Bags
- 76. Roof Boxes
- 77. Luggage Carrier - Tech Specs

13.0 TRAYS

BASKETS & TRAYS ARE A STEADFAST TRADITION OF RHINO-RACK®.



For product numbers and specification, see page 77



13.1 XTRAY

- Universal clamp fits most crossbars.
- 3 year warranty.
- 75kg load rating.
- Engineered 2 piece construction.
- Corrosion resistant.
- Fits roof racks of varying distances.
- Bar spacing: Max=760mm
 Min=535mm



13.2 STEEL MESH PLATFORM

- Strong and durable.
- Corrosion resistant.
- Zinc-plated and powder-coated to avoid corrosion and colour fading.

NB: Fitting Kits sold separately



13.3 STEEL MESH BASKET

- Strong and durable.
- Corrosion resistant.
- Zinc-plated and powder-coated to avoid corrosion and colour fading.

NB: Fitting Kits sold separately

14.0 TRAY ACCESSORIES

VIEW THE RANGE OF ACCESSORIES TO COMPLIMENT YOUR RHINO-RACK STEEL MESH PLATFORM.



For product numbers and specification, see page 77



14.1 LUGGAGE NETS

RLN1, RLN2

The luggage net offers easy fitting with one piece hooking units for you to easily load and unload your gear.



14.2 HD BAR U-BOLTS

RUBK

For use when mounting a Rhino-Rack® Mesh Basket, Mesh Platform or a Luggage Box/Ski Box to the Rhino-Rack® Heavy Duty Bar



14.3 RHINO BAR VA U-BOLTS

S280

Used to mount a Rhino-Rack® Steel Mesh Basket and Platform to the Rhino-Rack® Vortex Bar



14.4 EURO BAR U-BOLTS

MUBK

Mount the full range of Rhino-Rack® Mesh Baskets and Mesh Platforms to Euro crossbars.

15.0 LUGGAGE BAGS

BOOT SPACE ON THE ROOF.

PERFECT COMPANIONS FOR ROOF RACKS OR A PIONEER TRAY, ROOF BAGS AND BOXES.

For all those items you need to throw in to make your adventure more enjoyable, why not simply add them to your roof. Our bags are quick and easy to install and most importantly keep everything dry and clean on your trip.

Features:

- Constructed using 500D High-End poly canvas tarpaulin - waterproof, tear resistant & fiber reinforced.
- Protective Velcro overlap to shield the zipper from the elements.
- Welded seams provide superior waterproofing compared to traditional stitching methods.
- Extra strong UV50+ securing straps with heavy duty Duraflex buckles to easily secure the luggage bag to your luggage tray, basket or Pioneer.
- Includes a storage bag to keep the luggage bag protected between trips

KEEP YOUR EXTRA BULKY LIGHTWEIGHT GEAR SAFE AND SOUND WITH OUR RANGE OF RHINO LUGGAGE BAGS.



For product numbers and specification, see page 77



15.1 200L
LB200



15.2 250L
LB250



15.3 350L
LB350



15.4 500L
LB500



13.5 600L
LB600



15.0 ROOF BOXES

YOU CAN CARRY MORE GEAR WHEN YOU'RE TRAVELING
WITH A RHINO-RACK® ROOF TOP LUGGAGE BOX



WHAT'S IN THE BOX?

With a Rhino-Rack® MasterFit Roof Box you can conveniently carry more. Our top of the line 4WD off-road proven roof box can carry an impressive 75kg/165lb.

- Low profile
- Safe and secure fit
- 5 year warranty
- 75kg/165lb load rating
- For crossbars with a max width of 90mm & max height of 35mm



Jaws tighten around crossbar.



Twist and press button to lock.



Sleek, textured look.

COMPARISON CHART RM	RMFT370A	RMFT410A	RMFT530A
Black	Black	Black	Black
External Length (mm)	1770mm / 66.9"	1910mm / 75.2"	2150mm / 84.6"
External Width (mm)	770mm / 30.3"	810mm / 31.9"	900mm / 35.4"
External Height (mm)	420mm / 16.5"	420mm / 16.5"	430mm / 17"
Capacity (litres)	370L	410L	530L
Box weight	15kg / 33.1lb	18kg / 39.7lb	21.5kg / 47.4lb
Max. allowed weight	75kg / 165.3lb	75kg / 165.3lb	75kg / 165.3lb
Crossbar Spacing	550-890mm	550-1000mm	550-1000mm
Material	ABS/ASA**	ABS/PMMA	ABS/PMMA
Opening	Dual	Dual	Dual
Locking points	Central	Central	Central
Load securing straps included	2	3	3
Warranty	5 years	5 years	5 years

LUGGAGE CARRIER - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART NO.	SIZE (EXTERNAL)	SIZE (INTERNAL)	WEIGHT (KG/LB)	WTY	NOTES
13.1	Xtray Small	RMCB01	1200mm x 900mm x 200mm / 47.2" x 35.4" x 7.9"	1070mm x 760mm x 125mm / 42.1" x 30" x 5"	14kg / 30.9lb	3yrs	Universal clamp fits most crossbar types.
13.1	Xtray Large	RMCB02	1480mm x 1090mm x 150mm / 58.3" x 42.9" x 5.9"	1350mm x 950mm x 125mm / 53.1" x 37.4" x 5"	21kg / 46.3lb	3yrs	Universal clamp fits most crossbar types.
13.2	Steel Mesh Platform - Half	RPBH	1500mm x 650mm / 59.1" x 25.6"	1460mm x 610mm / 57.5" x 24"	12kg / 26.5lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Small	RPBS	1245mm x 940mm / 49" x 37"	1205mm x 900mm / 47.4" x 35.4"	8kg / 17.6lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Med	RPBM	1340mm x 1100mm / 52.8" x 43.3"	1300mm x 1060mm / 51.2" x 41.7"	18kg / 39.7lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - Lge	RPBL	1590mm x 1205mm / 62.6" x 47.4"	1550mm x 1165mm / 61" x 45.9"	21kg / 46.3lb	3yrs	Fit Kit sold separately.
13.2	Steel Mesh Platform - XLge	RPBXL	2120mm x 1180mm / 82.7" x 45.9"	2100mm x 1165mm / 82.7" x 45.9"	27kg / 59.5lb	3yrs	Fit Kit sold separately.
13.3	Steel Mesh Basket - Small	RLBS	1245mm x 940mm x 130mm / 46.1" x 34.4" x 5.11"	1170mm x 875mm x 130mm / 46.1" x 34.4" x 5.1"	9kg / 19.8lb	3yrs	Fit Kit sold separately.
13.3	Steel Mesh Basket - Med	RLBM	1340mm x 1070mm x 125mm / 47.6" x 38.2" x 5.5"	1210mm x 970mm x 125mm / 47.6" x 38.2" x 5.5"	14kg / 30.9lb	3yrs	Fit Kit sold separately.
13.3	Steel Mesh Basket - Lge	RLBL	1590mm x 1205mm x 160mm / 60.6" x 45.2" x 6.3"	1540mm x 1150mm x 160mm / 60.6" x 45.3" x 6.3"	19.2kg / 42.3lb	3yrs	Fit Kit sold separately.
14.1	Luggage Net Small	RLN1	800mm x 1200mm / 31.5" x 47.2"	800mm x 1200mm / 31.5" x 47.2"	0.53kg / 1.17lb	1yr	
14.1	Luggage Net Large	RLN2	1000mm x 900mm / 39.4" x 35.4"	1000mm x 900mm / 39.4" x 35.4"	0.61kg / 1.34lb	1yr	
15.1	Weatherproof Luggage Bag (200L)	LB200	1400 x 500 x 300mm / 55.1" x 19.7" x 11.8"	200L	3kg / 6.6lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.2	Weatherproof Luggage Bag (250L)	LB250	1100 x 800 x 300mm / 43.3" x 31.5" x 11.8"	250L	3.2kg / 7.1lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.3	Weatherproof Luggage Bag (350L)	LB350	1200 x 960 x 300mm / 47.2" x 37.8" x 11.8"	350L	3.9kg / 8.6lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.4	Weatherproof Luggage Bag (500L)	LB500	1500 x 1100 x 300mm / 59" x 43.3" x 11.8"	500L	5kg / 11lbs	1yr	Not to be attached directly to crossbars or directly to the roof.
15.5	Weatherproof Luggage Bag (600L)	LB600	1800 x 1100 x 300mm / 70.9" x 43.3" x 11.8"	600L	5.7kg / 12.6lbs	1yr	Not to be attached directly to crossbars or directly to the roof.

LOAD SECURING

- 80. Rapid Locking Straps
- 80. Rapid Straps
- 82. Securing
- 84. Load Securing - Tech Specs



📍 COLEDALE, NSW, AU



16.0 RAPID LOCKING STRAPS

FASTEN AND SECURE YOUR LOAD QUICKLY AND SAFELY.



For product numbers and specification, see page 84

- Straps can be tightened before & after cover is locked.
- 3.2mm / 0.126" PU coated steel wire encased in the strap to minimise the risk cutting.
- Steel wire starts 250mm / 9.8" from the end, allowing easy feed of strap through the cam buckle and ease in tying off excess strap. This is also a great feature to prevent cutting of the strap.
- Maximum lashing capacity is 225kg / 496lbs.
- Tested to AS4380:2001
- Cam buckle Cover is completely removable to aid in feeding/securing strap.
- Security stop inside cover helps prevent theft.
- Corrosion resistant Aluminium cam buckle.

Rapid Locking Straps are available in the following sizes:

- RTD25L (2.5m / 98.4")
- RTD35L (3.5m / 137.8")



Lockable cover is completely removable and Masterkey™ compatible



Rubberized cam buckle helps protect your load/vehicle from damage



Includes: 2 straps, 2 covers with locks, 2 keys, 2 storage Velcro straps.

16.0 RAPID STRAPS

ENSURING THAT YOUR LOAD IS FASTENED
AND SECURED TO YOUR ROOF RACKS.




For product numbers and
specification, see page 84



RTD35P Rapid Strap 3.5M/137.8 (BLACK)



RTD45P Rapid Strap 4.5M/177.2" (RED)



RTD55P Rapid Strap 5.5M/216.5" (BLUE)

Rapid Straps are suitable for heavy duty use and feature a unique design registered Buckle Protector. Designed to encase the metal cam buckle, the Buckle Protector provides maximum protection to avoid denting, scratching or marking any of your gear or vehicle. These items also include a sewn in Velcro Roll it Strap to keep the strap neatly stowed on its own.

- Features: Sewn in Velcro "Roll it" Strap to keep the strap neatly stowed and indicate strap length.
- 2 Straps per pack
- Maximum lashing capacity is 225kg / 496lb.
- Corrosion resistant Aluminium cam buckle.
- Tested to AS4380:2001



17.0 SECURING

ENSURING THAT YOUR LOAD IS FASTENED AND SECURED TO YOUR ROOF RACKS.



For product numbers and specification, see page 84



17.1 RAPID HOOK STRAP

RTDH3

The ideal accessory to ensure that your load is fastened and secured to your roof racks.



17.2 RATCHET GRAB

43139

The Pioneer Ratchet Grab comes with a 2.0m strap, an eye bolt and multi-directional fitting.



17.3 PIONEER EYE BOLT KIT

43178

Designed to aid in carrying heavy loads on your Rhino-Rack® Pioneer System. Kit includes 4 Eye Bolts.



17.4 CAM BUCKLE PIONEER PICKUP KIT

43179

The Cam Buckle Pioneer Pickup Kit allows you to strap down items to your Pioneer system very quickly and easily as the cam buckle straps come with loops on the end resistance and are easily installed.



17.5 ADJUSTABLE LOAD HOLDER

RLH

Designed to secure your load in position so it won't slide in transit.

17.0 SECURING

ENSURING THAT YOUR LOAD IS FASTENED AND SECURED TO YOUR ROOF RACKS.



For product numbers and specification, see page 84



17.6 ADJUSTABLE LOAD HOLDER

RLH1, RLH2


Designed to secure your load in position so it won't slide in transit.



17.7 CABLE CORE LOCKDOWN

43205, 43206, 43207

Designed to suit a wide range of crossbar brands and simple to install with the supplied Allen key.



17.8 J BOLT

RJBL (Long)

Designed to transport your spare wheel outside your vehicle, compatible with Rhino Heavy Duty Roof Racks.



17.9 J BOLT SPARE WHEEL HOLDER

RJBSW

Rhino-Rack J Bolt Spare Wheel Holder Designed to transport your spare wheel outside your vehicle, compatible with Rhino Heavy Duty Roof Racks.



17.10 SPARE WHEEL HOLDER

RSWH

Rhino-Rack has developed a spare wheel holder for our range of Pioneer Systems and Alloy Trays. Designed to transport your spare wheel outside your vehicle.



17.11 SPARE WHEEL STRAP

RSWS

Easily mounted to your Rhino-Rack Pioneer Tray and Platform, includes adjustable straps and tightening ratchets.

LOAD SECURING - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART #	SUITS	QTY	DIMENSIONS	WTY	WEIGHT	NOTE
16.0	Rapid Straps Locking	RTD25L	N/A	2	2.5m / 98.4"	1yr	1.1kg / 2.4lbs	Lashing capacity 225kg/496lb
16.0	Rapid Straps Locking	RTD35L	N/A	2	3.5m / 137.8"	1yr	1.3kg / 2.9lbs	Lashing capacity 225kg/496lb
16.0	Rapid Straps	RTD35P	N/A	2	3.5m / 137.8"	1yr	0.4kg / 0.9lbs	Lashing capacity 225kg/496lb
16.0	Rapid Straps	RTD45P	N/A	2	4.5m / 177.2"	1yr	0.5kg / 1.1lbs	Lashing capacity 225kg/496lb
16.0	Rapid Straps	RTD55P	N/A	2	5.5m / 216.5"	1yr	0.55kg / 1.21lbs	Lashing capacity 225kg/496lb
17.1	Rapid Hook Straps	RTDH3	N/A	2	3m / 118"	1yr		Lashing capacity 225kg/496lb
17.2	Ratchet Grab	43179	Pioneer	2	1.8m / 70.9" strap length	1yr	1kg / 2.2lbs	Lashing capacity 225kg/496lb
17.3	Eyebolt Kit	43178	Pioneer	4		1yr		
17.4	CAM buckle Pioneer Pick up kit	43179	Pioneer	2	2.2m / 86.6" strap length	1yr	0.7kg / 1.5lbs	Lashing capacity 225kg/496lb
17.5	Adjustable Load Holder	RLH	VA Bars/Pioneer	2				
17.6	Adjustable Load Holder	RLH2, RLH2	VA Bars/Pioneer	2	160 x 85 x 65mm / 6.3" x 3.3" x 2.5"	3yrs	0.3kg / 0.7lbs	Allows the profile to be minimised to 130mm
17.7	Cable Core Lockdown	43205	Pioneer/VA	1	0.6m / 1'11"	3yrs	0.3kg / 0.7lbs	8mm (1/3") PVC coated steel wire with zinc protection
17.7	Cable Core Lockdown	43206	Pioneer/VA	1	1.2m / 3'11"	3yrs	0.35kg / 0.77lbs	8mm (1/3") PVC coated steel wire with zinc protection
17.7	Cable Core Lockdown	43207	Pioneer/VA	1	1.8m / 5'11"	3yrs	0.4kg / 0.9lbs	8mm (1/3") PVC coated steel wire with zinc protection
17.8	J Bolt	RJBL	Vortex/ HD Bar			3yrs		
17.9	J Bolt Spare Wheel holder	RJBSW	HD Bar			3yrs		
17.1	Spare Wheel Holder	RSWH	Pioneer™			3yrs	1.5kg/3.3lbs	
17.11	Spare Wheel Strap	RSWS	Pioneer™					





SHADE

- 88. Covering All Bases
- 89. Batwing
- 90. Sunseeker
- 92. Shade Accessories
- 94. Shade - Tech Specs
- 95. Awning

COVERING ALL BASES

The Rhino-Rack Batwing boasts a range of great features. This amazing 270 degree awning is a perfect way to bring shade to all your adventures. It is light, tough, easily deployed and super easy to use.

Materials:

- The awning fabric is 210D, rip-stop, water and mould resistant that has been tested and certified to UPF 50+ rating, offering the maximum sun protection
- The hinges are made from a flexible and durable plastic to minimise the risk of snapping support poles during strong winds

Accessories for the Batwing are available on page 99.





BATWING™



18.1 BATWING AWNING

33100, 33200

- Black powder coated extrusion and poles plus the new black UV resistant PVC bag, looks fantastic on any vehicle.
- Easy grip zippers.
- The large straps make it easier to pack and unpack and keep the awning safely stored while you travel.
- Internal storage pocket holds all 8 ropes and 10 pegs.
- Powder-coated Aluminium poles feature cross-directional tie down points for added security in windy conditions.
- Brackets included.
- Compatible with all existing Rhino-Rack® side walls and extensions.

BATWING™
COMPACT



18.2 BATWING COMPACT

33300, 33400

- Available in both left and right hand arrangements.
- UV50+ sun protection
- 270° of shade and 6.4m2 coverage area (69 square foot).
- Ultra durable lightweight 200D poly oxford water resistant PU2000mm (UV50+).
- Black anodized Aluminium and powder coated extrusions and poles.
- 580gsm black PVC outer bag.
- Drop down poles integrated into the awning.

WHERE THE SUN DON'T SHINE.

The Rhino-Rack Sunseeker is constructed from the same high quality materials as the Batwing. Available in 2 sizes it is perfect for small, medium or large vehicles and provides protection from the elements for all your outdoor activities.

With a UPF 50+ rating and simple mounting system, the Sunseeker Awning is perfect for watching sport, camping, picnics, lunch breaks and lazy days at the beach.

Accessories for the Sunseeker are available on page 98.



sunseeker



18.3 SUNSEEKER AWNING

32132, 32133

- Quick & Easy to set up and pack down.
- UV-protection with a UV50+ rating.
- Corrosion resistant.
- Water resistant rating of PU 2000mm.
- Velcro tensioning tabs attached to the awning to aid water run off.
- Sturdy support telescopic poles made from black anodized Aluminium.
- Spikes at the base of each pole aid in securing them to the ground with a convenient peg rope.
- Black heavy duty PVC 540gsm carry bag.
- All hardware, pegs and guy ropes included
- Protective patches increases strength, durability, and longevity.
- Fits all Rhino-Rack® and competitor roof racks with specific fitting kits.
- Compact single extrusion design to minimise product height when closed and stored on vehicle roof.

**THE HARSH SUMMER SUN WON'T
BE ABLE TO STOP KEEN ADVENTURERS
FROM HITTING THE ROAD AND EXPLORING
THE GREAT OUTDOORS WHEN YOU HAVE
A RHINO-RACK® AWNING.**

Not all awnings can shield you from UV radiation, that's why Rhino-Rack® is proud our awning range offers maximum UV protection. With a UPF 50+ rating to provide excellent protection from UV radiation, meaning you will be sun safe while relaxing at your chosen location.

But remember, shade does not provide 100% protection. Some of the sun's UV can still reach you in the shade by reflecting off surrounding surfaces. As a rule of thumb if you can see the sky, you are less than fully protected so always combine shade with clothing, a hat, sunglasses and sunscreen.



19.0 SHADE ACCESSORIES

ACCESSORIES THAT WILL FIT ONTO OUR AWNING RANGE INCLUDING TENTS AND SHADE EXTENSIONS.



For product numbers and specification, see page 94



19.1 SUNSEEKER 2.0M AWNING EXTENSION

32111


Extra cover to your Sunseeker 2.0 Awning.



19.2 BATWING/ SUNSEEKER 2.5M AWNING EXTENSION

31101

Extend your coverage by a further 2m. Telescopic poles and pegs included.



19.3 SAND SCREW

31113

Secure your tent and awning to the ground with a unique screw flute and comfortable grip handle.



19.4 SUNSEEKER SIDE WALL 2M

32112

Add an extra 2m x 2m of coverage and enjoy the extra shade and privacy.



19.5 SUNSEEKER EXTENSION ADAPTER

32106

The Rhino-Rack Sunseeker Extension Adapter is a heavy duty zipper that connects easily to the Sunseeker 2.5 Awning (32105) allowing you to attach an Awning Extension accessory (31101).

19.0 SHADE ACCESSORIES

ACCESSORIES THAT WILL FIT ONTO OUR AWNING RANGE INCLUDING TENTS AND SHADE EXTENSIONS.



For product numbers and specification, see page 94



19.6 BATWING COMPACT TAPERED ZIP EXTENSION

33109

An easy to fit tapered extension piece for our Batwing Compact.



19.7 BATWING COMPACT EXTENSION WITH DOOR

33110

An easy to fit tapered extension piece for our Batwing Compact, featuring a door for easy access grip handle.



19.8 BATWING MESH FLOOR SAVER

31115

Made from a Polyethylene mesh cloth, the floor saver is cut to perfectly mirror the shape of your Batwing Awning. Fits the full sized Batwing Left (33100) and Batwing Right (33200).



19.9 BATWING TAPERED ZIP EXTENSION

33111

Tapered extension piece for our Batwing and secure to the ground at an angle.



19.10 BATWING TAPERED EXTENSION WITH DOOR

33112

Tapered extension piece for our Batwing, featuring a door for easy access.



19.11 BATWING FRONT EDGE ZIPPERED INSERT

31124

Squares off the front edge of the Batwing for extra shade.

SHADE - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART NO.	SIZE (OPEN)	SIZE (CLOSED)	MOUNT	WEIGHT	WTY	SUITS	NOTES
18.1	Batwing LH	33100	15m square / 161.5 square ft	2500 x 95 x 200 / 98.4" x 3.7" x 7.9"	Pioneer/VA/HD	Awning 19.5kg/43lb, hardware 2kg/4.4lb	1yr		UV50+ 210D poly ox w/r PU2000mm
18.1	Batwing RH	33200	15m square / 161.5 square ft	2500 x 95 x 200 / 98.4" x 3.7" x 7.9"	Pioneer/VA/HD	Awning 19.5kg/43lb, hardware 2kg/4.4lb	1yr		UV50+ 210D poly ox w/r PU2000mm
18.2	Batwing Compact	33300	6.4m / 68.9ft	2000 x 95 x 200 / 78.7" x 3.7" x 7.9"	Pioneer/VA/HD	17.90 kg / 39.5 lb	1yr		UV50+ 210D poly ox w/r PU2000mm
18.2	Batwing Compact	33400	6.4m / 68.9ft	2000 x 95 x 200 / 78.7" x 3.7" x 7.9"	Pioneer/VA/HD	17.90 kg / 39.5 lb	1yr		UV50+ 210D poly ox w/r PU2000mm
18.3	Sunseeker Black 2000	32132	2000 x 2100 / 78.7" x 82.7"	60 x 110 x 2000 / 2.4" x 4.3" x 78.7"	Pioneer/VA/HD	10kg / 22lb	1yr		
18.3	Sunseeker Black 2500	32133	2500 x 2100 / 98.4" x 82.7"	60 x 110 x 2500 / 2.4" x 4.3" x 98.4"	Pioneer/VA/HD	10kg / 22lb	1yr		
19.1	Sunseeker 2.0m Extension	32111	1950 x 2000 / 76.8" x 78.7"		Sunseeker 2.0m	2kg / 4.4lbs	1yr	Sunseeker 2000	Front extension that also suits Batwing Compact Awning
19.2	Batwing/Sunseeker 2.5m Awning Extension	31101	2470 x 1900 / 97.2" x 74.8"		Sunseeker 2.5m/ Batwing	2.3kg / 5.1lbs	1yr	Sunseeker 2500/ Batwing	Front extension that also suits Batwing Awning
19.3	Sand Screw	31113	513mm / 20.2"		-	0.16kg / 0.35lbs	1yr		
19.4	Sunseeker 2.0m Side Wall	32112	1970 x 2000 / 77.5" x 78.7"		Sunseeker 2.0m	2kg / 4.4lbs	1yr	Sunseeker 2.0m	Added shelter and privacy for Sunseeker 2.0m
19.5	Sunseeker Extension Adapter	32106	3" x 12" x 6"		Sunseeker 2.5m	0.3kg / 0.7lbs	1yr	Sunseeker 2.5m	
19.6	Batwing Compact Tapered Zip Extension	33109	2980 x 2130 / 117.3" x 83.9"		Batwing Compact	3kg / 6.6lbs	1yr	Batwing Compact / Sunseeker 2.0m	Zipper and Velcro tabs along sides to join multiple extensions
19.7	Batwing Compact Tapered Extension with Door	33110	2980 x 2130 / 117.3" x 83.9"		Batwing Compact	3.5kg / 7.7lbs	1yr	Batwing Compact / Sunseeker 2.0m	Zipper and Velcro tabs along sides to join multiple extensions
19.8	Batwing Mesh Floor Saver	31115	88" x 118"		Batwing	Batwing	1yr	Batwing	
19.9	Batwing Tapered Zip Extension	33111	3575 x 2275 / 140.7" x 89.6"		Batwing	3.5kg / 7.7lbs	1yr	Batwing / Sunseeker 2.5m	Zipper and Velcro tabs along sides to join multiple extensions
19.10	Batwing Tapered Extension with Door	33112	3575 x 2275 / 140.7" x 89.6"		Batwing	4kg / 8.8lbs	1yr	Batwing / Sunseeker 2.5m	Zipper and Velcro tabs along sides to join multiple extensions
19.11	Front Edge Zippered Insert	31124	2480 x 1160 / 97.6" x 45.7"		Batwing LH	1kg / 2.2lbs	1yr	Batwing Awning LH	Fills out front edge of LH Batwings

www.rhinorack.com/fitmyvehicle

AWNING



RHINO-RACK® UNIVERSAL

Part# 31111

- Bars: Rhino-Rack® Vortex, Heavy Duty, Pioneer range
- Use: Batwing & Sunseeker



BATWING HD BRACKET KIT

Part# 31102

- Bars: Rhino-Rack® Heavy Duty
- Use: Batwing



TRACKLANDER TRAY

Part# 31104

- Bars: Tracklander
- Use: Batwing



SUNSEEKER EURO BAR BRACKET KIT

PART# 32102

- Bars: Rhino-Rack Heavy Duty
- Use: Sunseeker



SUNSEEKER AWNING ANGLED DOWN BRACKET

Part# 32127

- Bars: Flush bars
- Use: Sunseeker



BATWING TUBULAR RACK BRACKET KIT

Part# 31103

- Bars: ARB/TJM
- Use: Batwing



SUNSEEKER AWNING ANGLED UP BRACKET

Part# 32123

- Bars: Flush bars
- Use: Sunseeker



UNIVERSAL & SUNSEEKER AWNING KIT

Part# 31126

- Bars: Rhino-Rack Heavy Duty, Rhino-Rack Vortex, Pioneer
- Use: Sunseeker



BATWING AWNING BRACKET

Part# 43259

- Bars: Rhino-Rack Heavy Duty* and Vortex
- Use: Batwing* Heavy Duty needs 33101

WATER & SNOW

- 98. Kayak Carriers
- 100. SUP & Kayak Accessories
- 101. Fishing Rod Holders
- 101. Kayak Loaders
- 102. Boat Loader
- 104. Water - Tech Specs
- 106. Ski & Snowboard Carrier
- 106. Snow - Tech Specs





20.0 KAYAK CARRIERS

OUR LARGE RANGE OF RHINO-RACK® KAYAK AND CANOE CARRIERS ARE PERFECT FOR ALL TYPE OF WATER CRAFTS.



For product numbers and specification, see page 104



20.1 NAUTIC 570

This side loading kayak carrier has a universal fitment compatible with most roof rack systems. Easily load your stand up paddle board, kayak or longboard with its unique 180 degree rotation. The front and rear pads have been engineered to fit a variety of hull shapes.



20.2 NAUTIC 571

This rear loading kayak carrier has a universal fitment compatible with most roof rack systems. Comes complete with 2 front rubber pads designed to cushion your kayak and 2 rear pads are spring loaded and covered with felts allowing you to conveniently load your kayak or canoe from the rear.



20.3 NAUTIC 580

This side loading kayak carrier is compatible with the Rhino-Rack Vortex bar, these stylish, low profile cradles are simple to use and the perfect loading accessory for every occasion. The front and rear pads have been engineered to fit a variety of hull shapes.



MASTERKEY COMPATIBLE



20.4 NAUTIC 581

This rear loading kayak carrier is compatible with the Rhino-Rack Vortex bar, these stylish, low profile cradles are simple to use and the perfect loading accessory for every occasion.



MASTERKEY COMPATIBLE

20.0 KAYAK CARRIERS

OUR LARGE RANGE OF RHINO-RACK® KAYAK AND CANOE CARRIERS ARE PERFECT FOR ALL TYPE OF WATER CRAFTS.



For product numbers and specification, see page 104



20.5 NAUTIC STACK

S520

- The most space conscious kayak loading option.
- Can hold up to 4 kayaks.
- Fold-able Stack arm when not in use.
- Glass reinforced nylon base.
- Stack arm made of high strength Aluminium alloy.



20.6 FOLD-ABLE 'J' STYLE

S512

- Side loading.
- Rubber tube padding protection.
- Universal mounting system.
- Steel tubing with coating protection.



20.7 FIXED 'J' STYLE

S510

- Universal fitment.
- Side loading.
- Rubber tube padding protection.
- Stainless steel hardware included



20.8 KAYAK CARRIER EXTENSION

S512X

- Transport 1 extra watercraft at the same time.
- Includes straps.
- Strong and durable steel coated.
- Completely assembled and ready out of the box.
- To be used in conjunction with the Fold-able 'J' Style Carrier (S512).

21.0 SUP & KAYAK ACCESSORIES

OUR RANGE OF ACCESSORIES TO HELP STORE AND SECURE YOUR WATER CRAFT.



For product numbers and specification, see page 104



21.1 WRAP PAD

RWP01, RWP03, RWP04, RWP05

Wrap around your Vortex bars for the extra protection required when loading and unloading your kayak/canoe/surfboard.



21.2 VA UNDERSIDE TIE DOWN POINT

S606

Installed on the underside of the crossbar ensures kayaks and straps do not loosen.



21.3 WALL MOUNT

RWHL

The Wall Hanger allows you to mount and store your luggage box, tray, kayak or anything up to 80kg / 176lb securely.



21.4 KAYAK BOW STRAP

RBAS1, RBAS2

Includes a 3.6m tie down strap and anchor point strap to secure your kayak in transit.



21.5 MULTI PURPOSE HOLDER

RMPHU

Perfect to transport fishing rods, ski poles, kayak paddles and more.



21.6 ANCHOR STRAP

RBAS, RAS

Provides an anchor point for long loads when no other tie off points are available.

22.0 KAYAK LOADERS

OUR RANGE OF PRODUCTS THAT HELP YOU EASILY LOAD KAYAKS ON TO YOUR VEHICLE'S ROOF.



For product numbers and specification, see page 104



22.1 UNIVERSAL SIDE LOADER

RUSL

The Rhino-Rack® Universal Side Loader is incredibly useful when loading your SUP, Longboard, Kayak, Canoe or any other long load. Designed for single person operation, it is a simple process. Set up your Universal Side Loader then lift one side of your load onto the accessory using it as a pivot to load the other end onto the crossbars.



22.2 T-LOAD HITCH MOUNT

RTL002

The single person use T-Load mounts to a 2 Hitch and features an anti-swivel plate designed to stop any sway. Simply lower the T-Load and using it as a leverage load your kayak, canoe, ladder or any long and heavy gear onto your vehicle's roof with ease.



22.3 NAUTIC KAYAK LIFTER

NKL

The Nautic Kayak Lifter is a complete system for loading and unloading and is perfect for heavier kayaks.

23.0 FISHING ROD HOLDERS

OUR LARGE RANGE OF RHINO-RACK® KAYAK AND CANOE CARRIERS ARE PERFECT FOR ALL TYPE OF WATER CRAFTS.



23.1 PIONEER FISHING ROD HOLDER BRACKET

43159

Mount a Rhino-Rack Fishing Rod Holder (Small) to the side of your Rhino-Rack Pioneer system.



23.2 FISHING ROD HOLDER

572

Provides a convenient way to transport your fishing rods on your next fishing trip.

24.0 BOAT LOADER

LOAD YOUR TINNIE ONTO YOUR 4WD WITH EASE



For product numbers and specification, see page 104



24.1 REAR BOAT LOADER

- Single person operation.
- Worm drive winch operated by cordless drill (18V).
- Carries boats up to 80 kg / 176lbs*.
- Designed to reduce the risk of personal injury.
- Boat Loader 50.8mm / 2" Receiver Hitch H Frame (Part# RBLHF).

Please Note:

- Not suitable for inflatable boats.
- Not suitable for station wagons.

** Please check with your local Rhino-Rack® dealer to ensure this product is suitable for your vehicle or boat.*



24.2 SIDE BOAT LOADER

- Single person operation.
- Load and unload your tinnie without unhitching the caravan or trailer.
- Uses a hand drill for effortless loading (18 volt drill recommended).
- Ideal for boats up to 80kg / 176lbs in weight*.
- Fits Rhino Heavy Duty and Rhino VA crossbars 1250mm / 49" and up.
- Fits a range of vehicles including 4WD's, lowroof camper vans and station wagons.

**Check your manufacturers load rating to determine the maximum carrying capacity of your specific vehicle.*



WATER - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART NO.	HOLDS	STRAPS	LOAD	WTY	NOTES	RECOMMENDED ACCESSORIES
20.1	Nautic 570	570	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Security fasteners.	HD-FK1, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.2	Nautic 571	571	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Security fasteners.	HD-FK1, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.3	Nautic 580	580	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Masterkey compatible.	HD-FK2, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.4	Nautic 581	581	1	4	60KG/132lbs	5yrs	Off-road load rating is 30kg/66lbs, Masterkey compatible.	HD-FK2, RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.5	Nautic Stack	S520	4	4	75KG/165lbs	5yrs	Off-road load rating is 38Kg/84lbs, C Channel and Universal Mounting.	RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.6	Foldable 'J' Style	S512	1	4	45kg/99lbs	3yrs	Off-road Rating is 23Kgs/50lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall, Include paddle holder.	S512X, KC-FK8, KC-FK9, KC-FK10 RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.7	Fixed 'J' Style	S510	1	4	45kg/99lbs	3yrs	Off-road Rating is 23Kgs/50lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall.	KC-FK8, KC-FK9, KC-FK10 RTD25-55L, RWHL,S, RBAS, RBAS1, RMPHU
20.8	Kayak Carrier Extension	S512X	1	4	30kg/66lbs	3yrs	Off-road Rating is 15Kgs/33lbs, Fits bar max 100mm/4" wide, 36mm/1.4" tall	Paddle cradle on the S512 cannot be used while the S512X extension is fitted
21.1	Wrap Pad	RWP01	1	0	75kgs/165lbs	1yr	380mm/15" in length and suits VA Bars.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
21.1	Wrap Pad	RWP03	1	2	75kgs/165lbs	1yr	550mm/22" in length.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
21.1	Wrap Pad	RWP04	1	2	75kgs/165lbs	1yr	700mm/28" in length.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
21.1	Wrap Pad	RWP05	1	2	75kgs/165lbs	1yr	850mm/33" in length.	RLH1,2 RTD25-55L, RBAS, RBAS1, RMPHU
21.2	VA Underside Tie Down Point	S606				5yrs		
21.3	Wall Mount	RWHL, RWHS	1	1	80kg/176lbs	3yrs	Internal or external use.	
21.4	Kayak Bow Strap	RBAS2		1		1yr	Paddle board bonnet tie down strap	
21.4	Kayak Bow Strap	RBAS1		1		1yr	Suitable for both Bow and Stern bonnet and boot. See instructions for reference.	
21.5	Multi Purpose Holder R	RMPHU	1-2 Paddles	0	7kg/15lbs	3yrs	Can be fitted to Pioneer and C channel, HD-FK5 fitting kit is required to attach this product to the HD Bars C channel or HD-FK1 for HD universal mounting	RTD35P
21.6	Bonnet Anchor Strap	RBAS		1		1yr	Can be used for either bonnet or boot.	
21.6	Bonnet Anchor Strap	RAS		2		1yr	Used for permanent mounting inside bonnet	

www.rhinorack.com/fitmyvehicle

WATER - TECH SPECS



Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART NO.	HOLDS	STRAPS	LOAD	WTY	NOTES	RECOMMENDED ACCESSORIES
22.1	Universal Side Loader	RUSL			60kg/132lbs	3yrs	Clamps included to suit Rhino VA/HD/Euro, Thule, Rola, Prorack.	
22.2	T-Load Hitch Mount	RTL002			80kg/132lbs	3 yrs	Adjustable height and tilt position (min height 950mm, max height 1540mm)	
22.3	Nautic Kayak Lifter	NKL	1		80kg/176lbs	5yrs	Requires a roof rack system with bar overhang of 100mm. Not recommended for our VA 2500 RS, RSS, RSF, RSP, SG systems.	NKL-FK1, NKL-FK2, NKL-FK3, NKL-FK5, NKL-FK5, RTD25I
23.1	Pioneer Fishing Rod Holder Bracket	43159				3 yrs		
23.2	Fishing Rod Holder	572	2 Fishing Rods			5yrs		
24.1	Rear Boat Loader	RBLW	1 Boat		80kg/165lbs	5yrs	2" Receiver Hitch H Frame (Part# RBLHF) sold separately	
24.2	Side Boat Loader	RSBL	1 Boat		80kg/165lbs	5yrs	Uses a hand drill for effortless loading (18 volt drill recommended).	

25.0 SKI & SNOWBOARD CARRIER

WE HAVE A RANGE OF PRODUCTS FOR CARRYING ONE TO SIX SKIS.



25.1 SKI & SNOWBOARD CARRIER

572, 573, 574, 576

- Available in 4 different sizes.
- Sold in a pair.
- Easy to use locking mechanism.
- Universal fit to suit the most popular roof racks on the market.
- Rubber grip profile protects your skis and snowboards.



25.2 MULTI-PURPOSE HOLDER

RMPHU

- Made from strong glass reinforced nylon.
- The strap is made from thermoplastic vulcanizate rubber.
- Load Rating of up to 7kg / 15.5lb.
- The fastest way to strap down and transport.
- Left or right side fastening with ease.
- The internal width is 55mm.

SNOW - TECH SPECS

REF	PART #	INT DIMENSION	SKI	SNOWBOARDS	FISHING RODS
25.1	572	250mm / 9.84"	2	-	4
25.1	573	325mm / 12.8"	3	2	4
25.1	574	500mm / 19.69"	4	2	-
25.1	576	695mm / 27.36"	6	4	-
25.2	RMPHU	-	1	-	3



BIKES

- 110. **Roof Mounted Bike Carriers**
- 111. **Rear Mounted Bike Carriers**
- 112. **Bike Carrier Accessories**
- 113. **Masterkey™**
- 114. **Bikes - Tech Specs**





26.0 ROOF MOUNTED BIKE CARRIERS

BIKE CARRIER SOLUTIONS
SUITABLE FOR EVERYONE!



26.1 HYBRID

RBC050

- No bike frame contact
- Multiple locking system, to keep your bike and racks as secure as possible.
- Ergonomically shaped handle with release trigger and locking system.
- Universal fit to most commercially available roof crossbars
- Suitable for C-Channels (use #RBCA034)
- Suitable for bikes from 20" kids bikes to 29" mountain bikes.
- Suitable for bikes up to 21kg / 45lb.
- Minimum crossbar spacing 550mm / 21" and maximum is 1070mm / 42".
- Fat Bike Adapter also available.



26.2 MOUNTAIN TRAIL

RBC035

- Low profile.
- Universal crossbar fit.
- Locks included to secure carrier to both the bicycle and roof bars.
- Easily adjustable locking skewer.
- Suitable for 9-10mm front axles with 100mm hub spacing
- Optional Thru Axle fit kit available (RBCA030)
- Suitable for kids bikes to 29" mountain bikes



26.3 ROAD WARRIOR

RBC036

- Low profile.
- Suits most "C" Channel crossbar profiles.
- Rear wheel strap fits all wheel dimensions.
- Lockable.
- Adjustable locking skewer.
- Suitable for 9-10mm front axles with 100mm hub spacing
- Optional Thru Axle fit kit available (RBCA030)
- Suitable for kids bikes to 29" mountain bikes



26.4 PIONEER THRU AXLE BIKE CARRIER

43233

The Pioneer Thru Axle Bike Carrier allows you to attach a thru axle bike directly to a Pioneer system. The bike mount comes with 15mm x 100mm thru axle insert, with additional sizes available for purchase.



27.0 REAR MOUNTED BIKE CARRIERS

BIKE CARRIER SOLUTIONS
SUITABLE FOR EVERYONE!



27.1 TAKE 2 HITCH MOUNT

RBC045

- Fits up to 2 Bikes
- 30kg total capacity
- Strong, sturdy 2" hitch mount design with stabilisation system built in
- Suitable for all bike sizes from kids to 29ers.
- Folding top arm when not in use for compact storage.
- Tilts away from car for easier rear vehicle access.
- Adjustable straps and cradles to suit all frame shapes.



27.2 TAKE 4 HITCH MOUNT

RBC053

- Fits up to 4 Bikes
- 60kg total capacity
- Strong, sturdy 2" hitch mount design with stabilisation system built in
- Suitable for all bike sizes from kids to 29ers
- Folding top arm when not in use for compact storage
- Tilts away from car for easier rear vehicle access
- Adjustable straps and cradles to suit all frame shapes.



27.3 BALL MOUNT BIKE CARRIER

RBC008

- Fits up to 4 Bikes
- Top arm folds down when not in use.
- Max 15kg / 33lbs per bike.
- Folds down for boot/hatch access.
- Includes 2 straps for securing the bikes.
- Recommended accessory RBCA011 (Number Plate Holder).



27.4 SPARE WHEEL BIKE CARRIER

RBC025

- The Spare Wheel Bike Carrier utilizes your rear spare wheel by allowing two bikes to be easily transported.
- Bikes are secured by thick rubber straps
- Engineering allows two bikes to be carried on the spare rear wheel
- Folds down when not in use
- Can be adjusted to offset your spare wheel on either the right or left side
- Suitable for larger vehicles, 4WDs and any car with a rear spare wheel
- The Spare Wheel Bike Carrier can hold a maximum of two adult bikes
- Not suitable for heavy off road use.



28.0 BIKE CARRIER ACCESSORIES

ACCESSORIES THAT WILL COMPLIMENT
YOUR BIKE CARRIERS.



For product numbers and
specification, see page 114



28.1 VA CABLE CORE LOCKDOWNS

(0.6M) 43205

The VA Cable Core Lockdown is a cable lock that fits neatly into the C channel on your Vortex crossbars or Pioneer system. The VA Cable Core Lockdown can be used to lock the awning channels to your Rhino-Rack roof racks.



28.2 BAR ADAPTER

RBCA021

Allows your rear mounted bike carrier to be used with oversized bike frames and certain children's and ladies bikes.



28.3 THE CLAW (FORK MOUNTED BIKE RACK)

RBCA010

The Claw (RBCA010)" is a Fork Mounted Bike Carrier that can be fixed to a Ute/Pick Up Ute tray, trailer or van. The Claw can also be fixed to a wall at home for additional storage space.



28.4 FAT BIKE ADAPTER KIT (SUITS RBC050)

RBCA033

The Fat Bike Adapter works in conjunction with the RBC050 Hybrid / RockyMounts Bike Carrier. With a few simple changes to the system like wider wheel supports and extension straps the Hybrid / RockyMounts Bike Carrier is able to transport your Fat Bike.



28.5 NUMBER PLATE HOLDER

RBCA011

Addresses any regulatory issues if your rear mounted bike carrier is obstructing your number plate.



28.6 MULTI-AXLE ADAPTER

RBCA030

Convert your existing Rhino-Rack fork mount bike carrier to work with new and emerging thru-axle standards.



28.7 THRU AXLE INSERT

Various inserts available to fit the range of Thru axle sizes available.

Refer to Bike Tech Specs for detail



THE KEY TO SOLVING ALL YOUR PROBLEMS.

The Rhino-Rack® Masterkey™ system allows you to change the locks in your Rhino-Rack® roof racks and accessories to eliminate carrying multiple keys.

- Each pack contains 2 molded Masterkeys in blue for easy identification.
- One key for all your Rhino-Rack® products.
- Simply replace the lock barrels in all your Rhino-Rack® products.
- Barrel sets available in 2, 4 & 8 packs.



COMPATIBLE PRODUCTS:

Roof Rack	2500 System, RLT600, SRB Leg,
Watersport	580, 581
Ski Carrier	572, 574, 576
Bike Carrier	RBC035, RBC036, RBC050
Securing	RTD35L, RTD45L, RTD55L, 43205, 43206, 43207, 43208, 43209, 43210
Other	Conduit Locking End Cap

BIKES - TECH SPECS




Check your vehicle manufacturer's handbook for your car's on-road and off-road roof load rating.

REF	PRODUCT	PART NO.	HOLDS	DIMENSIONS	MAX LOAD	WEIGHT	WTY	NOTES
26.1	Hybrid Bike Carrier	RBC050	1	980mm x 330mm x 115mm / 38.6" x 13" x 4.5"	21kg / 45lb	7.2kg / 15lbs	5yrs	Fat Bike Adapter also available with part #RBCA033. Use #RBCA035 for Heavy Duty Bar.
26.2	Mountain trail - Roof	RBC035	1	400mm x 180mm x 80mm / 55.1" x 7.1" x 3.1"	15kg	4kg / 8.82lbs	5yrs	Minimum cross bar spacing 550mm / 21.6", maximum 1010mm / 39.7"
26.3	Road Warrior - Roof	RBC036	1	1400mm x 180mm x 80mm / 55.1" x 7.1" x 3.1"	15kg	2.5kg / 5.51lbs	5yrs	Minimum cross bar spacing 550mm / 21.6", maximum 1010mm / 39.7"
26.4	Pioneer Thru Axle Bike Carrier	43233	1	NA	17kg / 37.4lbs	2kg / 4.4lbs	3yrs	Comes with 15mm x 100mm thru axle insert, other sizes available to purchase.
27.1	Hitch Mount Bike Carrier - Take 2	RBC045	2	960 x 410 x 180 mm / 37.8" x 16.1" x 7.1"	30kg / 66lb	15.14kg / 33.38lbs	3yrs	Bike lock included for security. Adjustable straps and cradles to suit all frame shapes
27.2	Hitch Mount Bike Carrier - Take 4	RBC053	4	960 x 410 x 180mm / 37.8" x 16.1" x 7.1"	60kg / 132ib	17.86kg / 39.4lbs	3yrs	Bike lock included for security. Adjustable straps and cradles to suit all frame shapes
27.3	Ball Mount Bike Carrier	RBC008	2	910mm/260mm 380mm / 35.8 x10.2" x15"	60kg / 132ib	15kg / 33lbs	3yrs	Folds down for boot/hatch access. For use with Circular towball mounts and not the conical flanged stule mounts (particularly the "Convert-a-ball" product)
27.4	Spare Wheel Bike Carrier - Rear	RBC025	2	750mm x 600mm x 120mm / 29.5" x 23.6" x 4.7"	30kg / 66lb	7.3kg / 16lbs	3yrs	Not recommended for heavy off-road use or rear mounting on caravans
28.1	VA Cable Core Lockdowns	43205	NA	Length: 60cm		0.5kg / 1.1lbs	3yrs	Fits Vortex bars
28.2	Bar Adapter	RBCA021	NA	300mm x 150mm x 50mm / 11.8" x 5.9" x 2"	-	1.1kg / 2.4lbs	3yrs	Allows rear mounted bike carrier to be used with oversized frames and certain kids/ladies bikes
28.3	The Claw (Fork Mounted Bike rack)	RBCA010	1	50.8mm x 304.8mm x 152.4mm / 2" x 12" x 6"		0.2kg / 0.4lbs	5yrs	Fasten your bike to the back of a ute tray, trailer or van
28.4	Fat Bike Adapter Kit	RBCA033	NA			0.4kg / 0.9lbs	3yrs	Fits RBC050. Fits wheels up to 12.7cm / 5".
28.5	Number Plate Holder	RBCA011	NA			2.5kg / 5.51lbs	3 yrs	Ensures you meet regulatory requirements relating to the obstructing of number plates / rear lights
28.6	Multi Axle Adapter	RBCA030	NA		-	-	3yrs	Converts existing fork mount to work with new thru-axle standards.
28.7	Thru Axle Insert	RBCA040	NA	Various			3 yrs	Allows thru-axle bikes to fit the multi axle adapter

www.rhinorack.com/fitmyvehicle







TRADE SOLUTIONS

- 118. Ladder Carriers
- 120. OHS Ladder Loader
- 120. Slide Out Ladder Loader
- 121. Internal Ladder Rack System
- 122. Ladder Accessories
- 123. Conduit Carriers & Caps
- 124. Conduit Brackets
- 125. Trade Accessories
- 126. Lights & Aerial Brackets

29.0 LADDER CARRIERS

Rhino-Rack offers a range of ladder racks to suit all your carrying needs, the CSL and MULTI SLIDE ladder racks are the most common racks used in industry to transport ladders reliably and safely. They both feature a rear roller to assist in loading and unloading your ladder and are available in a variety of sizes to make the perfect fit for your ladder.



WHAT SIZE LADDER RACK DO YOU NEED?

Please speak to your nearest Rhino-Rack dealer for a recommendation on which systems is best suited to your vehicle.

RAIL LENGTH	EXTENSION LADDER	STEP LADDER
2.6m/8.5ft	✓	✓
3.0m/9.8ft	✓	✓
3.5m/11.5ft	✓	✓
4.0m/13.1ft	✓	✗

Part No	Description
CSL26M	CSL 2.6M LADDER RAIL SET
CSL30M	CSL 3.0M LADDER RAIL SET
CSL35M	CSL 3.5M LADDER RAIL SET
CSL40M	CSL 4.0M LADDER RAIL SET
MS26M	MULTISLIDE 2.6M LADDER RAIL SET
MS30M	MULTISLIDE 3.0M LADDER RAIL SET
MS35M	MULTISLIDE 3.5M LADDER RAIL SET
MS40M	MULTISLIDE 4.0M LADDER RAIL SET
LR470	LADDER ROLLER 470MM
LR615	LADDER ROLLER 615MM
LR680	LADDER ROLLER 680MM
ERGKIT	ERGON LADDER RACK KIT

29.0 LADDER CARRIERS



CSL LADDER RACK SYSTEM

The CSL Ladder Rack uses full length PVC guide strips to guide your ladder into place and provide a level platform for your ladder to be supported for transport.

Specifications:

- Includes ladder strap and hoops to secure your ladder
- Modular design available in a range of rail lengths and roller widths
- Cable locks available (SOLD SEPARATELY)
- Compatible with Rhino Rack HD crossbars
- Compatible with Rhino Rack VA crossbars with additional kit

SUB0835 (Sold Separately)

- 42Kg/93lbs load capacity per carrier
- 5 Year Warranty



MULTI-SLIDE LADDER RACK SYSTEM

The Multi Slide Ladder Rack used Low Friction Polypropylene Guides which allow effortless loading and unloading of your ladder. Ladder rail Support Brackets are also supplied to stop damage to the vehicle during loading and unloading.

Specifications:

- Includes ladder strap and hoops to secure your ladder
- Modular design available in a range of rail lengths and roller widths
- Cable locks available (SOLD SEPARATELY)
- Compatible with Rhino Rack HD crossbars
- Compatible with Rhino Rack VA crossbars with additional kit

SUB0835 (Sold Separately)

- 42Kg/93lbs load capacity per carrier
- 5 Year Warranty

30.0 LADDER LOADER



SLIDE OUT LADDER LOADER

- The Slide Out Ladder Loader (T7-SLRS) is similar to the Multi-Slide ladder rack system however it features an additional slide out mechanism at the rear. This allows for easier access to your ladder and prevents damage to your vehicle during loading and unloading of the ladder.

Features

- Allows an extra 750mm of vehicle clearance when extended to protect the user and their vehicle (extension used for loading and unloading only)
- Low Friction Polypropylene guides to assist loading and unloading

Specifications:

- Suits most SUVs & Wagons
- 2.2m Ladder Rails with 750mm rear extension
- 42kg load capacity
- 5-year warranty

OHS LADDER LOADER



OHS LADDER LOADER

The OHS Ladder Loader allows you to load and unload an extension ladder from taller vehicles quickly, easily and safely. Ergonomically designed using a combination of gas struts and structural grade materials to provide a one person, fast and simple way of lifting your ladder.

Features:

- Reduce the risk of a manual handling injury by loading your ladder at waist level.
- Designed in line with Australian Work Health & Safety Regulations
- Ladder strap and Cable lock included to ensure the security of your ladder during transport and storage.

Specifications

- Van heights up to 2.8m
- Compatible with extension ladders up to 6m x 450mm (30kg load capacity)
- 5 Year Warranty
- Designed and manufactured in Australia

31.0 INTERNAL LADDER RACK SYSTEM



INTERNAL LADDER RACK

ILRRACK

The Rhino-Rack Interior Ladder Rack is a internal ladder rack system that mounts to the underside of the roof of your van via 3 vehicle specific brackets, it allows for the new Rhino-Rack Interior Ladder Rack system to be fitted inside your vehicle.

Features:

- Opens up floor space for the cargo area.
- Ladders can be easily stowed for travel or removed for usage using the track and bungee system.
- Compatible with ladders up to a height of 1.8 and 14kgs.
- Must be installed in conjunction with Cargo Barrier/Solid Partition Barrier.
- Quick release & ladder carriers can be pivoted up towards the roof when not in use to increase clearance within the van
- Quick release bungee cord tension lock off incorporated into the Heavy Duty bar to act as an additional safety measure
- 5 Year Warranty



32.0 LADDER ACCESSORIES

VIEW OUR LARGE RANGE OF LADDER CARRIERS AND OTHER ITEMS TO HELP YOU LOAD YOUR LADDERS SAFELY ONTO YOUR VEHICLE.



RHINO ECONOMY LADDER SLIDE KIT

SEGLK, REGLK

The safe, secure and economical solution for loading and unloading your ladder.



LADDER HOOPS

RUH,MSLHK, SUH

Keep your ladder safe and stable on your vehicle's roof with the aid of Rhino-Rack's Ladder Hoops (RUH, MSLHK, SUH).



RHINO-RACK LADDER SLIDE

REG, SEG

Help simplify the action of loading a ladder onto your Rhino-Rack Heavy crossbars.



LADDER STRAPS & CABLE LOCKS

RLS5, SLS5, RLS5-15, RLLR, RLLB

Secure your ladders to your Heavy Duty and Vortex Cross Bars. Cable locks can also be attached to your ladder rail extrusion (RLS5, SLS5, T7-FK3).



ALLOY ROLLERS

RR1375, RR1500, RR1650, RR1800, RR470, RR540, RR615, RR680, SR470, SR540, SR615, SR680

A great way to get your ladders on and off your Rhino-Rack® roof racks with only a small amount of effort required.

33.0 CONDUIT CARRIERS & CAPS

RANGE OF CONDUITS, CONDUIT CARRIERS END CAPS AND CLAMPS FOR YOUR WORK RELATED NEEDS.

The Rhino-Rack conduit range includes a variety of conduit options to suit your needs including fully assembled conduits ready for your roof racks to end caps to complement your own conduit. All Rhino-Rack Conduit Caps and Brackets have been designed and tested to ensure the safety of yourself and others around you while transporting your gear.



ASSEMBLED CONDUITS

The conduit end caps can be purchased separately and are available in black or orange. With the ability to attach to your ladder rack rails, Heavy Duty Cross Bars or Vortex Cross bars; the Conduit range at Rhino-Rack provides a solution for all needs.

ITEM	LENGTH	DIAMETER	END CAP
P30-100	3.0m/9.8ft	100mm/3.9in	Black Locking Cap
P30-150	3.0m/9.8ft	150mm/5.9in	Standard Screw Cap
P46-100	4.6m/15.1ft	100mm/3.9in	Black Locking Cap
P46-150	4.6m/15.1ft	150mm/5.9in	Standard Screw Cap



LOCKING END CAP

- Suits 100mm PVC pipes (3.9 inches).
- Masterkey compatible
- Installation requires gluing to secure end cap to conduit
- O-Ring seal reduces dust and water build up.
- Maximum carrying capacity is 15kg / 33lb.
- Dynamic testing to AS1235:2000
- Crash tested to ISO11154:2006

Available in the following colours

- LSE100 - Black
- LSE101 - Orange



CONDUIT END CAP & SLEEVE

- Crash tested for proven reliability.
- Wire trace for easier operation
- Maximum carrying capacity 15kg / 33lb
- Installation requires gluing to secure end cap to conduit
-

Available in 2 sizes

- BEC - 100mm
- BEC - 150mm



CONDUIT END CAP

BCW, BC150

- Crash tested for proven reliability
- Can be used in addition to existing conduits or as a replacement end cap

Available in 3 sizes and colours

- BCW - 100mm orange end cap
- BCW-C 100mm reinforced end cap
- BC150 - 150mm standard end cap

34.0 CONDUIT BRACKETS

VIEW OUR RANGE OF CONDUITS, CONDUIT CARRIERS END CAPS AND CLAMPS FOR YOUR WORK RELATED NEEDS.

Rhino-Rack offers a number of different conduit brackets to best suit your needs and make the most of the space on your roof. Something to consider when selecting your Conduit Clamps is what you plan on carrying. Heavy metal like copper might need an extra third bar and bracket for its safe transport, whereas lighter object like fishing rods will be safe with two brackets. For longer items also consider mounting the brackets to your ladder rack rail for extra support.



CONDUIT CLAMP (2)

BC2, BC3, BC2-150, BC3-150

- Suits a 100mm and 150mm conduit
- Load rating 15kg / 33lbs.
- Mounts the conduit above or below the bar.



CONDUIT CLAMPS

RPC4, RPC6

- Suits a 150mm (6") Conduit
- Load rating 15kg/33lb.
- Mounts the conduit above or below the bar.
- Compatible with HD bars




CONDUIT LOWER SIDE BRACKET

BC3-LSB

- Mounts Conduit to the side of your vehicle
- Clamp secures conduit while still allowing for sliding door clearance
- Compatible with BC3 & BC3-150.

35.0 TRADE ACCESSORIES

TRADE ACCESSORIES THAT WILL HELP YOU GET THE JOB DONE EASILY AND SAFELY.



ADJUSTABLE LOAD HOLDER

RLH1, RLH2

- Position your load so it doesn't slide.
- Trigger locking for easy adjustment



EYEBOLT

REB, 604

- Used as a tie off point.
- Compatible with many Rhino-Rack® accessories.



CABLE LOCK

RLLB, RLLR

- A great easy solution for locking your ladders to your Rhino-Rack® Heavy Duty Bars.
- Cable length 7cm / 27.6inch



RATCHET GRAB

RRG, SRG

- Suits Rhino-Rack® Heavy Duty bars.
- 2m strap included with a 220kg load rating.



LADDER PEG

RSLP 75mm, RMLP 153mm, RLLP 210mm

- Allows you to position your ladder.
- Used for a variety of mounting applications.
- Perfect for positioning ladders.

36.0 LIGHTS & AERIAL BRACKETS



BRACKETS ARE OUR THING.

Need a safe solution to secure your equipment?
We have a range of brackets designed to help you attach your gear. For custom solutions and advice please contact your local Rhino-Rack® specialist..



FOLDING AERIAL BRACKET

Part# 43196

- Rhino-Rack® Pioneer, Vortex and Heavy Duty bar compatible
- Use: Aerial Lights



MULTI-PURPOSE

Part# RMPB

- Rhino-Rack® Vortex and Heavy Duty bar compatible
- Use: Aerial Lights



VORTEX AERIAL BRACKET

Part# S613

- Rhino-Rack® Vortex bar compatible
- Use: Aerial



AERIAL MOUNT KIT

Part# RAMK

- Rhino-Rack® Heavy Duty bar compatible
- Use: Aerial



AERIAL MOUNT BRACKET KIT

Part# RABK

- Rhino-Rack® Heavy Duty bar compatible
- Use: Aerial



BEACON MOUNTING PLATE

Part# RBP (HD) Part #SBP (VA)

- Use: Beacon Lights



RHINO BEACON PLATE-CAB BAR MOUNT

Part# RBP-CBM

- Rhino-Rack® Heavy Duty bar compatible
- Use: Beacon Lights




LIGHT MOUNT BRACKET

Part# RWLB

- Rhino-Rack® Pioneer, Vortex and Heavy Duty bar compatible
- Use: Lights Aerials





Rhino-Rack® products can be purchased and installed through our vast network of authorised dealers globally. Head over to **www.rhinorack.com**, and click “Where To Buy” in the navigation menu to find your nearest Rhino-Rack® dealer.

Join the herd! We love hearing about our customers making space for adventure, so don't forget to tag us **@rhinorackau** or **#rhinorack** on socials to keep in touch.

Or head to **rhinorack.com/join** to sign up for email updates!





MAKE SPACE FOR ADVENTURE

RHINORACK.COM

© Rhino Rack Australia Pty Limited, ABN 63 122 680 639, 22a Hanson Place, Eastern Creek NSW 2766, Australia

Rhino-Rack has made reasonable efforts to ensure that the information within this publication is correct at the time of printing. Although Rhino-Rack monitors the quality of the information and updates the information regularly, human or mechanical error, or changes in circumstances after the time of publication may be possible and may impact the accuracy of the information. Rhino-Rack does not warrant that any information or data in this publication is accurate, complete, current or suitable for any purpose. To the maximum extent permitted by law, Rhino-Rack disclaims all liability for any loss, damage, expense and costs incurred by any person arising out of accessing, downloading, using or relying on any materials in this publication.