



VEHICLE				BAR TYPE		CONNECTOR	BED HEIGHT ADDED (mm/in)	
TOYOTA Tundra CrewMax XK70 Gen 3 SHORT BED 5.5ft				Vortex		RTD4	280/11	
VEHICLE NOTES								
REGION	AUS	NZ	USA	CA	SA	UK	EU	ZA
AVAILABILITY	x	x	✓	✓	✓	x	x	x
RUNNING DATES	-	-	2022 -	2022 -	2022 -	-	-	-

VISIT THE ONLINE CALCULATOR FOR CURRENT SYSTEM LOAD LIMIT DATA




**DYNAMIC LOAD LIMIT (ON AND OFF-ROAD):**

**\*USE THE VEHICLE MANUFACTURER'S MAXIMUM TRACK ALLOWANCE IF IT IS LOWER THAN THE FIGURE LISTED**



CARGO

UP TO **89 Kg**  
**196 lbs**




SYSTEM WEIGHT

**+ 11 Kg**  
**24 lbs**


**=**

UP TO **100 Kg**  
**220lbs**

**OR**




**\*VEHICLE MANUFACTURER'S TRUCK BED UTILITY TRACK LOAD LIMIT**




**TOTAL STATIC LOAD LIMIT: UP TO 250kg / 551lbs**

## BASE

TRACK NUTS	PART DETAILS	
	PART NO	RD-FK1
	KIT QTY	1

## BAR


CROSS BAR	PART DETAILS	
	PART NO	VA165B
	QTY	2

## ACCESSORY

NS BAR	PART DETAILS	
	PART NO	-
	QTY (pair)	-
Recommended NS Bar setup is included in the SYSTEM WEIGHT above. Refer to NS BAR Instructions for custom setups.		

ONLY COMPATIBLE WITH RECONN-DECK BARS

## RECOMMENDED TOWER SPACING



After positioning Towers, return to Reconn-Deck Tower Instruction.

## NOTES FOR DEALERS / FITTERS

It is your responsibility to ensure these fitting instructions are given to the end user or client.