




# DK010 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

## IDENTIFICATION CHART




Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR				
			Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance ( x )	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side
Honda Jazz 5dr Hatch	10/02-07/08	1180mm	M367 SUB0150	207mm	152mm	982mm / 38,21/32"	OUT	M367 SUB0150	186mm	131mm	940mm / 37,1/64"	OUT
			Arrow FORWARD					Arrow FORWARD				
Honda Fit 5dr Hatch	02-08	1180mm	M367 SUB0150	207mm	152mm	982mm / 38,21/32"	OUT	M367 SUB0150	186mm	131mm	940mm / 37,1/64"	OUT
			Arrow FORWARD					Arrow FORWARD				
Hyundai Trajet 5dr Wagon	06/00-07	1375mm	M367 SUB0150	175mm	120mm	1113mm / 43,13/16"	OUT	M367 SUB0150	175mm	120mm	1113mm / 43,13/16"	OUT
			Arrow FORWARD					Arrow FORWARD				
Hyundai Elantra Touring 5dr Hatch	2009-	1180mm	M367 SUB0150	197mm	142mm	962mm / 37,7/8"	OUT	M367 SUB0150	187mm	132mm	942mm / 37,3/32"	OUT
			Arrow FORWARD					Arrow FORWARD				
Land Rover Freelander 2	06/07-	1260mm	M367 SUB0150	201mm	88mm	1050mm / 41,11/32"	OUT	M367 SUB0150	186mm	73mm	1020mm / 40,5/32"	OUT
			Arrow FORWARD					Arrow FORWARD				



# DK010 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

## IDENTIFICATION CHART



Vehicle	Date	Crossbar	FRONT CROSSBAR					REAR CROSSBAR				
			Front Right Pad/ Clamp	Front Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance ( x )	Foot plate arrow direction	Rear Right Pad/ Clamp	Rear Left Pad/ Clamp	Measurement strip length per side	Measurement strip length per side
Land Rover LR2	2007-	1260mm	M367 SUB0150	201mm	88mm	1050mm / 41,11/32"	OUT	M367 SUB0150	186mm	73mm	1020mm / 40,5/32"	OUT
			Arrow FORWARD					Arrow FORWARD				




# DK010 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

**Measurement A:** CENTRE of door jamb to CENTRE arrow of leg foot plate.


**Measurement B:** CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

**Carrying capacity:** Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.




## Direction of Pad, Arrow and Foot Plates



### Fitting note for Land Rover.

Push clamp to depress rubber on roof turret.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/11lbs)
Honda Jazz 5dr Hatch	10/02-07/08	150mm / 5,29/32"	600mm / 23,5/8"	50kg / 110lbs
Honda Fit 5dr Hatch	02/08	150mm / 5,29/32"	600mm / 23,5/8"	50kg / 110lbs
Hyundai Trajet 5dr Wagon	06/00-07	200mm / 7,7/8"	800mm / 31,1/2"	50kg / 110lbs
Hyundai Elantra Touring 5dr Hatch	2009-	230mm / 9,1/16"	700mm / 27,9/16"	60kg / 132lbs
Land Rover Freelander 2	06/07-	210mm / 8,17/64"	700mm / 27,9/16"	75kg / 165lbs
Land Rover LR2	2007-	210mm / 8,17/64"	700mm / 27,9/16"	75kg / 165lbs