





DK153 Rhino-Rack VA, Aero, Euro & HD crossbar instruction


IDENTIFICATION CHART




VA crossbar



AERO crossbar







EURO crossbar






HD crossbar

FRONT CROSSBAR



REAR CROSSBAR



Vehicle	Date	Crossbar	Front Right Pad/Clamp	Front Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction	Rear Right Pad/Clamp	Rear Left Pad/Clamp	Measurement strip length per side	Measurement strip length per side	Measurement Distance (x)	Foot plate arrow direction
Honda Civic 2dr Coupe	2006 on	1260mm / 49,19/32"	M366 SUB0151	M366 SUB0151	202mm	89mm	1052mm / 41,27/64"	OUT	M366 SUB0186	M366 SUB0186	196mm	83mm	1040mm / 40,15/16"	OUT
			Arrow FORWARD						Arrow FORWARD					





DK153 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Measurement A: CENTRE of door jamb to CENTRE arrow of leg foot plate.

Measurement B: CENTRE of Front leg foot plate arrow to CENTRE of Rear leg foot plate arrow.

Carrying capacity: Roof rack is rated to 75kg. Please refer to manufacturers handbook for your vehicles maximum roof load capacity. Always use the lower of the two figures.

If your vehicle is not listed on this fitting instruction please refer to your countries Rhino-Rack web site for the latest information.



VEHICLE	Date	Measurement A	Measurement B	Load Rating (includes racks 5kg/ 11lbs)
Honda Civic 2dr Coupe	2006 on	635mm / 25"	585mm / 23,1/32"	40kg / 88lbs



DK153 Rhino-Rack VA, Aero, Euro & HD crossbar instruction

Supplement Fitting Instruction - Honda Civic 2dr Coupe


1.

Both Front and Rear racks will locate within the door span.



2.

Front rack shown in position.



3.

A = 635mm / 25"

B = 585mm / 23, 1/32"

FRONT

